

# CRYOLITE-SULFUR DUST 4

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Keep pesticide in original container.

Burn bag immediately when empty—Stay out of smoke.

## DIRECTIONS FOR USE:

This product is an agricultural pesticide for application by ground or air for the below indicated uses:

**GRAPES:** Grape Leaf Folder, Powdery Mildew: 20 to 30 pounds per acre. Begin treatment when shoots are 6 inches long. Repeat at 12 and 18 inches. Do not apply after fruit begins to form. Do not apply to Concord and other Labrusca type as sulfur may cause injury.

**TOMATOES:** Hornworm, Pinworm, Russet Mite. 30 to 40 pounds per acre. Apply when insect first appears. Repeat at 5 to 7 day intervals until control is obtained. No time limitation. Remove residue by washing, brushing or other effective means.

NET WEIGHT 50 LBS.

### ACTIVE INGREDIENTS

Cryolite

Sulfur

### INERT INGREDIENTS

### By Weight

45.0%

35.0%

20.0%

### TOTAL

100.0%

### USE PRE

HARMFUL IF SV  
HALATION OF D

THIS PRODUCT  
out of any bod.  
when weather co  
areas treated. Do  
by cleaning of e  
wastes.

Do not apply un  
possible drift to  
plantings that m  
crops thereof re  
or consumption.

Sulfur may burn  
are excessively H

NOTICE TO BUYE  
expressed or imp  
product, other th  
assumes all risk  
such use and or  
instructions.

— NO

Do not permit work  
substantial contact  
following indicated  
Grapes, 1.

**CAUTION:**  
**KEEP OUT OF REACH OF CHILDREN**

EPA REGISTRATION NO. 5967-113 AA

8 74

EPA EST. 5967-CA-1

MANUFACTURED BY

**MOYER CHEMICAL COMPANY**

1310 BAYSHORE HIGHWAY P.O. BOX 945 SAN JOSE, CALIFORNIA

# TE-SULFUR DUST 45-35

ACTIVE INGREDIENTS	By Weight
Cryolite	45.0%
Sulfur	35.0%
INERT INGREDIENTS	20.0%
<b>TOTAL</b>	<b>100.0%</b>

ACCEPTED

## CAUTION:

**KEEP OUT OF REACH OF CHILDREN**

EPA REGISTRATION NO. 5967-113 AA

8 74

EPA EST. 5967-CA-1

MANUFACTURED BY

**MOYER CHEMICAL COMPANY**

1310 BAYSHORE HIGHWAY P.O. BOX 945 SAN JOSE, CALIFORNIA

## USE PRECAUTIONS:

HARMFUL IF SWALLOWED. AVOID INHALATION OF DUST.

THIS PRODUCT IS TOXIC TO FISH. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

Sulfur may burn foliage when temperatures are excessively high.

NOTICE TO BUYER — Seller makes no warranty, expressed or implied, concerning the use of this product, other than indicated on the label. Buyer assumes all risk of use and or handling when such use and or handling is contrary to label instructions.

— NON-RETURNABLE —

Do not permit workers to enter the treated area where substantial contact will be made with treated foliage until following indicated days have lapsed after application:  
Grapes, 1.

# CRYOLITE-SULFU

**READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.**

Keep pesticide in original container.

Burn bag immediately when empty—Stay out of smoke.

## DIRECTIONS FOR USE:

This product is an agricultural pesticide for application by ground or air for the below indicated uses:

**GRAPES:** Grape Leaf Folder, Powdery Mildew: 20 to 30 pounds per acre. Begin treatment when shoots are 6 inches long. Repeat at 12 and 18 inches. Do not apply after fruit begins to form. Do not apply to Concord and other Labrusca type as sulfur may cause injury.

**TOMATOES:** Hornworm, Pinworm, Russet Mite: 30 to 40 pounds per acre. Apply when insect first appears. Repeat at 5 to 7 day intervals until control is obtained. No time limitation. Remove residue by washing, brushing or other effective means.


**NET WEIGHT 50 LBS.**

### ACTIVE INGREDIENTS

Cryolite .....

Sulfur .....

### INERT INGREDIENTS .....



**CAUTION**

**KEEP OUT OF REACH**

### EPA REGISTRATION

8 74

EPA EST. 59

MANUFACTURER

**MOYER CHEMICAL**

1310 BAYSHORE HIGHWAY P.O. BOX