

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

59.7-127

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Before using this product, be sure the spray tank is clean and contains just enough water to cover the agitator shaft.

With the agitator in motion (120 R.P.M. or more) add the amount of spray oil required for a full tank. Pump this mixture through the overflow and back into the tank for a minute or two. The mixture should turn white, indicating good emulsification. Then fill the tank with water.

If an injector is used, first add 25 to 50 gallons of water to tank with engine running to provide good pressure. Then put injector suction tube into the measured amount of spray oil, opening injector valve to allow the oil to be sucked into the tank. Then fill the tank with water.

DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.


BEST DOCUMENT AVAILABLE

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not store near food or feed. Keep in shade. In case of spill or leak on floor or paved surfaces, soak up with sand, earth, or synthetic absorbent. Remove to chemical waste area and dispose of in accordance with State and local regulations.

Open dumping prohibited. Pesticide spray or rinsate that cannot be used should be disposed of in a landfill appropriate for pesticide, or buried in a safe place away from water supply.

Do not reuse container. Triple rinse residue from empty container and add rinse to mixture in spray tank. Return to drum reconditioner or dispose of drum in sanitary landfill in accordance with State and local regulations.



**DORMANT
SOLUBLE**

ACTIVE INGREDIENT	By Weight
Petroleum Oil	99.00%
INERT INGREDIENTS	1.00%
TOTAL	100.00%

Classification — Dormant Heavy
Unadphosated Residue — 70%, Minimum

**KEEP OUT OF REACH OF CHILDREN
CAUTION
HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE**

See Additional precautions on side panel

PRACTICAL TREATMENT: (First Aid)

IF SWALLOWED: Administer water freely and induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Professional medical assistance should be secured immediately.

IF ON SKIN: Rinse off material and wash skin with soap and water. Get medical attention if irritation persists.

IF IN EYES: Wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED: Remove to fresh air. IF NOT BREATHING; give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

EPA REG. NO. 05967-127 AA

EPA EST. NO. 5967-CA-2

PRECAUCIÓN

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

MANUFACTURED BY

MOYER CHEMICAL COMPANY

P. O. BOX 5434, FRESNO, CALIFORNIA 93751

12-83

30 GALLONS

DORMANT SOLUBLE OIL is a prepared emulsion used on the crops appearing on this label full dormant period.

BROWN APRICOT SCALE AND BLACK SCALE: Apricots, Prunes, Nectarines and Use 2½ to 3½ gals. per 100 gals. of spray.

BROWN ALMOND MITE EGGS, ITALIAN PEAR SCALE: Apricots, Almonds, Cherries, Peach and other deciduous fruits. Use 3½ to 4 gals. per 100 gals. of spray.

LEAFROLLER EGGS: Apples, Apricots, Peach, etc. Use 400 to 800 gallons of water per acre; for ages, consult your Cooperative Agricultural Extension Service.

STRAWBERRIES: To Burn Back Dormant Pests: wintering Spider Mite Population. Use 5 to 10 to 3 pts. of a General Omitro Weedkiller or NITRO KILL WEEDKILLER. Add enough water to indicated below:

By Ground — apply a minimum 75 gals. of spray solution.
By Air — apply a minimum of 10 gals. and of spray solution.

TO OBTAIN BEST RESULTS WITH THIS ATTENTION SHOULD BE GIVEN TO THE

Use efficient equipment of the proper type or immediately prior to hot or freezing weather or other unsuitable conditions, avoid over-spray.

Plants should be sprayed only when in vigor their moisture condition is suitable. Consult Agricultural Extension Service for maximum area.

ACCEPTED

MAR 5 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5967-127

BEST DOCUMENT AVAILABLE

NOTICE TO BUYER—Seller makes no warrant concerning the use of this product other than buyer assumes all risk of use and/or handling a use and/or handling it contrary to label instructions.

— NON-RETURNABLE

Before using this product, be sure the spray tank is clean and contains just enough water to cover the bottom of tank.

With the agitator in motion fill the tank with all the amount of spray oil required for a full tank. Pour this mixture through the overflow and into the tank for a minute or two. The mix. tank will turn white, indicating good emulsification. Then fill the tank with water.

If an injector is used, first add 2 1/2 to 3 gallons of water to tank with engine running. Then add product. Then put injector suction tube into the ground. Add 1/2 pint of spray oil, opening intake valve to allow the oil to be drawn into the tank. Then fill the tank with water.

DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.

30 GALLONS

STORAGE AND DISPOSAL

Keep container closed when not in use. Store in a cool, dry place. Do not use if the product is thick or lumpy. Do not use if the product is dark or has a strong odor. Do not use if the product is contaminated with dirt or other foreign matter. Do not use if the product is past its expiration date. Do not use if the product is past its shelf life. Do not use if the product is past its best before date. Do not use if the product is past its use by date. Do not use if the product is past its sell by date. Do not use if the product is past its expiration date. Do not use if the product is past its shelf life. Do not use if the product is past its best before date. Do not use if the product is past its use by date. Do not use if the product is past its sell by date.

Do not use if the product is past its expiration date. Do not use if the product is past its shelf life. Do not use if the product is past its best before date. Do not use if the product is past its use by date. Do not use if the product is past its sell by date.

Do not use if the product is past its expiration date. Do not use if the product is past its shelf life. Do not use if the product is past its best before date. Do not use if the product is past its use by date. Do not use if the product is past its sell by date.

KEEP OUT OF REACH OF CHILD CAUTION

HARMFUL IF SWALLOWED. DO NOT SWALLOW OR

See Additional precautions on side panel

PRactical TReATment: (First Aid)

- IF SWALLOWED: Administer water freely and induce vomiting by down throat. Repeat until vomit fluid is clear. Professional medical attention should be secured immediately.
- IF ON SKIN: Rinse off material and wash skin with soap and water. Attention if irritation persists.
- IF IN EYES: Wash with plenty of water for at least 15 minutes. Attention.
- IF INHALED: Remove to fresh air. IF NOT BREATHING; give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

EPA REG. NO. 05907-127 AA

EPA REG.

PRECAUCIÓN

Atención: Si usted no lee inglés, no use este producto hasta que la etiqueta la haya sido explicada a usted.

DO NOT USE: If you do not read English, do not use this product until the label has been fully explained to you.

MANUFACTURED BY
MOYER CHEMICAL COMPANY

1000 W. 10th Street, Des Moines, Iowa 50319


30 GALLONS

**STATEMENTS
ON DOMESTIC ANIMALS**

ON
thing spray mist. Avoid
In case of contact,
with plenty of water. Get
insists

AL HAZARDS

not apply directly to
conditions favor drift
ply where runoff is
the water by cleaning
Apply this product only



**DORMANT
SOLUBLE**

ACTIVE INGREDIENT	By weight
Petroleum Oil	99.00%
INERT INGREDIENTS	1.00%
TOTAL	100.00%
Classification - Dormant Heavy	
Unincorporated Pesticide - 70% Minimum	

OR USE

to use this product in a
ling.

spray tank is clean
of the agitator shaft.

4. or more) add the
all tank. Pump this
into the tank for a
white, indicating
tank with water.

to 50 gallons of water
and pressure. Then
sured amount of spray
the oil to be mixed
with water.

EMULSIFY.

NUMBER

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE
See Additional precautions on side panel
PRACTICAL TREATMENTS (FIRST AID)
IF SWALLOWED: Administer water freely and induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Professional medical assistance should be secured immediately.
IF ON SKIN: Rub off material and wash skin with soap and water. Get medical attention if irritation persists.
IF IN EYES: Wash with plenty of water for at least 15 minutes. Get medical attention.
IF INHALED: Remove to fresh air. **IF NOT BREATHING:** give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

DISPOSAL

Do not store
In case of spill
soak up with sand
or to the local
with care and

Strip or dissolve
and if in a landfill
and in a safe place

Do not store
Do not store
Do not store
Do not store

REG. U.S. PAT. & TM. OFF. © 1977 BY MOYER CHEMICAL COMPANY

PRECAUCIÓN

Este producto es altamente tóxico y puede causar graves daños a la salud humana y al medio ambiente. Manténgalo fuera del alcance de los niños. Evite el contacto con la piel y los ojos. Si se inhala, se mueva a un lugar fresco de inmediato. Si se traga, beba agua y no vomite. Si se derrama, líquelo con arena o tierra y deséchelo en un lugar seguro. No lo use cerca de fuentes de agua.

MOYER CHEMICAL COMPANY

40 GALLONS

BE

DORMANT SOLUBLE is a pre- and post-bloom use product to be used on the crops applying on this table with these dates in the dormant period.

BROWN APHID, COX SCALE AND BLACK SCALE. Apples, Apricots, Cherries, Figs, Pears, Peaches, Prunes, Quinces, Raspberries, Strawberries, and other deciduous fruits. Use 2 1/2 to 3 1/2 gals. per 100 gals. of spray.

BROWN ALMOND MITE. In ITALIAN PEACHES, APRICOTS AND JOHNSON SCALE. Apples, Apricots, Cherries, Figs, Pears, Peaches, Prunes, Quinces, Raspberries, and other deciduous fruits. Use 3 1/2 to 4 gals. to 100 gals. of spray.

LEAFROLLER EGGS. Apples, Apricots, Pears, Peaches. Use 4 to 5 gals. per 100 gals. of spray.

Use 400 to 600 gallons of water per acre for concentrate spray dosage, consult your Cooperative Agricultural Extension Service.

STRAWBERRIES. To Burn Back Dormant Pests and Reduce Overwintering Spider Mite Population. Use 5 to 10 gals. per acre plus 2 to 3 pts. of General D. For Weevil, use 2 to 3 pts. of MOTHERS WITH D. of WEEVIL KILLER. Apply through water to obtain solutions indicated below.

By Ground - Apply a minimum of 75 gals. of spray per acre.

By Air - Apply a minimum of 10 gals. of spray per acre and 20 gals. of spray solution.

TO OBTAIN BEST RESULTS WITH THIS PRODUCT SPECIAL ATTENTION SHOULD BE GIVEN TO THE FOLLOWING:

Use efficient equipment of the proper type, avoid spraying during or immediately prior to hot or freezing weather, hot dry winds, rain or other unfavorable conditions, avoid over spraying or double spraying.

Plants should be sprayed only when in vigorous condition and when the moisture condition is suitable. Consult with your Cooperative Agricultural Extension Service for maximum dosage rate in your local area.

131

MAH



ST DOCUMENT AVAILABLE

For more information on this product, contact your local Cooperative Agricultural Extension Service. This document is available for free. If you need a copy, please contact your local Cooperative Agricultural Extension Service.