

CAUTION

MAY BE HARMFUL IF SWALLOWED

AVOID BREATHING OF SPRAY MIST.

MIXING DIRECTIONS

If there is any free oil on the surface, stir this into the emulsion. Measure out the proper amount of emulsion, and add it to the spray tank when the water is about the height of the agitator rod. The agitator should be in motion. If spreader is being used, add this when the tank is about two-thirds full.

To obtain best results with this product, special attention should be given to the following: Use efficient equipment of the proper type; avoid spraying during or immediately prior to hot or freezing weather, hot dry winds, rain or other unsuitable conditions; avoid over-spraying or double-spraying. Plants should be sprayed only when in vigorous condition and when their moisture condition is suitable.

DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.

ENVIRONMENTAL CAUTIONS


Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE TO BUYER—Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

— NON-RETURNABLE —

30 GALLONS



DORMANT EMULSION

ACTIVE INGREDIENT	By Weight
Petroleum Oil	80.00%
INERT INGREDIENTS	20.00%
TOTAL	100.00%

Classification — Dormant Heavy
Unsulphonated Residue — 70% Minimum

CAUTION:

Keep Out of Reach of Children

EPA REGISTRATION NO. 5967-128 AA


EPA EST. 5967-CA-1

2,75

SEE SIDE PANEL FOR CAUTION STATEMENT

MANUFACTURED BY

MOYER CHEMICAL COMPANY



DORMANT EMULSION

ACTIVE INGREDIENT	By Weight
Petroleum Oil	80.00%
INERT INGREDIENTS	20.00%
TOTAL	100.00%

Classification — Dormant Heavy
 Unsulphonated Residue — 70% Minimum

CAUTION:

Keep Out of Reach of Children

EPA REGISTRATION NO. 5967-128 AA

EPA EST. 5967-CA-1

2 75

SEE SIDE PANEL FOR CAUTION STATEMENT

MANUFACTURED BY

MOYER CHEMICAL COMPANY

1310 BAYSHORE HIGHWAY P. O. BOX 945 SAN JOSE, CALIFORNIA

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE IN FOOD OR DRINK CONTAINER.

PROTECT FROM FREEZING.

KEEP THIS DRUM IN THE SHADE.

Directions For Dormant Spray

THESE RECOMMENDATIONS ARE FOR CALIFORNIA USE ONLY

BROWN APRICOT SCALE, BLACK SCALE: On Almonds, Apricots, Cherries, Nectarines, Peaches, Plums, and Prunes — Dormant Spray — Use 3 to 4 gallons to make 100 gallons of diluted spray. If winter rains have replenished soil moisture and bark of trees is noticeably damp, this spray should be applied in December or January.

OLEANDER SCALE, OLIVE SCALE (Parlatoria Scale) and other Scale Insects: On Almonds, Apricots, Cherries, Nectarines, Peaches, Plums and Prunes—Dormant Spray — Use 4 gallons per 100 gallons spray.

EGGS OF APHIDS, ITALIAN PEAR SCALE, EGGS OF RED SPIDER MITES, SAN JOSE SCALE, HIBERNATING TWIG BORERS: On Almonds, Apples, Apricots, Cherries, Nectarines, Peaches, Pears, Plums and Prunes—Dormant Spray — Use 4 to 5 gallons to make 100 gallons diluted spray. Apply in December or January when the soil is full of moisture.

LEAFROLLER EGGS: On Apples, Pears and Prunes: Use 4 to 5 gallons to make 100 gallons diluted spray. Apply when the buds swell but prior to bud-cracking.

MOSS and LICHENS: On Apples, Almonds, Apricots, Cherries, Nectarines, Peaches, Pears, Plums and Prunes—Dormant Spray — Use 2 to 4 gallons with 15 to 20 lbs. of Spray Lime for each 100 gallons of diluted spray.

Contact the Division of Agricultural Sciences, University of California or the State Extension Service Specialists for additional information.