

Reg # 5967-128

AFTER

PM-12

181



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure.) When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information. **CAUTION**—Area treated with Dormant Emulsion (petroleum oil) on (date of application). Do not enter treated area without appropriate protective clothing until sprays have dried.

MIXING DIRECTIONS

If there is any free oil on the surface, stir this into the emulsion. Measure out the proper amount of emulsion, and add it to the spray tank when the water is about the height of the agitator rod. The agitator should be in motion. If a spreader is being used, add this when the tank is about two-thirds full.

Use efficient equipment of the proper type; avoid spraying during or immediately prior to freezing weather, rain or other unsuitable conditions; avoid over-spraying or double-spraying. Plants should be sprayed only when in vigorous condition and when the residue condition is suitable.

DO NOT SPRAY TREES WITHOUT SUFFICIENT MOISTURE.
DO NOT USE THIS MATERIAL IF IT DOES NOT EMULSIFY.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Keep container closed when not in use. Protect from freezing. Keep in shade. In case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent.

PESTICIDE DISPOSAL: Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse container. Triple rinse residue from empty container and add rinse to mixture in spray tank. Return to drum reconditioner or dispose of drum in sanitary landfill in accordance with State and local regulations.

DORMANT EMULSION

ACTIVE INGREDIENT	By Weight
Petroleum Oil	80.00%
INERT INGREDIENTS	20.00%
TOTAL	100.00%

Classification - Dormant Heavy
Unsulphonated Residue - 70% Minimum

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE.

See Additional precautions on side panel
PRACTICAL TREATMENT: (First Aid)

IF SWALLOWED: DO NOT MAKE PERSON VOMIT. CALL A DOCTOR IMMEDIATELY. Ingestion of this product or subsequent vomiting can result in aspiration of light hydrocarbon liquid which can cause pneumonitis. **NOTE TO PHYSICIAN:** Emergency information - Call Chemtrec (800) 424-9300.

IF ON SKIN: Rinse off material and wash skin with soap and water. Get medical attention if irritation persists.

IF IN EYES: Wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED: Remove to fresh air. **IF NOT BREATHING:** Give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

THESE RECOMMENDATIONS FOR CALIFORNIA USE ONLY

BROWN APRICOT SCALE, BLACK SCALE: On Almonds, Apricots, Cherries, Nectarines, Peaches, Plums and Prunes - Dormant Spray - Use 3-4 gallons to make 100 gallons of diluted spray. If winter rains have replenished soil moisture and bark of trees is noticeably damp, this spray should be applied in December or January.

OLEANDER SCALE, OLIVE SCALE (Parlatoria Scale) and other Scale Insects: On Almonds, Apricots, Cherries, Nectarines, Peaches, Plums and Prunes - Dormant Spray - Use 4 gallons per 100 gallons spray.

EGGS OF APHIDS, ITALIAN PEAR SCALE, EGGS OF RED SPIDER MITES, SAN JOSE SCALE, HIBERNATING TWIG BORERS: On Almonds, Apples, Apricots, Cherries, Nectarines, Peaches, Pears, Plums and Prunes - Dormant Spray - Use 4-5 gallons to make 100 gallons diluted spray. Apply in December or January when the soil is full of moisture.

LEAFROLLER EGGS: On Apples, Pears and Prunes: Use 4-5 gallons to make 100 gallons diluted spray. Apply when buds swell but prior to bud cracking.

MOSS AND LICHENS: On Apples, Almonds, Apricots, Cherries, Nectarines, Peaches, Pears, Plums and Prunes - Dormant Spray - Use 2-4 gallons with 15-20 lbs. of Spray Lime for each 100 gallons of diluted spray.

Contact the Division of Agricultural Sciences, University of California or the State Extension Service Specialists for additional information.

CONCENTRATE APPLICATION

ALMONDS: Dormant - Brown Apricot Scale, San Jose Scale, Other Scale Insects, Mite Eggs. 6-8 gallons per acre in 40-160 gallons of water as a concentrate spray.

PEACHES: Dormant - Brown Apricot Scale, Other Scales, Mite Eggs. 8-12 gallons per acre in 40-160 gallons of water as a concentrate spray.

PEARS: Dormant - San Jose Scale, Brown Apricot Scale, Other Scale Insects, Pear Psylla Eggs. 12-15 gallons per acre in 40-160 gallons of water as a concentrate spray. Delayed Dormant - Same Insects as above plus Mite Eggs. 8 gallons per acre in 40-160 gallons of water as a concentrate spray.

PRUNES: Dormant - Parlatoria (Olive) Scale, San Jose Scale, Brown Apricot Scale, Mite Eggs. 6-8 gallons per acre in 40-160 gallons of water as a concentrate spray.

AIR APPLICATION

FOR CROPS AND INSECT PESTS LISTED ABOVE: Air application - Use same range of product dosage per acre for each crop listed. Apply in sufficient water to make 15-25 gallons dilute spray per acre. Air application is recommended as an emergency measure only when soil conditions do not permit application with ground equipment.

NOTE: Since spray pattern, particle size, speed of travel, accurate calibration, air volume, and wind conditions are critical as to degree of control and risk of phytotoxicity, it is important the user rely on local experience as well as apply available knowledge to the timing, adjustment, speed of travel and calibration when using concentrate sprays in his orchard.

CONDITIONS OF SALE

1. Moyer warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with the directions under normal conditions of use. No one other than an officer of Moyer is authorized (and such authorization must be in writing) to make any other warranty, guarantee or direction concerning this product.

2. Because the time, place, rate of application, weather conditions and normal or abnormal conditions of use or storage are beyond Moyer's control, Moyer's liability is limited to replacement of product or refund of purchase price. In no event shall Moyer be liable for indirect or consequential damages.

EPA REG. NO. 05967-128AA EPA EST. NO. 5967-CA-1,
5967-CA-4
(as stamped on label)

MANUFACTURED BY
MOYER PRODUCTS, INC.

P.O. BOX 5434 • FRESNO, CALIFORNIA 93755

NET CONTENTS GALLONS

DATE NOV 20 1998
NOTICE PER NOTICE 88-8