






CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



POISON

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this label.

ACTIVE INGREDIEN

Endosulfan* .. **0,0-dimethyl 0 Xylene INERT INGREDIENT

> *Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide ®Thiodan is a registered trademark of Canadian Hoechst, Ltd. U.S. Patent No. 2,799,685

12/74

1310 BAYSHORE HIGHWAY

MOYER

P.O. BOX 945

MANUFACTURED BY

IEMICAL

SAN JOSE, CALIFORNIA

COMPANY

STOP! READ THE LABEL

DANGER Keep out of reach of children

NTS:	By Weight
	22.00%
D-p-nitrophenyl thiophosphate	22.00%
	49.00%
TS	7.00%
TOTAL	100.00%

Contains 2 lbs. Methyl Parathion and 2 lbs. Thiodan per 1 gallon

DO NOT USE, POUR, SPILL OR STORE NEAR OPEN FLAME OR HEAT

EPA REGISTRATION NO. 5967-142 AA EPA EST. 5967-CA-1

TTUGI HVGTy ber aloves.

WORK SAFETY RULES

Keep all unprotected persons and children from treated area or where there is d of drift.

Do not rub eyes or mouth with hands. feel sick in any way, STOP work and get right away. Call a doctor (physician), cli hospital—immediately. Explain that the has been exposed to parathion and descri condition. After first aid is given (see Fir Treatment Section) and if a doctor cannot take victim to clinic or hospital.

IMPORTANT! Before removing gloves, them with soap and water. Always wash face and arms with soap and water smoking, eating or drinking.

AFTER WORK, take off all work clothe shoes. Shower, using soap and water. only clean clothes when leaving job. D wear contaminated clothing. Wash prot clothing and protective equipment with and water after each use. Respirator be cleaned and filter replaced according instructions included with respirator.

POISON SIGNS (Sympton

METHYL PARATHION is a very dangero son. It rapidly enters the body on contac all skin surface and eyes. Clothing we this material must be removed immed Exposed persons must receive prompt n treatment or they may die.

Some of the signs and symptoms of po are: Headeche, nausea, vomiting, cramps, ness, blurred vision, pin-point pupils, tight chest, labored breathing, nervousness, sw watering of eyes, drooling or frothing of and nose, muscle spasms and coma.

by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber aloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come. take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands. face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

METHYL PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surface and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headsche, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

IF SWALLOWED and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

IN CASE OF CONTACT, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

ANTIDOTE—administer atropine sulfate in large doses. TWO TO FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinzation appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respirator depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPER-VISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See accompanying product information label.

CROP USE DIRECTIONS

Use only according to accompanying label DIRECTIONS FOR USE.

SERVICE.

DISPOSAL

DO NOT CONTAMINATE WATER BY CLEAN. ING OF EQUIPMENT OR DISPOSAL OF WASTES. WASH EMPTY CONTAINER WITH ALKALI, CRUSH OR PERFORATE, BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER "E-USE.

DO NOT CONTAMINATE FEED OR FOOD. STUFFS. DO NOT USE IN UNDILUTED FORM. DO NOT STORE BELOW 0° F.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. KEEP CONTAINER CLOSED. LEAKING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE.

NOT FOR HOME USE

DO NOT USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

Dealers Should Sell In Original Packages Only.

NOTICE TO BUYER --- Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. --- NON-RETURNABLE ---

NET CONTENTS



ACCEPTED WITH COMMENTS

ACCEPTED

Ē

FEB 0 6 1975

Under the Federal Insecticide, Fungicide, and Rodeniicide Act. as amended, for the pesticide registered under EPA Reg. No. 5961.142

Connent



כ



Keep Out of Reach of Children This material contains 2 lbs. Methyl Parathion* and 2 lbs. Thiodan *O,G-dimethyl O-p-nitrophenyl thiophosphate **Hexachlorohexahydromethano-2,4,3-benzodioxathiepin oxide

SEE CONTAINER LABEL FOR ANTI-DOTE AND DANGER STATEMENTS READ ENTIRE LABEL AND BOOKLET. USE STRICTLY IN ACCORDANCE WITH DIREC-DANGER STATEMENTS AND TIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

ORIGINAL CONTAINER KEEP IN WASH EMPTY CONTAINER WITH ALKALI, CRUSH OR PERFORATE, BURY IN SAFE PLACE AWAY FROM WATER SUPPLIES AND RUN-OFF. NEVER **RE-USE.**

METADAN 2-2 DANGER -- POISON 😪

DIRECTIONS FOR USE

ACCEPTED WITH COMMENTS



METADAN 2-2

DIRECTIONS FOR USE

THIS MATERIAL IS AN AGRICULTURAL PESTI-CIDE FOR THE FOLLOWING USES:

ARTICHOKES: Artichoke Plume Moth. Use 2 quarts per acre. Do not harvest within 7 days of application.

LETTUCE: Aphids, Armyworm, Flea Beetle, Imported Cabbage Worm, Leafhopper. Use $1\frac{1}{2}$ -2 quarts per acre. Do not harvest within 21 days of application. Leaf lettuce: Do not make more than 2 applications. Head lettuce: Do not make more than 3 applications after thinning. Remove outer leaves at harvest. Do not feed crop waste to livestock.



Do not allow spray to drift onto adjacent fields. Do not apply while bees are working in the field.

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Wash empty container with alkali, crush or perforate, bury in safe place away from water supplies and run-off. Nver re-use.

Avoid combinations containing highly alkaline materials such as lime-sulfur or lime. Alkaline compounds will reduce the effectiveness of parathion.

DIRECTIONS FOR MIXING

Mix in water with agitation; agitate while spraying. Use designated amount of product in the following gallons of water per acre unless otherwise noted: Vegetable and Field Crops-20 to 250 gallons by ground, 5 to 10 gallons by air.

USE PRECAUTIONS

CONTAINER DISPOSAL

COMPATABILITY

NOTICE TO BUYER-Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is NON-RETURNABLE contrary to label instructions.

> **EPA REGISTRATION NO.** 5967-142 AA EPA EST. 5967-CA-1

12/74

MANUFACTURED BY MOYER CHEMICAL COMPANY

1310 Bayshore Highway P.O. Box 945 San Jose, California