

DIRECTIONS FOR USE

AREA MOSQUITO APPLICATIONS ARE FOR USE ONLY BY OFFICIAL MOSQUITO ABATEMENT AGENCIES, and only within the State of California.

Do not use on crops to be used for food or feed except as specified on the label. For application to aquatic areas allow at least three weeks between applications.

Use this only in intermittent - flood areas, standing water, temporary rain pools, log ponds, stagnant water and tree holes.

DO NOT APPLY OIL MIX TO FORAGE CROPS OR RICE

MIXING: This concentrate forms an emulsion when diluted with water. The resulting spray is suitable for use in hand or power - operated sprayers as well as with aircraft sprayers. To mix with water, pour required amount of emulsifiable concentrate into full amount of water and then agitate.

DOSAGE: To be uniformly applied at a normal dosage of not more than 0.1 pounds active per acre.

MOSQUITO LARVAE CONTROL: Use 0.1 pounds active per acre. Apply to intermittent - flood areas, standing water, temporary rain pools, log ponds, stagnant water and tree holes. Do not apply to ponds, lakes, streams or other bodies of water containing fish. Allow at least three weeks between applications.

LARGE AREA MOSQUITO CONTROL: Use 0.1 pounds active per acre. Apply to wet grassy, bushy or woody areas.

MOSQUITO CONTROL ON ALFALFA AND PASTURE GRASS: Apply 1.8 fluid ounces (0.1 pounds active) per acre in a water emulsion as directed under MIXING DIRECTIONS. Apply once per cutting on alfalfa, and up to 4 times per year on pasture grass without removal of grazing livestock.

MOSQUITO CONTROL IN RICE (CALIFORNIA ONLY): Apply 1.8 fluid ounces (0.1 pounds active) per acre in a water emulsion as directed under MIXING DIRECTIONS. Apply no more than 3 times per crop year nor within 30 days of harvest of rice. Do not apply to a second rice crop in areas where double cropping is the agricultural practice.

DIRECTIONS FOR MIXING DOSAGES

POWER SPRAY UNIT: Mix 1 pint of this product in 50 gallons of water and apply 5 - 6 gallons of this solution per acre.

MIST BLOWER: Mix 2 pints of this product in 50 gallons of water and apply 2.5 - 3 gallons of this solution per acre.

HAND CAN: Mix 1 fluid ounce of this product in 3 gallons of water and apply to one-half of an acre.

HAND CAN "OIL" - PUPICIDE: Mix 6 fluid ounces of this product to 3 gallons of water and apply 1 gallon of this solution to an acre.

CONVENTIONAL AIRCRAFT APPLICATION: Mix 11 pints of this product in 100 gallons of water and apply 1 gallon of this solution per acre.

CONCENTRATE AIRCRAFT APPLICATION: Mix 4.5 gallons of this product in 10.5 gallons of oil and apply this to 320 acres. (Apply 5.875 fluid ounces of this solution per acre.) Do not apply oil mix to forage crops or rice.

M.A.D.

SPECIAL MOSQUITOCIDE

(Emulsifiable Concentrate)

Contains ®BAYTEX

FOR EFFECTIVE CONTROL OF MOSQUITOES

To be sold only to, and to be used only by, official mosquito abatement agencies within the State of California

ACTIVE INGREDIENTS	By Weight
Fenthion (O,O-Dimethyl O-[4(methylthio)-m-tolyl] phosphorothioate)*	70.5%
Xylene	10.5%
INERT INGREDIENTS	19.0%
TOTAL	100.0%

*U.S. Patent No. 3,042,703; Canadian Patent No. 631,472

GUARANTEE: Contains 7 pounds O,O-Dimethyl O-[4(methylthio)-m-tolyl] phosphorothioate per gallon (fenthion).

WARNING:

KEEP OUT OF REACH OF CHILDREN

EPA REGISTRATION NO. 5967-145

EPA EST. 5967-CA-1

5/75

MANUFACTURED AND DISTRIBUTED BY

MOYER CHEMICAL COMPANY

1310 BAYSHORE HIGHWAY P.O. BOX 945 SAN JOSE, CALIFORNIA

ACCEPTED

DEC 1 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5967-145

WARNING

May be fatal if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before re-use.

Avoid contamination of feed or food. Keep out of reach of children.

If poisoning occurs, obtain prompt medical aid.

ANTIDOTE: (Note to Physician) Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and can be administered either alone or in conjunction with atropine.

Low volume or very low volume applications may damage some painted automotive surfaces.

DO NOT USE, POUR, SPILL, STORE NEAR HEAT OR OPEN FLAME.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated.

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is **HIGHLY TOXIC** to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not re-use container. Destroy it by perforating or crushing. Bury or discard in a safe place. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE TO BUYER — Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

— NON - RETURNABLE —

NET CONTENTS: _____ GALLONS