

Reg # 5967-153

PM-18

19 File
6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 28 1994

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Terri Aal
MOYER PRODUCTS, INC.
5427 E. CENTRAL AVENUE
FRESNO, CA 93755

Subject: Label Amendment Submission of 11/03/93 in Response to PR Notice 93-7
EPA Reg. No. 5967-153
MAXIPREME

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

BEST AVAILABLE COPY

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

2/6


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

BEST AVAILABLE COPY

396
MOYER

PRODUCTS

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes, clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as Barrier Laminate or Nitrile Rubber \geq 14 mils or Neoprene Rubber \geq 14 mils or Viton \geq 14 mils, shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that

Do not use in combination with other pesticides. Do not apply below 32°F. Do not

MIX

Mix in water with agitator tank with water amount of oil. Mix remainder of water. If 1 to water, do not use

NOTE: Since spray requires accurate calibration, always to degree of control the user rely on local knowledge to the calibration when use

ALMONDS, APRICOT, PEACH
Brown Apricot Scale, Olive Scale, Oleario Scale, European Foliar applications water. For foliar gallons in 100 gallon dormant application gallons of water. use 4 to 6 gallon

APPLES, PEARS:
Scale, Italian Pear Scale, use 3 to 4 higher rate for scale. For concentrate 1 to 150 gallons of application use 1 of water in dilute spraying use 4 to water per acre.

STRAWBERRIES:
use 1/2 to 1 gallon

AIR APPLICATIONS:
CHERRIES, NECTARINES, use 20 to 30 gallons

APPLES, PEARS,
gallons in 20 to 30

AERIAL APPLICATIONS:
Trol of Spider Mite MAXIPREME in 1/2

MAXIPREME

U.S. Pat. No. 3,285,201

ACTIVE INGREDIENT	By Weight
Petroleum Oil	98.0%
INERT INGREDIENTS	2.0%
TOTAL	100.0%

Petroleum Oils Classification - Unclassified
Unsulphonated Residue - 90% Minimum

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE.

See Additional precautions on side panel
PRACTICAL TREATMENT: (First Aid)

IF SWALLOWED: Give water or milk to drink. DO NOT MAKE PERSON VOMIT. CALL A DOCTOR IMMEDIATELY. Ingestion of this product or subsequent vomiting can result in aspiration of light hydrocarbon liquid which can cause pneumonia.

IF ON SKIN: Rinse off material and wash skin with soap and water. Get medical attention if irritation persists.

IF IN EYES: Wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED: Remove to fresh air. IF NOT BREATHING: Give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

EPA REG. NO. 5967-153

EPA EST. NO. 5967-CA-1 or
5967-CA-6
(as stamped on label)

BEST AVAILABLE COPY

MANUFACTURED BY
MOYER PRODUCTS, INC.
P.O. BOX 5434 • FRESNO, CALIFORNIA 93755

NET CONTENTS

GALLONS

ACCEPTED
with COMMENTS
In EPA Letter Dated
APR 28 1991

laundry.

USER SAFETY RECOMMENDATIONS:

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not apply when weather conditions favor drift from the areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

AGRICULTURAL USE REQUIREMENTS

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, chemical-resistant gloves, such as Barrier Lamine or Nitrile Rubber \geq 14 mils or Neoprene Rubber \geq 14 mils or Viton \geq 14 mils, shoes plus socks.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Keep pesticide in original container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

426

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE.

See Additional precautions on side panel
PRACTICAL TREATMENT: (First Aid)

IF SWALLOWED: Give water or milk to drink. **DO NOT MAKE PERSON VOMIT. CALL A DOCTOR IMMEDIATELY.** Ingestion of this product or subsequent vomiting can result in aspiration of light hydrocarbon liquid which can cause pneumonia.

IF ON SKIN: Rinse off material and wash skin with soap and water. Get medical attention if irritation persists.
IF IN EYES: Wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED: Remove to fresh air. **IF NOT BREATHING:** Give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

EPA REG. NO. 5967-153

EPA EST. NO. 5967-CA-1 or 5967-CA-4 (as stamped on label)

MANUFACTURED BY
MOYER PRODUCTS, INC.
P.O. BOX 5434 • FRESNO, CALIFORNIA 93755

NET CONTENTS

GALLONS

ACCEPTED
with COMMENTS
In EPA Letter Dated
APR 28 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

5967-153

BEST AVAILABLE COPY

use 4 to 6 gallon
APPLES, PEARS:
Scale, Italian Pea
lions use 3 to 4
higher rate for sc
For concentrate s
to 150 gallons of
application use 1
of water in dilut
spraying use 4 to
water per acre.
STRAWBERRIES:
use 1/2 to 1 gallon
AIR APPLICATIO
CHERRIES, NEC
gallons in 20 to 3
APPLES, PEARS
gallons in 20 to 3
AERIAL APPLICA
trol of Spider Mite
MAXIPREME in 1

1. Moyer warrant specified and is when used in acc of use. No one's authorization re guarantee or dire
2. Because the th normal or abnor control, Moyer's of purchase price sequential dama



MAXIPREME

U.S. Pat. No. 3,285,201

ACTIVE INGREDIENT	By Weight
Petroleum Oil	98.0%
INERT INGREDIENTS	2.0%
TOTAL	100.0%

Petroleum Oils Classification - Unclassified
Unsulphonated Residue - 90% Minimum

KEEP OUT OF REACH OF CHILDREN

CAUTION

HARMFUL IF SWALLOWED. DO NOT SWALLOW OR INHALE.

See Additional precautions on side panel

PRACTICAL TREATMENT: (First Aid)

IF SWALLOWED: Give water or milk to drink. **DO NOT MAKE PERSON VOMIT. CALL A DOCTOR IMMEDIATELY.** Ingestion of this product or subsequent vomiting can result in aspiration of light hydrocarbon liquid which can cause pneumonia.

IF ON SKIN: Rinse off material and wash skin with soap and water. Get medical attention if irritation persists.

IF IN EYES: Wash with plenty of water for at least 15 minutes. Get medical attention.

IF INHALED: Remove to fresh air. **IF NOT BREATHING:** Give artificial respiration preferably mouth to mouth. Get medical attention. Never give anything by mouth to an unconscious person.

EPA REG. NO. 5967-153 EPA EST. NO. 5967-CA-1 or 5967-CA-4 (as stamped on label)

Do not use in combination with sulfur or sulfur containing mixtures. Do not apply when temperatures rise above 90°F or drop below 32°F. Do not apply to trees that are drought stressed.

MIXING DIRECTIONS

Mix in water with agitation: agitate solution while spraying. Fill mix tank with water to level of agitator shaft. Add proper amount of oil. Mix until a smooth emulsion is formed. Add remainder of water. If this material does not emulsify on adding to water, do not use.

NOTE: Since spray pattern, particle size, speed of travel, accurate calibration, air volume, and wind conditions are critical as to degree of control and risk of phytotoxicity, it is important the user rely on local experience as well as apply available knowledge to the timing, adjustment, speed of travel and calibration when using concentrate sprays in the orchard.

ALMONDS, APRICOTS, CHERRIES, FIGS, NECTARINES, PEACHES, PLUMS, PRUNES: To control Brown Apricot Scale, Black Scale, San Jose Scale, Olive Scale, Oleander Scale, Frosted Scale, Italian Pear Scale, European Fruit Lecanium, Putnam Scale, Brown Soft Scale, Aphid Eggs, Spider Mites. For summer foliar applications use 3 to 4 quarts per 100 gallons water. For foliar concentrate spraying use 1 1/2 gallons in 100 gallons of water per acre. For dormant application use 1 1/2 to 2 gallons per 100 gallons of water. For dormant concentrate spraying use 4 to 6 gallons in 60 to 150 gallons per acre.

APPLES, PEARS: To control Spider Mites, San Jose Scale, Italian Pear Scale. For summer foliar applications use 3 to 4 quarts per 100 gallons water. Use higher rate for scale insects. For concentrate spraying use 4 to 5 gallons in 40 to 150 gallons of water per acre. For dormant application use 1 1/2 to 2 gallons per 100 gallons of water in diluted spray. For dormant concentrate spraying use 4 to 6 gallons in 60 to 150 gallons water per acre.

STRAWBERRIES: To control Spider Mites and their eggs use 1/2 to 1 gallon in 50 to 250 gallons of water per acre

AIR APPLICATIONS FOR: ALMONDS, APRICOTS, CHERRIES, NECTARINES, PEACHES: Apply 4 to 6 gallons in 20 to 30 gallons water per acre.

APPLES, PEARS, PLUMS, PRUNES: Apply 3 to 4 gallons in 20 to 30 gallons water per acre.

AERIAL APPLICATION FOR STRAWBERRIES: For control of Spider Mites and their eggs - Use 1/2 to 1 gallon MAXIPREME in 15 to 20 gallons of water per acre.

MENTS
ESTIC ANIMALS

N
g spray mist. Avoid
case of contact, im-
plicity of water. Get
S.

PHMENT
ent to this product
ions, follow the
hemical resistance

r: long-sleeved shirt
es, such as Barrier
Neoprene Rubber 2
secks.

cleaning/maintaining
bles, use detergent
ately from other

IONS:
drinking, chewing

his product. Wash the
seen as possible, wash
ng.

ZARDS
o not apply when
e areas treated. Do
occur. Do not con-
ont or disposal of
ified on this label.

USE
this product in a

will contact workers
rough drift. Only
uring application.
tate or Tribe, consult
gulation.

ype of irrigation

EMENTS
labeling and with the
170. This Standard
n of agricultural
nd greenhouses, and
t contains
ion, notification, and
specific instructions
ents on this label
E), and
ments in this box only
covered by the Worker

treated areas during
12 hours.

areas that is
tandard and that
been treated, such as

MANUFACTURED BY
MOYER PRODUCTS, INC.
P.O. BOX 5434 • FRESNO, CALIFORNIA 93755

NET CONTENTS GALLONS

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
by EPA Letter Dated
APR 28 1991

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**HARMFUL IF SWALLOWED. DO NOT
SWALLOW OR INHALE.**

See Additional precautions on side panel
PRACTICAL TREATMENT: (First Aid)

IF SWALLOWED: Give water or milk to drink. **DO NOT
MAKE PERSON VOMIT. CALL A DOCTOR IM-
MEDIATELY.** Ingestion of this product or subse-
quent vomiting can result in aspiration of light
hydrocarbon liquid which can cause pneumonitis.

IF ON SKIN: Rinse off material and wash skin with soap
and water. Get medical attention if irritation persists.

IF IN EYES: Wash with plenty of water for at least 15
minutes. Get medical attention.

IF INHALED: Remove to fresh air. **IF NOT BREATHING:**
Give artificial respiration preferably mouth to
mouth. Get medical attention. Never give anything
by mouth to an unconscious person.

Soil Scale, Aphid Eggs, Spider Mites. For summer
foliar applications use 3 to 4 quarts per 100 gallons
water. For foliar concentrate spraying use 1 1/2
gallons in 100 gallons of water per acre. For
dormant application use 1 1/2 to 2 gallons per 100
gallons of water. For dormant concentrate spraying
use 4 to 6 gallons in 60 to 150 gallons per acre.

APPLES, PEARS: To control Spider Mites, San Jose
Scale, Italian Pear Scale. For summer foliar applica-
tions use 3 to 4 quarts per 100 gallons water. Use
higher rate for scale insects.

For concentrate spraying use 4 to 5 gallons in 40
to 150 gallons of water per acre. For dormant
application use 1 1/2 to 2 gallons per 100 gallons
of water in diluted spray. For dormant concentrate
spraying use 4 to 6 gallons in 60 to 150 gallons
water per acre.

STRAWBERRIES: To control Spider Mites and their eggs
use 1/2 to 1 gallon in 50 to 250 gallons of water per acre

**AIR APPLICATIONS FOR: ALMONDS, APRICOTS,
CHERRIES, NECTARINES, PEACHES:** Apply 4 to 6
gallons in 20 to 30 gallons water per acre.

APPLES, PEARS, PLUMS, PRUNES: Apply 3 to 4
gallons in 20 to 30 gallons water per acre.

AERIAL APPLICATION FOR STRAWBERRIES: For con-
trol of Spider Mites and their eggs - Use 1/2 to 1 gallon
MAXIPREME in 15 to 20 gallons of water per acre.

686

EPA REG. NO. 5967-153

EPA EST. NO. 5967-CA-1 or
5967-CA-4
(as stamped
on label)

MANUFACTURED BY

MOYER PRODUCTS, INC.

P.O. BOX 5434 • FRESNO, CALIFORNIA 93755

NET CONTENTS

GALLONS

ACCEPTED
with COMMENTS
In EPA Letter Dated
APR 28 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

5967-153

BEST AVAILABLE COPY

CONDITIONS OF SALE

1. Moyer warrants that this product consists of the ingredients
specified and is reasonably fit for the purpose stated on this label
when used in accordance with the directions under normal conditions
of use. No one other than an officer of Moyer is authorized (and such
authorization must be in writing) to make any other warranty,
guarantee or direction concerning this product.

2. Because the time, place, rate of application, weather conditions and
normal or abnormal conditions of use or storage are beyond Moyer's
control, Moyer's liability is limited to replacement of product or refund
of purchase price. In no event shall Moyer be liable for indirect or con-
sequential damages.