

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelling. Shake container before spraying. Hold container upright, nozzle away from you and press actuator button spraying as directed.
To Treat Animals: To protect cattle from attacks of stable flies, horse flies, deer flies, house flies, horn flies, mosquitoes and gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.
In Animal Quarters & Milk Rooms: For rapid control of houseflies, mosquitoes, gnats, wasps and flying moths, close windows and doors and spray at the rate of one second per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.
Flying Insects: Flies, mosquitoes, wasps, gnats and flying moths. Close doors and windows. Direct mist upward in sweeping motion to all parts of the room especially windows and other light sources. Apply 6-10 second bursts per 100 ft [30m] of space. Whenever possible, keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 3 ft [1m] from interior walls, fabrics and furniture.
Crawling Insects: Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silverfish. Spray hiding places such as baseboards, moist areas, opening around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around doorsills, window frames, or in ant nests. Insects must be hit to be killed. [Insert attached extension tube into actuator to enable you to deliver a pin stream in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above insects hide.]
Bed Bugs: Spray mattress, particularly around seams and tufts. Take beds apart, spray all joints. Repeat as required.
Flies: Spray sleeping quarters of pets.

STORAGE AND DISPOSAL

Storage: Do not store near heat or open flame. Store in cool dry area away from children. **Disposal:** Do not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1800-CLEANUP for disposal instructions. Keep from freezing.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapors of spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse. Foods or food processing equipment should be removed or covered during treatment. Do not apply while food processing is underway. All food processing surfaces should be thoroughly cleaned before using. Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before use. Facilities and equipment in federally inspected meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse after spraying. Vacate premises after treatment. Ventilate the area after treatment is completed before reoccupying area. Do not use in areas where fish or reptiles may be exposed to the spray. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to person. Do not give anything by mouth to an unconscious person.
If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER- Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call 1-800-222-1222, 24 hours, 7 days a week.

NOTE TO PHYSICIAN: Contains petroleum distillates - vomiting may cause aspiration pneumonia.

NOTICE TO USER

Sellers guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of use of handling and accepts the product on these conditions.

EPA Reg. No. 5978-9 Est. No. 46813-CN-03 Made in Canada * [EPA Est. No. 9444-LA-1] [Made in the USA] [*alternative filling site]

Manufactured for:
Air Guard Control Corporation
310 East Railroad Avenue Independence, LA USA 70443
888-324-KONK(5665) International: 905-669-9876 www.airguardcontrol.com

revision 7-15-04

"Note to Reviewer: All optional text is in brackets." [xxxx]

**KONK TOO FLYING
INSECT KILLER DAIRY
AEROSOL**

**Alternative Brand Name: KONK
TOO FLYING INSECT KILLER**

FOR USE ON cattle, in animal quarters, milk rooms, food processing plants restaurants, hotels, hospitals and other commercial and industrial buildings.

KILLS AND REPELS Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes and Gnats, Flying and Crawling Insects.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
[*]Piperonyl Butoxide - technical	5.00%
INERT INGREDIENTS	94.50%
	<hr/> 100.00%

Product contains petroleum distillates
*Equivalent to 4% (butylcarbityl) (6-propylpiperonyl) ether and 1% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

FLAMMABLE

CONTENTS UNDER PRESSURE

See Back Panel for Additional Precautionary Statements

Net Weight _____ ounces



[No CFCs or other ozone depleting substances]
[Federal regulations prohibit CFC propellants in aerosols]

[Water Based]

[Commercial]

[Meets CARB VOC regulations for flying insect spray - 25% w/w]

[35% w/w VOC]

[Sprays any position-360° symbol]

ACCEPTED
SEP 27 2004
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 5978-9

5978-9

09/27/2004

1/1