



#### DIRECTIONS

As Final Sanitizing Rinse for Eating Utensils, Dishes and Drinking Glasses...

1. Scrape and pre wash utensils and glasses whenever possible
2. Wash with a good detergent or compatible cleaner. DO NOT USE SOAP
3. Rinse with clean water
4. Sanitize in a solution of 1 ounce to 4 gallons of water (200 ppm). Immerse all utensils for at least ten minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.

#### Food Processing Plants

Thoroughly clean and rinse all surfaces prior to sanitizing. Sanitize by wiping, spraying or misting with a solution of 200 p.p.m. SANNI RINSE.

SANNI RINSE is not to be used as a preservative for foods.

#### Hospitals and Household Use

For the general disinfection of floors, walls, furniture, bath tubs, steel showers, toilet seats, first clean with a good detergent. Then disinfect with a SANNI RINSE solution of 400 p.p.m.

For Specific Disinfection against the organism *Pseudomonas Aeruginosa* it is necessary for use solution to contain 800 p.p.m. active agent.

#### Milk Farms and Milk Processing Plants

First clean equipment and utensils thoroughly with a good detergent. Then sanitize with a SANNI RINSE solution of 200 p.p.m. A further rinse in clean running water is recommended.

#### As a Deodorant Solution

For waste containers, soiled materials or surfaces use 1 to 2 ounces of SANNI RINSE to each gallon of water.

## TIME-SAVER SANNI-RINSE

Odorless Sanitizing Agent

Phenol Coefficient 25 for *S. Typhosa* at 20° C

Active Ingredient Alkyl\* dimethyl benzyl ammonium chlorides  
\*150% C<sup>1</sup>, 40% C<sup>12</sup>, 10% C<sup>14</sup>

Inert Ingredients

10%

90%

This product fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance, 1965 Recommendations of the U.S. Public Health Service in waters up to 550 ppm of hardness calculated as CaCO<sub>3</sub> when tested by the AOAC Germicidal and Detergent Sanitizers Official Method.

**WARNING: Keep out of reach of Children.**

Causes eye or skin irritation. Do not get in eyes, on skin or on clothing.

**HARMFUL IF SWALLOWED**

**AVOID CONTAMINATION OF FOODS**

**SEE ANTIDOTE STATEMENT ON SIDE PANEL**

#### CONCENTRATION CHART

| Active Agents | Sanni Rinse          |
|---------------|----------------------|
| 100 p.p.m.    | 1 ounce to 4 gallons |
| 400 p.p.m.    | 1 ounce to 2 gallons |
| 1000 p.p.m.   | 1 ounce to 1 gallon  |

#### NO RINSE REGULATIONS

SANNI RINSE when used at 200 p.p.m. or less necessitates no water rinse.

SANNI RINSE has been authorized for use by most leading health authorities for sanitizing of eating and drinking utensils in restaurants, hotels, bars, taverns, soda fountains and camps.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately.

Thoroughly rinse thoroughly with water and discard it.

EPA REG NO. 5991-1  
EPA EST. NO. 5991 GA-1

0483

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JUN 08 1983

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, this product is  
registered under EPA Reg. No.

5991-1

Time Chemical, Inc.  
3780 Browns Hill Road, S.W.  
Atlanta, GA 30354-9773

66 JUN 1983

Attention: Judith A. Lechevalier

Gentlemen:

Subject: Time-Saver Sanni-Rinse  
EPA Registration No. 5991-1  
Application Dated May 6, 1983

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Under DIRECTIONS add the following:

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- b. The signal word WARNING and "Keep Out of Reach of Children" must be of the correct type size. See enclosure titled "The Label."
- c. We have determined that this product is subject to Child Resistant Packaging regulations (effective March 3, 1981). Refer to 40 CFR 162.16 "Pesticides Requiring Special Packaging" and the Federal Register Vol. 46, No. 41, Tuesday, March 3, 1981, pps. 15104-15109, "Clarification of Policy Issues on Special Packaging," for guidance and proper submission requirements.

You must submit a statement certifying that your packages meet the standards for special packaging for this registration.

However, you may wish to voluntarily restrict your product to use by service persons only which would not require child resistant

| COMMENTS |  |  |  |  |  |  |  |
|----------|--|--|--|--|--|--|--|
| SYMBOL   |  |  |  |  |  |  |  |
| NAME     |  |  |  |  |  |  |  |
| DATE     |  |  |  |  |  |  |  |

EPA Form 1600-4 (8)

OFFICIAL FILE COPY

packaging. To do this, you must print on the label, or temporarily apply as a sticker on the label or on the container for all sizes in which this product will be marketed, the following statement:

**\*Only for Sale to, Use and Storage by Service Personnel\***


This statement must be at least the same type size as the child hazard warning statement and preferably placed in the upper front panel.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for further description of final printed labeling.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



John A. Lee  
Product Manager (31)  
Disinfectants Branch  
Registration Division (TS-767C)

Enclosures

DIS:LEE:DCR-18325:WANG-0629C:pjb:Raven:479-2013:5/25/83