DIRECTIONS FOR USE

As Final Sanitizing Rinse for Eating Utensils, Dishes and Drinking Glasses:

- t. Scrape and pre-wash utensils and glasses whenever possible.
 Wash with a good detergent or compatible
- cleaner. DO NOT USE SOAP.
 3. Rinse with clean water.
- Samitize in a solution of 1 bunce to 4 gallons of water (200 ppm). Immerse all utensils for at least two minutes or for contact time specified by governing samitary code.
- Place samitized utensils on a rack or drainboard to air dry.

Food Processing Plants: Thoroughly clean and rinse all surfaces prior to sanitizing. Sanitize by wiping, spraying or misting with a solution of 200 ppm of this product.
This product is not to be used as a

preservative for foods. Food Egg Sanitizing:

- 1. Clean eggs with USDA approved egg shell cleaner.
- 2. Rinse thoroughly with Potable Water. To samitize previously cleaned food grade eggs in shell egg and egg product processing plants, spray with 1 ounce of product in 4 gallons of water (200 ppm active). The solution should be warmer than the eggs, but not exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are to be immediately broken for use in the manufacture of egg products. Eggs should be reasonably dry before casing or breaking. The solution must not be re-used for sanitizing eggs. For the general disinfection of floors, walls, furniture, bath tubs, shower stalls, toilet seats first thoroughly clean with a good detergent. Then disinfect with a 400 pgm solution of this product. Apply by sponge, mop, spray or by immersion in the solution to wet all surfaces thoroughly. For specific disinfection against the organism Pseudomonas Aeruginosa it is necessary for use solution to cintain 800 ppm active agent. A 10-minute contact time is necessary for effectiveness. Do not reuse solutions.

Milk Farms and Milk Processing Plants: First clean equipment and utensils thoroughly with a good detergent. Then sanitize with a 200 ppm solution of this product. A further rinse in clean running water is recommended. As a Deodorant Solution: For waste containers, soiled materials or

surfaces, use 1 to 2 ounces of this product to each callon of water.

GENERAL CLASSIFICATION:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NET CONTENTS: 1 U.S. GALLON

TIME-SAVER SANNI-RINSE

Active Ingredient-Alkyl* dimethyl benzyl ammonium

This product fulfills the criteria of Appendix F of the Grade 'A' Pasteurized Hilk Ordinance 1965 Recommendations for the U.S. Public Health Service in waters up to 550 ppm \cdot f hardness calculated as CaCO, when tested by the AOAC Germicidal and Detergent Sanitizers Official


18PT. BAL. OF BLOCK

WARRING: Keep Out of Reach of Children. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing.

HARMFUL IF SWALLCWED. AVOID CONTAMINATION OF FOODS. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Only for Sale to, Use and Storage by Service Personnel.

12 PT. BOLD



Unter the same select Fungicide, and Roden Icide Act, as amended, for the pesticide registered under 599/-EPA Reg. No. EPA Reg. No.

CONCENTRATION CHART

Active Agents: This Product 1 oz. to 4 gallons 1 oz. to 2 gallons 200 ppm 400 ppm 800 ppm 1 oz. to 1 gallon

NO RINSE REGULATIONS

This product, when used at 200 ppm or less, necessitates no water ringe. This product has been authorized for use by most leading health authorities for sanitizing of eating and drinking utensils in restaurants, hotels, bars. taverns, soda fountains and camps.

Storage and Disposal Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS WARNING

STATEMENT OF PRACTICAL TREATMENT In case of contact, immediately flush eyes or skin with plenty of water for at least 15 ninutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately.

198 - 199 NONE REPORTABLE

CHICAGO, ILLINOIS 60632 ATLANTA, GEORGIA 30354

0364