

DIRECTIONS FOR USE

As Final Sanitizing Rinse for Eating Utensils

Dishes and Drinking Glasses

1. Scrub and pre-wash dishes and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner. DO NOT USE SOAP.
3. Rinse with clean water.
4. Sanitize in a solution of 1 ounce of gallons of water (200 ppm) immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.

Food Processing Plants

Thoroughly clean and rinse all surfaces prior to sanitizing. Sanitize by wiping, spraying or rinsing with a solution of 200 ppm of this product. This product is not to be used as a preservative for foods.

Food Egg Sanitizing

1. Clean eggs with egg shell cleaner.
2. Rinse thoroughly with Potable Water. To sanitize previously cleaned food grade eggs in shell egg and egg product processing plants, spray with 1 ounce of product in 4 gallons of water (200 ppm active). The solution should be warmer than the eggs, but not exceed 130°F. Rinse eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are to be immediately broken for use in the manufacture of egg products. Eggs should be reasonably dry before casing or breaking. The solution must not be re-used for sanitizing eggs.

For the general disinfection of floors, walls, furniture, bathtubs, shower stalls, toilet stalls, restrooms, etc., clean with a good detergent. Then disinfect with a 400 ppm solution of this product. Apply by sponge mop, spray or by immersion. In the solution to wet all surfaces thoroughly. For specific disinfection against the organism *Pseudomonas Aeruginosa* it is necessary for use solution to contain 800 ppm active agent. A 30 minute contact time is necessary for effectiveness. Do not reuse solutions.

Milk Farms and Milk Processing Plants: First, clean equipment and utensils thoroughly with a good detergent. Then sanitize with a 200 ppm solution of this product. A further rinse in clean running water is recommended. As a Disinfectant Solution for waste containers, some materials or surfaces, use 1 to 2 ounces of this product to each gallon of water.

GENERAL CLASSIFICATION

This is a disinfectant. Federal law forbids this product in a manner inconsistent with its labeling.

NET CONTENTS: 1 U.S. GALLONS



**TIME-SAVER®
SANNI-RINSE**

Active Ingredient: Alkyl dimethyl
benzyl ammonium chlorides
50% (14.40% C12, 10% C16
Inert Ingredients

This product meets the criteria of Appendix F for the Grade A Pasteurized Milk Ordinance 1985 Recommendations for the U.S. Public Health Service in waters up to 550 ppm of hardness (calculated as CaCO₃) when tested by the AOAC Germicidal and Detergent Sanitizers Official Method.

WARNING:

Keep Out of Reach of Children.

Causes eye or skin irritation. Do not get in eyes, on skin or on clothing.

HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOODS. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Only for Sale to, Use and Storage by Service Personnel.


EPA Reg. No. 5991-1

EPA EST. NO. 5991-GA-1



TIME CHEMICAL, INC.

3780 Browns Mill Road, S.E.
Atlanta, Georgia 30354
(404) 767-7526



Total 90% 100%

CONCENTRATION CHART

Active Agents

200 ppm
400 ppm
800 ppm

This Product

1 oz. to 4 gallons
1 oz. to 2 gallons
1 oz. to 1 gallon

NO RINSE REGULATIONS

This product, when used at 200 ppm or less, necessitates no water rinse. This product has been authorized for use by most leading health authorities for sanitizing of eating and drinking utensils in restaurants, hotels, bars, taverns, soda fountains and camps.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately.

050629

1184

DIRECTIONS FOR USE

As Final Sanitizing Rinse for Eating Utensils

Dishes and Drinking Glasses:

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with a good detergent or compatible cleaner. DO NOT USE SOAP.
3. Rinse with clean water.
4. Sanitize in a solution of 1 ounce to 4 gallons of water (200 ppm). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils on a rack or drainboard to air dry.

Food Processing Plants:

Thoroughly clean and rinse all surfaces prior to sanitizing. Sanitize by wiping, spraying or misting with a solution of 200 ppm of this product. This product is not to be used as a preservative for foods.

Food Egg Sanitizing:

1. Clean eggs with egg shell cleaner.
2. Rinse thoroughly with Potable Water. To sanitize previously cleaned food grade eggs in shell egg and egg product processing plants, spray with 1 ounce of product in 4 gallons of water (200 ppm active). The solution should be warmer than the eggs, but not exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs sanitized with this product shall be subjected to a potable water rinse only if they are to be immediately broken for use in the manufacture of egg products. Eggs should be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.

For the general disinfection of floors, walls, furniture, bath tubs, shower stalls, toilet seats first thoroughly clean with a good detergent. Then disinfect with a 400 ppm solution of this product. Apply by sponge, mop, spray or by immersion in the solution to wet all surfaces thoroughly. For specific disinfection against the organism *Pseudomonas Aeruginosa* it is necessary for use solution to contain 800 ppm active agent. A 10-minute contact time is necessary for effectiveness. Do not reuse solutions.

Milk Farms and Milk Processing Plants: First clean equipment and utensils thoroughly with a good detergent. Then sanitize with a 200 ppm solution of this product. A further rinse in clean running water is recommended.

As a Deodorant Solution: For waste containers, soiled materials or surfaces, use 1 to 2 ounces of this product to each gallon of water.

GENERAL CLASSIFICATION:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NET CONTENTS: 4 x 1 U.S. GALLONS

ACCEPTED

MAY 28 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 5991-1

TIME-SAVER® SANNI-RINSE

Active Ingredient-Alkyl* dimethyl
benzyl ammonium chlorides

50% C14, 40% C12, 10% C16 10%
Inert Ingredients 90%
Total 100%

This product fulfills the criteria of Appendix F of the Grade 'A' Pasteurized Milk Ordinance 1965 Recommendations for the U.S. Public Health Service in waters up to 550 ppm of hardness calculated as CaCO₃ when tested by the AOAC Germicidal and Detergent Sanitizers Official Method.

WARNING:

Keep Out of Reach of Children.

Causes eye or skin irritation. Do not get in eyes, on skin or on clothing.

HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOODS.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Only for Sale to, Use and Storage by Service Personnel.

EPA REG. NO. 5991-1

EPA EST. NO. 5991-GA-1

MANUFACTURED BY



TIME CHEMICAL, INC.

3780 Browns Mill Road, S.E.
Atlanta, Georgia 30354
(404) 767-7526

A SUBSIDIARY OF HEALTH CHEM CORPORATION

CONCENTRATION CHART

Active Agents:

200 ppm
400 ppm
800 ppm

This Product

1 oz. to 4 gallons
1 oz. to 2 gallons
1 oz. to 1 gallon

NO RINSE REGULATIONS

This product, when used at 200 ppm or less, necessitates no water rinse. This product has been authorized for use by most leading health authorities for sanitizing of eating and drinking utensils in restaurants, hotels, bars, taverns, soda fountains and camps.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS WARNING

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately.