

BEST AVAILABLE COPY

PM 32
Kansler

HAZARD STATEMENTS
Human and Animals
Irritates eyes, nose, throat and skin and may be harmful to aquatic life if discharged into lakes or on clothing. Wear protective clothing and rubber gloves when handling. Avoid contact with eyes. Wash thoroughly after handling. Avoid contact with skin and eyes.

ENVIRONMENTAL HAZARDS
Do not discharge into lakes, streams, rivers, or public waterways without a permit. For more information, contact the nearest office of the U.S. Environmental Protection Agency.

HEALTH HAZARDS
Irritant: Mix only with water. Mixing this product with urine, feces, etc.) or acids, detergents, etc.) may be irritating to mucous membranes.


Stability: Graduates with age. Use a reduced dosage, as necessary, to achieve the required level of available chlorine.

STORAGE AND DISPOSAL
Store in a cool dry area, away from heat to avoid deterioration. Flood areas with large quantities of product or rinsates that should be diluted with water before entering sanitary sewer. Do not reuse for storage, disposal or reuse.

RECYCLING AND DISPOSAL
Offer for recycling or reuse and dispose of in accordance with local procedures and local authorities.

1.5 U.S. GALLONS

ACCEPTED
5991-19
JAN 17 1985
Used in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act as registered under the pesticide registration No.



TIME-SAVER LIQUID BACTERICIDE

Bactericide and Disinfectant

ACTIVE INGREDIENT:

Sodium Hypochlorite	10%
INERT INGREDIENTS	90%
Total	100%

KEEP OUT OF REACH OF CHILDREN
DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID):

IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.

IF SWALLOWED, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

(See additional precautions on side panel)

EPA REG. NO. 8891-10

EPA EST. NO. 8576-0A-1

MANUFACTURED FOR



TIME CHEMICAL, INC.
3780 Browns Mill Road, S.E.
Atlanta, Georgia 30384
(404) 767-7988

After
equi
in a
para
gall
soul
spot

DOT
Aft
sani
solu
each

Av
50
10
20

This
age
the
clea
NOT
clea

It is
in a

2 5991-2002
Copied from 5/11/19

DIRECTIONS FOR USE:

DAIRY FARMS

After cleaning and just prior to use, sanitize Dairy Farm Equipment by spraying, circulating or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce of this product to each 4 gallons of tap water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

DAIRY PLANTS:

EQUIPMENT

After cleaning and just prior to use, sanitize equipment by spraying, circulating or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce of this product to each 4 gallons of water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

BOTTLES

After cleaning and immediately before filling, sanitize bottles with a 50 ppm available chlorine solution. To prepare, add 1 oz. of this product to each 16 gallons of water.

CONCENTRATION CHART

Available Chlorine	This Product
50 ppm	1 oz to 16 gallons
100 ppm	1 oz to 8 gallons
200 ppm	1 oz to 4 gallons

IMPORTANT

This product, like all good chemical sanitizing agents, can be completely effective only when the utensils or equipment on which it is physically clean.

NOTE: When sanitizing with 200 ppm or less, clean potable rinse is not necessary.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

JK