

CLEANS

SANITIZES

REMOVES MILKSTONE

TIME

IT'S TIME FOR CLEANING



Saver

MIXING IS EASY

Time-O-San Q Dairy Cleaner/Sanitizer is easily and quickly dispersed in hot or cold water and in water up to 1700 ppm of hardness (as calcium carbonate) to form a completely uniform solution. Time-O-San Q when used at a 1-500 aqueous dilution (200 ppm active quaternary) may be used on food processing and dairy equipment without the necessity of a final potable water rinse.

CLEANING BULK MILK TANKS

As soon as possible after milk has been removed from bulk tank, rinse tank completely with cold water and allow to drain. Place 1 gallon of warm water in tank and add 1/2 ounce of Time-O-San Q. Stir solution.

Use a clean, wide, soft brush to scrub tank interior. Rinse tank with cold water and allow to drain.

For a more thorough cleaning, prepare a 1-1000 aqueous solution of active quaternary by mixing 1 ounce of Time-O-San Q in 4 gallons of water. Scrub equipment with this solution and allow to drain. Rinse equipment with cold water.

Use a clean, wide, soft brush to scrub tank interior. Never reuse towel or dry clean towel with this solution. Always use readily available potable water for final rinse.

TIME-O-SAN Q

Multi-Purpose Cleaner/Sanitizer For The Dairy Industry

ACTIVE INGREDIENTS

Quaternary Ammonium Chloride 1.00%

Sodium Hypochlorite 0.50%

Sodium Hydroxide 0.50%

Water 98.50%

NET CONTENTS: 1 Gallon
EPA REG. NO. 5001-27

ACCEPTED
APR 8 1974
FEDERAL BUREAU OF INVESTIGATION
DEPARTMENT OF JUSTICE
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 100-100000-1000
SUBJECT: TIME-O-SAN Q
10 ATTACHED COMMENTS.

DANGER - KEEP OUT OF REACH OF CHILDREN

See Right Side Panel for Additional Precautions, Storage and Disposal

TIME Chemical Inc

HARD WATER

Time-O-San Q
Cleaner/Sanitizer
has been tested
and found to be
effective in
removing
milkstone.

Time-O-San Q
Cleaner/Sanitizer
has been tested
and found to be
effective in
removing
milkstone.

KEEP OUT OF REACH OF CHILDREN

Time-O-San Q
Cleaner/Sanitizer
has been tested
and found to be
effective in
removing
milkstone.

KEEP OUT OF REACH OF CHILDREN

Time-O-San Q
Cleaner/Sanitizer
has been tested
and found to be
effective in
removing
milkstone.

Time-O-San Q
Cleaner/Sanitizer
has been tested
and found to be
effective in
removing
milkstone.

Rinse empty

CLEANS

SANITIZES

REMOVES MILKSTONE

MIXING IS EASY

Time-O-San Q Dairy Cleaner/Sanitizer is easily and quickly dispersed in hot or cold water and in water up to 1700 ppm of hardness (as calcium carbonate) to form a completely uniform solution. Time-O-San Q when used at a 1:500 aqueous dilution (200 ppm active quaternary) may be used on food processing and dairy equipment without the necessity of a final potable water rinse.


CLEANING BULK MILK TANKS

As soon as possible after milk has been removed from bulk tank, rinse tank completely with cold water and allow to drain. Place 4 gallons of warm water 120 ° F. in tank and add 1 ounce (2 tablespoons) Time-O-San Q to the water in the tank. Scrub tank, mixers and covers and then allow to drain.

SANITIZING MILK EQUIPMENT & COWS UDDERS

Previously cleaned milking equipment, pails, inflations and tubing should be sanitized prior to milking operations by preparing a 200 ppm solution of active quaternary by mixing 1 ounce (2 tablespoons) Time-O-San Q in 4 gallons of water. Scrub or dip equipment into the solution and allow to drain prior to beginning of milking operation.

Use a clean single service towel for each animal. Never reuse towel or dip used towel back into solution. Always use freshly prepared solutions and non-corrodible utensils.



TIME-O-SAN Q

Multi-Purpose Cleaner/Sanitizer For The Dairy Industry

ACTIVE INGREDIENTS:

- n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides 5.0%
- n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 5.0%
- Phosphoric Acid 30.0%

- INERT INGREDIENTS:** 60.0%
- 100.0%


NET CONTENTS: 1 Gallon
EPA REG. NO. 5991-27

ACCEPTED

5991-27

APR 8 1974

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 5991-27 SUBJECT TO ATTACHED COMMENTS.



DANGER - KEEP OUT OF REACH OF CHILDREN

See Right Side Panel For Additional Precautionary Statements and First Aid.

TIME Chemical Inc.

3950 S. Karlov Ave. Chicago, Ill. 60632 • 3724 Browns Mill Rd. Atlanta, Ga. 30354

HARD WATER

This product is a Grade A Pesticide. It contains 600 ppm of active ingredient when tested as a Sanitizing Agent.

Consult your local health department for recommendations.

KEEP OUT OF REACH OF CHILDREN

Corrosive. • Not Get in Eyes or Face Skin. • Harmful if Swallowed or Inhaled.

NOTE TO USER: Do not use if contraindications are present. May be necessary to consult a physician.

FIRST AID

In case of contact with eyes, flush with plenty of water. Consult a physician. Do not use before reusing.

If swallowed, do not induce vomiting. Give large quantities of water. Immediately consult a physician.

Rinse empty container.

MILKSTONE

easily and quick-
in water up to
onate) to form a
n Q when used at
ctive quaternary
dairy equipment
ble water rinse.

oved from bulk
ater and allow to
20 ° F. in tank
-O-San Q to the
d covers and then

WS UDDERS

pails, inflations
milking operations
ctive quaternary
me-O-San Q in 4
into the solution
milking operation.

ch animal. Never
solution. Always
prodible utensils.



TIME-O-SAN Q

Multi-Purpose Cleaner/Sanitizer For The Dairy Industry

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimenthyl benzyl ammonium chlorides	5.0%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	
ethylbenzyl ammonium chlorides	5.0%
Phosphoric Acid	30.0%

INERT INGREDIENTS:60.0%

100.0%

NET CONTENTS: 1 Gallon
EPA REG. NO. 5991-27

DANGER - KEEP OUT OF REACH OF CHILDREN

See Right Side Panel For Additional Precautionary Statements and First Aid.

TIME Chemical Inc.

3950 S. Karlov Ave. Chicago, Ill. 60632 • 3724 Brownmill Rd. Atlanta, Ga. 30354

HARD WATER TOLERANCE

This product fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 recommendations of the U. S. Public Health Service in waters up to 600 ppm of hardness calculated as calcium carbonate, when tested by the AOAC Germicidal and Detergent/Sanitizing Official Method.

Consult your milk inspector or Health Office for recommendations on your local program.

DANGER

KEEP OUT OF REACH OF CHILDREN.

Corrosive. • Causes Severe Eye and Skin Damage. • Do Not Get in Eyes, on Skin or on Clothing. • Wear Goggles or Face Shield and Rubber Gloves When Handling. • Harmful or Fatal if Swallowed. • Avoid Contamination of Food.

NOTE TO PHYSICIAN: Probable Mucosal Damage may contraindicate the use of Gastric Lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard.

ACCEPTED

APR 8 1974

5991-27
UNDER FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 5991-27 SUBJECT
TO ATTACHED COMMENTS.

