

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR MILKING EQUIPMENT:

CLEANING OPERATIONS:

1. Immediately after each milking thoroughly flush all utensils and milking machines with cold or lukewarm water until ALL the milk is washed out. DO NOT use hot water.
2. Fill wash tank with lukewarm (90°F) to which is added one (1) ounce of this product for each five (5) gallons of water (provides 25 ppm titratable iodine).
3. Take milking machines apart. Immerse airhoses, inflators, and all parts except pulsator in solution of this product before brushing. Wash pails and strainers in same solution.

SANITIZING OPERATIONS:

4. In the rinse tank, add 1/2 oz. of this product for each five (5) gallons of lukewarm water to assist in preventing recontamination of sanitized equipment by contaminated rinse water and by possible carry-over of organic matter from the wash tank (provides 12.5 ppm titratable iodine).
5. Immerse washed utensils and milking machine parts in the rinse tank solution for at least two (2) minutes. Where local Code permits, drain thoroughly, but do not rinse.
6. Before each milking, assemble and flush machines with a solution containing 1/2 oz. of this product to 5 gallons of cold water (provides 12.5 ppm titratable iodine).

NOTE: Use freshly made solutions for each milking and night milking. Where Health Departments require disinfecting twice a day, the same method would be used at night as in the morning. Follow State and Local Health Department requirements covering cleaning and sanitizing.

FOR UDDERS:

Use a clean paper towel for each cow. Wet in solution of 1/2 oz. of this product to a 10 quart pail of lukewarm water (90°F) (Provides 25 ppm titratable iodine).

FOR FARM BULK TANK:

CLEANING OPERATIONS:

1. Flush with lukewarm water until ALL milk is washed out.
2. Wash a solution of 1/2 oz. of this product to five (5) gallons of cold water (provides 25 ppm titratable iodine).
3. Brush thoroughly. Wash and rinse.

SANITIZING OPERATIONS:

Where Code permits, brush and flush with a solution of 1/2 oz. of this product to five (5) gallons of cold water (provides 12.5 ppm titratable iodine).

NET CONTENTS: 4 x 1 U.S. GALLONS

TIME-SAVER UDDER WASH P

ACTIVE INGREDIENTS:

alpha-(p-Nonylphenyl)-omega-hydroxypoly (oxyethylene)-iodine complex	18.05%
(Providing 1.75% titratable iodine)	
Phosphoric Acid	16.00%
INERT INGREDIENTS	65.95%

Total 100.00%

Manufactured under U.S. Patent Nos. 2,931,777-2,977,315-3,028,299

This product qualifies under Federal Regulation 121, 2547, eliminating the need for a final potable water rinse at use dilutions providing up to 25 ppm of titratable iodine.

IMPORTANT: This product is its own indicator of germicidal activity. The amber or yellow color shows the presence of the active ingredient — iodine. When the color fades, prepare a fresh solution. This product is not adversely affected by water hardness or cold water. In use dilution this product will not corrode stainless steel, rubber, or commonly used plastics.

Formulated from biodegradable detergents.

Keep Out of the Reach of Children.

DANGER

See first aid and additional precautions on side panel.
Only for Sale to, Use and Storage by Service Personnel.

EPA REG. NO. 5991-29 EPA EST. NO. 5991 GA-1



TIME SAVER CHEMICAL, INC.

1000 W. 10th Street • Tulsa, Oklahoma 74104

FOR MILKSTONE REMOVAL:

Should yellow color show on equipment after the first use of this product, milkstone is indicated. Remove it, using a solution of equal parts of this product and lukewarm water. Spread over surfaces to be cleaned, wait 2 to 3 minutes, then brush and rinse. The daily use of this product will prevent the formation of milkstone.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER:

Use of this product may cause skin irritation or damage to eyes. Avoid contact with skin and eyes. May be harmful if swallowed. In case of contact, flush immediately with plenty of water.
For eyes, get medical attention.

ACCEPTED

5991-29

MAY 23 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered for the pesticide use as follows:
EPA Reg. No.

077029

485

BEST AVAILABLE COPY

ACCEPTED

5991-29

MAY 23 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for the pesticide use of this product under EPA Reg. No.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR MILKING EQUIPMENT:

CLEANING OPERATIONS

1. Immediately after each milking, thoroughly flush all utensils and milking machines with cold or lukewarm water until ALL the milk is washed out. DO NOT use hot water.
2. Fill wash tank with lukewarm (90° F.) to which is added one (1) ounce of this product for each five (5) gallons of water (provides 25 ppm titratable iodine).
3. Take milking machines apart. Immerse airhoses, inflations, and all parts except pulsator in solution of this product before brushing. Wash pails and strainers in same solution.

SANITIZING OPERATIONS

4. In the rinse tank, add 1/2 oz. of this product for each five (5) gallons of lukewarm water to assist in preventing recontamination of sanitized equipment by contaminated rinse water and by possible carry over of organic matter from the wash tank (provides 12.5 ppm titratable iodine).
5. Immerse washed utensils and milking machine parts in the rinse tank solution for at least two (2) minutes. Where local Code permits, drain thoroughly, but do not rinse.
6. Before each milking, assemble and flush machines with a solution containing 1/2 oz. of this product to 5 gallons of cold water (provides 12.5 ppm titratable iodine).

NOTE: Use freshly made solutions for each morning and night milking. Where health Departments require dismantling twice a day, the same method would be used at night as in the morning. Follow State and Local Health Department requirements covering cleaning and sanitizing.

FOR UDDERS

Use a clean paper towel for each udder. Wet udder with lukewarm water. Apply 1/2 oz. of lukewarm water (90° F.) to which is added 1/2 oz. of this product.

FOR FARM BULK TANK

CLEANING OPERATIONS

1. Immediately after each milking, thoroughly flush all utensils and milking machines with cold or lukewarm water until ALL the milk is washed out. DO NOT use hot water.
2. Fill wash tank with lukewarm (90° F.) to which is added one (1) ounce of this product for each five (5) gallons of water (provides 25 ppm titratable iodine).
3. Take milking machines apart. Immerse airhoses, inflations, and all parts except pulsator in solution of this product before brushing. Wash pails and strainers in same solution.

SANITIZING OPERATIONS

4. In the rinse tank, add 1/2 oz. of this product for each five (5) gallons of lukewarm water to assist in preventing recontamination of sanitized equipment by contaminated rinse water and by possible carry over of organic matter from the wash tank (provides 12.5 ppm titratable iodine).
5. Immerse washed utensils and milking machine parts in the rinse tank solution for at least two (2) minutes. Where local Code permits, drain thoroughly, but do not rinse.
6. Before each milking, assemble and flush machines with a solution containing 1/2 oz. of this product to 5 gallons of cold water (provides 12.5 ppm titratable iodine).

NET CONTENTS 1 U.S. GALLONS

TIME-SAVER UDDER WASH P

ACTIVE INGREDIENTS

alpha-(p-Nonylphenyl)-omega-hydroxy-poly-(oxyethylene)-iodine complex	18.05%
(providing 1.75% titratable iodine)	16.00%
Phosphoric Acid	66.95%
INERT INGREDIENTS	
Total	100.00%

Manufactured under U.S. Patent Nos. 2,931,777; 2,977,315; 3,028,299

This product qualifies under Federal Regulation 121.2547, eliminating the need for a final potable water rinse at use dilutions providing up to 25 ppm of titratable iodine.

IMPORTANT: This product is its own indicator of germicidal activity. The amber of yellow color shows the presence of the active ingredient iodine. When the color fades, prepare a fresh solution. This product is not adversely affected by water hardness or cold water. In use dilution, this product will not corrode stainless steel, rubber, or commonly used plastics. Formulated from biodegradable detergents.


Keep Out of the Reach of Children.

DANGER

See first aid and additional precautions on side panel. Only for Sale to, Use and Storage by Service Personnel.

EPA REG. NO. 5991-29

EPA EST. NO. 5991-GA-1



Manufactured by TIME CHEMICAL, INC.

Atlanta, Georgia 30354

FOR MILKSTONE
Should yellow milkstone is in and lukewarm then brush and milkstone

Do not contact wastes res or at an app Triple rinse dispose of state and lo

DANGER
Use of this p contact with contact, firs For eyes, ga

077029