PM 34

١

5491-20002

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 25 1998

Ms. Marilyn Ruddell Administrative Assistant Theochem Laboratories, Inc. 7373 Rowlett Park Drive Tampa, Florida 33610

Dear Ms. Ruddell:

Subject: Time Saver Liquid Bactericide EPA Registration Number 5991-20002 Your Letter Dated June 9, 1998

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended is accepable provided that you make the following comments listed below:

The labeling accepted under the General Registration Standard must bear the following EPA Registration Number:

EPA REGISTRATION NO. 5991-20002

This EPA Registration Number 5991-20002 supersedes your current EPA Registration Number 5991-19, and must appear on your product label at the next printing, or within 1 year of issuance of the Notice of Reregistration dated June 16, 1989.

This number must also appear on all supplemental registration that may have been issued for your product, and must appear on these labels at the next printing, or within 1 year of issuance of the Notice of Reregistration, dated June 16, 1989 whichever occurs first. It is not necessary to reapply for a change in the supplemental Registration Numbers. The Agency will update these records automatically

CONCURRENCES							
SYMBOL 5104							
SURNAME		1					
DATE 42598							

EPA Form 1320-1A (1/90)

OFFICIAL FILE COPY "U.S. Government Printing Office; 1992 - 520-558/40672

í,

A stamped copy is enclosed for your records. Submit three copies of the final printed labeling prior to releasing the product for shipment.

If you have any questions on the above comments, please contact LaVerne Dobbins at (703) 308-6378.


Sincerely,

glfassal Nac

Adam Heyward Product Manager (34) Regulatory Management Branch II Antimicrobials Division (7510W)

Enclosure:

}



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as ne-

SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES IN DAIRY FARMS AND DAIRY PLANTS

RINSE METHOD: A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 1/ 2 oz. of this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 3 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

IMMERSION METHOD: A solution of 100 ppm available chlorine may be used in the sankizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sankizing solution by thoroughly mixing 1 1/2 oz. of this product with 10 gallons of water. If no test kit is available, prepare a sankizling solution by thoroughly mixing 3 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, or Immerse in sanitizing solution maintaining contact with the sanitzer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight.

Sanitizers used in automated systems may be used for general cleaning, but may not be resused for sanitzing purposes.

FLOW/PRESSURE METHOD: Disassemble equipment and thoroughly clean after use. Assemble equipment in operating position prior to use. Prepare a volume of a 200 ppm available chlorine sanlizing solution equal to 110% of volume capacity of the equipment by mixing the product in a ratio of 3 oz. product with 10 gallons of water. Pump solution through the sysidem until fulf llow is obtained at all extremities, the system is completely filled with the sansizer and all air is removed from the system. Close drain valves and hold under pressure for at least 2 minutes to insure contact with all internal surfaces. Remove some cleaning solution from drain valve and test with a chlorine test kit. Repeat entire cleaning/sanitizing process if effluent contains less than 50 ppm available chlorine. Rinse system with potable watier prior to use.

NET CONTENTS:

GALLON

KEEP OUT OF REACH OF CHILDREN DANGER PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly versilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL

"Do not contaminate water, food, or feed by storage or disposal." Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water.

PESTICIDE DISPOSAL

"Pesticides wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Comtrol Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY



TIME PRODUCTS, INC. 3780 Browns Mill Road S.E. Allanta, Georgia 30354 (404) 767-7526

lD# 0758