Products

duality



Tested

approved

FOR

BAKERIES - FOOD PLANTS - RESTAURANTS SCHOOLS - HOTELS - MOTELS OFFICE BUILDINGS - HOSPITALS FOOD HANDLING PLANTS

### **ACTIVE INGREDIENTS:**

\*+(5-Benzyl-3-furyl)methyl 2,
2-dimethyl-3-(2-methylpropenyl)
cyclopropanecarboxylate

Related compounds
Aromatic petroleum hydrocarbons
Petroleum distillate

INERT INGREDIENTS

0.120% w/w
0.016%
0.0159%
99.700%
0.005%

\*Cis/trans isomers ratio: max, 30% (+) cis and min, 70% (+) trans.

+U.S. Patent No. 3,465.007

EPA REG! NO. 6020-6

# Sure Kill Brand

### CAUTION

# KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Cover fishbowls when spraying. Do not store near heat or open flame. Use as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

## **DIRECTIONS FOR USE**

FOR FLIES, MOSQUITOES, and GNATS: Close doors and windows. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

CONTENTS:





