



GUARANTEE

We guarantee DY-NAMO SUPER to have a Phenol Coefficient to 32 against Staphylococcus aureus ATCC 6538, and a Phenol Coefficient of 26.6 against Salmonella typhosa ATCC 6539 when tested by the A.O.A.C. Official Method, 11th Edition, 1972.

DISINFECTANT	BACTERICIDE
CLEANER	VIRUCIDE**
MILDEWICIDE*	PATHOGENIC FUNGICIDE
DEODORIZER	REDUCES SURFACE TENSION
	RESIDUAL BACTERIOSTAT

*Kills mildew fungi on contact.
 **DY-NAMO SUPER is an effective Virucide for Influenza virus Type A2 (Hong Kong) on inanimate environmental surfaces.

GENERAL INFORMATION

DY-NAMO SUPER contains an effective synthetic detergent system and builders for removal of general industrial soils such as would normally be encountered in hospitals, nursing homes, schools and industrial plant restrooms. DY-NAMO SUPER also reduces the surface tension of water, improving its wettability so that the disinfectant can reach microbes in subsurface pores, scratches and cracks of surfaces being treated. After the initial demand for disinfectant has satisfied, any remaining DY-NAMO SUPER will establish a residual bacteriostatic effect.

Using A.O.A.C. test methods, DY-NAMO SUPER will kill the following organisms on inanimate surfaces at recommended use dilutions:

PATHOGENIC BACTERIA	FUNGI
Escherichia coli	Aspergillus niger
Escherichia coli (Shiga)	Candida albicans
Salmonella choleraesuis	Trochophyton interdigitale
Salmonella typhosa	
Staphylococcus aureus	
Streptococcus pyogenes	

NET CONTENTS GALLONS

DY-NAMO SUPER

DISINFECTANT - DETERGENT - DEODORANT

Phenol Coefficient (32) - Staphylococcus aureus ATCC 6538
 Phenol Coefficient (26.6) - Salmonella typhosa ATCC 6539

ACTIVE INGREDIENTS:

Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl dichlorobenzyl ammonium chloride	2.50%
Alkyl (C14, 58%; C16, 28%; C12, 14%) dimethyl benzyl ammonium chloride	1.25%
Alkyl (C14, 90%; C12, 5%; C16, 5%) dimethyl ethyl ammonium bromide	1.25%
Sodium carbonate	1.00%
Sodium metasilicate	1.00%
Essential Oils	0.50%
Ethylenediaminetetraacetic acid, tetrasodium salt	0.38%
TOTAL ACTIVE	7.88%
INERT INGREDIENTS**	92.12%
TOTAL INGREDIENTS	100.00%

**Contains sodium nitrite

DANGER

KEEP OUT OF REACH OF CHILDREN

(See side panel for First Aid and other precautions)

EPA Reg. No. 6020-15
 MANUFACTURED BY

USE DIRECTIONS

FOR RESTROOMS AND GENERAL DISINFECTION IN HOSPITALS, NURSING HOMES, INDUSTRIAL AND INSTITUTIONAL USES Wherever practical, rinse away surface soils with water. For cleaning, use 2 ounces DY-NAMO SUPER per gallon of water and thoroughly wet the surface to be cleaned. Cleaning may be accomplished with a clean mop, sponge, squeege, wet vacuum system, or pressure sprayer. For disinfecting surfaces difficult to clean or contagious disease areas, use 4 ounces per gallon of water, thoroughly wetting all surfaces. Any food contact surfaces treated with DY-NAMO SUPER should be thoroughly rinsed with potable water before re-use.

FOR DISINFECTING AND DEODORIZING OF GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to preclean, preferably using a pressure sprayer, in order for the disinfectant to perform properly. Then, apply a wetting solution of 4 ounces of DY-NAMO SUPER per gallon of water.

FOR HAND CLEANING OR PRESSURE CLEANING OF WALLS, FLOORS AND INDUSTRIAL WORK AREAS. Use 4 ounces per gallon of water. The use of rubber gloves is recommended for personnel doing continuous hand cleaning.

DY-NAMO SUPER may be used through automatic floor scrubbing equipment.

DANGER

KEEP OUT OF REACH OF CHILDREN. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk or soybean white. If these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

EPA Est. No. 6020-FL-01