

Products of Quality



Tested and Approved

USE DIRECTIONS

FOR RESTROOMS AND GENERAL DISINFECTION of Walls, Floors, Glass, Metal, Plastic, Porcelain, Synthetics and Finished Wood Surfaces and Furnishings and for Industrial and Institutional Uses. After proper precleaning, apply a wetting solution of 4 ounces of **WHISP DISINFECTANT** per gallon of water. Apply with a clean mop, sponge, brush or low pressure sprayer having nozzles that will deliver soft, coarse sprays to surfaces. For surfaces difficult to clean or contagious disease areas, use 6 ounces per gallon of water. Any food contact surfaces treated with **WHISP DISINFECTANT** should be thoroughly rinsed with potable water before reuse.

FOR DISINFECTING AND DEODORIZING OF GARBAGE CANS, INDUSTRIAL WASTE RECEPTACLE, GARBAGE TRUCKS AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to preclean, preferably with pressure spray equipment, in order for the disinfectant to perform properly. Then, apply a wetting solution of 6 ounces of **WHISP DISINFECTANT** per gallon of water.

FOR USE IN CONTROLLING THE SPREAD OF ATHLETE'S FOOT FUNGI on Environmental Surfaces. As a prophylactic agent to aid in preventing athlete's foot fungi in locker rooms, shower stalls, bathrooms, and around swimming pools, use a solution of 4 ounces per gallon of water. Apply a wetting concentration on all treated surfaces.

FOR USE AS A DEODORANT LAUNDRY TREATMENT. After the laundry has been washed and a final rinse has been accomplished in the wash wheel, raise the water level to a point slightly above the wash load. Add 8 ounces of **WHISP PRODUCT** per 100 pounds of wash load, or equivalent thereof. The minimum running time should be 5 minutes and the laundry may then be finished in the usual manner. **DO NOT USE ON DIAPERS OR INFANT CLOTHING.**

NET CONTENTS

GALLONS

WHISP

DISINFECTANT - DEODORIZER - MILDEWCIDE

GUARANTEE

We guarantee this Disinfectant to have a Phenol Coefficient of 16 against *Staphylococcus Aureus* ATCC 6538 and a Phenol Coefficient of 13.3 against *Salmonella Typhosa* ATCC 6539 when tested by the A.O.A.C. Official Method, 11th Edition, 1972.

This Disinfectant is an effective Bactericide, Mildewcide* - Pathogenic Fungicide - Deodorizer - Virucide** - Residual Bacteriostat.

*Kills Mildew Fungi and Pathogenic Fungi on contact.

**This Disinfectant is an effective Virucide for Influenza Virus, Type A2, (Hong Kong) on inanimate environmental surfaces.

ACTIVE INGREDIENTS:

Alkyl (C14, 90%; C12, 5%; C16, 5%) Dimethyl 3, 4-Dichlorobenzyl Ammonium Chloride	1.250%
Alkyl (C14, 58%; C16, 28%; C12, 14%) Dimethyl Benzyl Ammonium Chloride	0.625%
Alkyl (C14, 90%; C12, 5%; C16, 5%) Dimethyl Ethyl Ammonium Bromide	0.625%
Sodium Carbonate	0.500%
Ethylenediaminetetraacetic Acid, Tetrasodium Salt	0.190%
Essential Oils	0.250%

TOTAL ACTIVE 3.440%

INERT INGREDIENTS*** 96.560%

TOTAL INGREDIENTS 100.00 %

***Contains Sodium Nitrite

WARNING

KEEP OUT OF REACH OF CHILDREN

(See side panel for First Aid and other precautions)

EPA Reg. No. 6020-16

MANUFACTURED BY

GENERAL INFORMATION

WHISP DISINFECTANT reduces the surface tension of water, improving its wettability. Microbes are capable of mass reproduction in sub-visible pores, scratches and cracks of surfaces. The exceptional wettability of **WHISP DISINFECTANT** improves the penetration of the use dilution into areas that might not otherwise be reached. After the initial demand for disinfectant has been satisfied, any remaining **DISINFECTANT** will establish a residual bacteriostatic effect.

Using A.O.A.C. test methods, **WHISP DISINFECTANT** will kill the following organisms on inanimate surfaces:

PATHOGENIC BACTERIA:

Escherichia coli
Pseudomonas aeruginosa
Salmonella choleraesuis
Salmonella typhosa
Staphylococcus aureus
Streptococcus pyogenes

FUNGI:

Aspergillus niger
Candida albicans
Trichophyton interdigitale

WARNING

KEEP OUT OF REACH OF CHILDREN. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID

In case of contact, immediately flush eyes, or skin with plenty of water for at least 15 minutes. If irritation persists, get medical attention. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk or raw egg white. If these are not available, drink a large quantity of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard it.

EPA est No. 6020-FL-1

Mom Chemical Co., Inc.

7775 N. W. 66 STREET - MIAMI, FLORIDA - DADE 592-7829 - 592-7974 / BROWARD 522-3472

