


Products of Quality



Tested and Approved



USE DIRECTIONS

FOR RESTROOMS AND GENERAL DISINFECTION of Walls, Ceilings, Tiles, Metal, Plastic, Porcelain, Synthetics and Finished Wood Surfaces and Floors: Apply for Industrial and Institutional uses with proper dilution, apply a wetting solution of 2 ounces of **Whisp Super Disinfectant** per gallon of water. Apply with a clean mop, sponge, brush or high pressure sprayer having nozzles that will deliver soft coarse spray to surfaces. For surfaces difficult to clean or contaminated disease areas, use 3 ounces per gallon of water. Any food contact surfaces treated with **Whisp Super Disinfectant** should be thoroughly rinsed with potable water before reuse.

FOR DISINFECTING AND DEODORIZING OF GARBAGE CANS, INDUSTRIAL WASTE RECEPTACLE, GARBAGE TRUCKS AND OTHER GARBAGE HANDLING EQUIPMENT. It is especially important to pre-clean, preferably with pressure spray equipment, in order for the disinfectant to perform properly. Then, apply a wetting solution of 3 ounces of **Whisp Super Disinfectant** per gallon of water.

FOR USE IN CONTROLLING THE SPREAD OF ATHLETE'S FOOT FUNGI on Environmental Surfaces. As a prophylactic agent to aid in preventing athlete's foot fungi in locker rooms, shower stalls, bathtubs, and around swimming pools, use a solution of 2 ounces per gallon of water. Apply a wetting concentration on all treated surfaces.

FOR USE AS A DEODORANT LAUNDRY TREATMENT. After clothes are thoroughly washed and a final rinse has been accomplished, remove water. Add a cup of water level to a point slightly above the water level. Add 1 ounce of **WHISP SUPER** per 100 pounds of laundry. Allow clothes to soak. The minimum running time should be 15 minutes. Clothes should then be finished in the usual manner. **DO NOT USE ON DIAPERS OR INFANT CLOTHING.**

NET CONTENTS

GALLONS

WHISP SUPER

DISINFECTANT - DEODORIZER - MILDEWICIDE

GUARANTEE

We guarantee this Disinfectant to have a Minimum Coefficient of 32 against Staphylococcus Aureus (ATCC 29213) and a Minimum Coefficient of 25.6 against Salmonella Typhimurium (ATCC 14028) when tested by the A.O.A.C. Official Method, 11th Edition, 1955.

This Disinfectant is an effective Bactericide, Fungicide*, Pathogenic Fungicide, Deodorizer, Virucide** and Foul Bactericide†.

*Kills Mildew Fungi and Pathogenic Moulds on contact.

**This Disinfectant is an effective Virucide for Influenza Virus, Type A2, (Hong Kong) in inanimate environmental surfaces.

ACTIVE INGREDIENTS:

- Alkyl (C14, 90%; C12, 5%) 1,12-Dimethyl-3, 4-Dichlorobenzyl Ammonium Chloride 2.50%
- Alkyl (C14, 58%; C16, 42%) 1,12-Dimethyl-3, 4-Dichlorobenzyl Ammonium Chloride 1.25%
- Alkyl (C14, 90%; C12, 10%) 1,12-Dimethyl-3, 4-Dichlorobenzyl Ammonium Bromide 1.25%
- Sodium Carbonate 1.00%
- Ethylene Di-amine 0.35%
- Essential Oils 0.20%

INERT INGREDIENTS:

100.00%

*1120 contains Spaloon® Mould

DANGER

KEEP OUT OF REACH OF CHILDREN

(See side panel for First Aid and other precautions)

EPA REG. NO. 6029-17

MANUFACTURED BY

GENERAL INFORMATION

Whisp Super Disinfectant reduces the surface tension of water, thus improving its wettability. Microbes are captured and held in the surface of visible pores, scratches and cracks of surfaces. The increased wettability of **Whisp Super Disinfectant** improves the penetration of the use dilution into areas that might not otherwise be reached. After the initial demand for disinfectant has been satisfied, the remaining DISINFECTANT will establish a residual bacteriostatic effect.

Using A.O.A.C. test methods, **Whisp Super Disinfectant** kills the following organisms on inanimate surfaces:

PATHOGENIC BACTERIA:

- Escherichia coli
- Pseudomonas aeruginosa
- Salmonella choleraesuis
- Salmonella typhosa
- Staphylococcus aureus
- Streptococcus pyogenes

FUNGI:

- Aspergillus niger
- Candida albicans
- Trichophyton interdigitale

DANGER

KEEP OUT OF REACH OF CHILDREN. Causes eye and skin irritation. Do not get on face, skin or on clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

FIRST AID

In case of contact, immediately flush eyes or skin with copious amounts of water for at least 15 minutes. If irritation persists, seek medical attention. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of water or milk or white. If these are not available, drink any non-alcoholic liquid or cold alcohol. Call a physician immediately.

Reuse empty container thoroughly before disposal.

MOX-1011, 6020 FL-11

Mom Chemical Co., Inc.

7775 N. W. 66 STREET - MIAMI, FLORIDA - DADE 592-7829 - 592-7974 / BROWARD 522-3472

