

Products of Quality

Tested and Approved



PROVIDES FLUSHING ACTION AND FAST **KNOCKDOWN**

**CONTROLS COCKROACHES, ANTS, SILVERFISH,
SPIDERS, CRICKETS, EARWIGS, and BROWN DOG TICKS**

**USE IN AND AROUND HOMES, APARTMENTS, GARAGES,
AND SIMILAR RESIDENTIAL STRUCTURES**

**USE OUTDOORS AS AN AID IN REDUCING ANNOYANCE
FROM FLIES AND MOSQUITOES ENTERING THE HOME**

DIRECTIONS

**DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD
PROCESSING PLANTS, RESTAURANTS OR OTHER
AREAS WHERE FOOD IS COMMERCIALY PREPARED
OR PROCESSED. DO NOT USE IN SERVING AREAS
WHILE FOOD IS EXPOSED.**

This product should be applied as a coarse (large droplet)
spray in spot treatment of localized surface areas only.

Cockroaches, Ants, Silverfish, Spiders, Crickets, and Earwigs:
Spray areas where these pests are found or may hide, includ-
ing dark corners of rooms and closets, cracks, and crevices,
along baseboards and door sills and frames, behind and be-
neath sinks, stoves, refrigerators, and cabinets, and around
garbage cans, plumbing and other utility installations. Pests
driven out of hiding places should be sprayed directly. Spray
ant trails, nests and points of entry.

Brown Dog Ticks: Apply thoroughly as a spot treatment to
infested areas such as pet beds and resting quarters, nearby
cracks and crevices, along and behind baseboards, window
and door frames and localized areas of floor and floor cover-
ing where these pests may be present. Fresh bedding should
be placed in animal quarters following treatment. Do not
spray pets with this product.



RESIDUAL INSECTICIDE

ACTIVE INGREDIENTS:

Pyrethrins	0.052%
*Piperonyl Butoxide, Technical	0.260%
**Chlorpyrifos (0,0-diethyl 0-(3,5,6- trichloro-2-pyridyl) phosphorothioate)	0.500%
Petroleum Distillate	98.736%
INERT INGREDIENTS	0.452%
	100.000%

*Equivalent to 0.208% (butylcarbityl) (6-propylpiper-
onyl) ether and to 0.052% related compounds

**U. S. Patent No. 3,244,586

CAUTION

KEEP OUT OF REACH OF CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

NOTE TO PHYSICIAN: Contains petroleum distillate. If
gastric lavage is deemed necessary, undertake only after
proper placement of a cuffed endotracheal tube. Active in-
gredients contain a cholinesterase inhibitor. Treat sympto-
matically. Atropine is an antidote.

Flies and Mosquitoes: Use only on outdoor surfaces. Spray
outside surfaces of windows and door frames and other areas
where these pests may enter the home. Also spray dark cor-
ners and localized resting areas, such as under eaves, porches,
partitions, and in garages where these insects may congregate.
Flies and mosquitoes coming to rest on treated surfaces will
be killed. Repeat treatment when effectiveness diminishes.

USE PRECAUTIONS

Do not allow children or pets to contact treated surfaces until
spray has dried.

Do not spray air in rooms or use on plants. Apply as a surface
spray only as specified on this label.

Do not allow spray to contact food, feedstuffs or water sup-
plies. Thoroughly wash dishes and food handling utensils, if
contaminated with this product.

Remove pets and cover fish bowls before spraying.

This product is toxic to fish. Do not contaminate water by
cleaning equipment or disposal of wastes. Do not reuse empty
container. Destroy when empty and discard in a safe place.

CAUTION

HARMFUL IF SWALLOWED; COMBUSTIBLE: Avoid con-
tact with eyes, skin, and clothing. Avoid breathing vapors or
spray mist. Keep away from food, feedstuffs and domestic
water supplies. Do not smoke while using. Wash thorough-
ly after handling. **DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME.** If swallowed, do not in-
duce vomiting. Call a physician immediately. In case of eye
contact flush with water. If irritation persists seek medical
attention.

EPA Est. No. 6020-FL-1

EPA Reg. No. 6020-18

NET CONTENTS:

GALLONS

Products
of Quality



Tested
and Approved

RECOMMENDED FOR FAST KNOCKDOWN

SPIDERS, CRICKETS, ANTS, SILVERFISH,
EARWIGS, and BROWN DOG TICKS

DOORS AND HOMES, APARTMENTS, GARAGES,
AND NEAR RESIDENTIAL STRUCTURES

DOORS AS AN AID IN REDUCING ANNOYANCE
AND FLIES AND MOSQUITOES ENTERING THE HOME

DIRECTIONS

DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD
PROCESSING PLANTS, RESTAURANTS OR OTHER
AREAS WHERE FOOD IS COMMERCIALY PREPARED
OR PROCESSED. DO NOT USE IN SERVING AREAS
WHERE FOOD IS EXPOSED.

Product should be applied as a coarse (large droplet)
spray treatment of localized surface areas only.

Use: Ants, Silverfish, Spiders, Crickets, and Earwigs:
Apply where these pests are found or may hide, includ-
ing rooms and closets, cracks, and crevices,
and door sills and frames, behind and be-
hind refrigerators, and cabinets, and around
and other utility installations. Pests
should be sprayed directly. Spray
entry.

Use: Mosquitoes: Apply as a spot treatment to
resting quarters, nearby
baseboards, window
floor and floor cover-
fresh bedding sh-
treatment. Do

ATTACK

RESIDUAL INSECTICIDE

ACTIVE INGREDIENTS

Pyrethrins	0.052%
*Piperonyl Butoxide, Technical	0.260%
**Chlorpyrifos (0,0 diethyl O-(3,5,6- trichloro-2-pyridyl phosphorothioate)	0.500%
Petroleum Distillate	98.736%

INERT INGREDIENTS	0.452%
	100.000%

*Equivalent
onyl) ether
**U.S.F.

REGISTERED PATENT
U.S. PAT. NO. 2,814,000

Flies and Mosquitoes: Use on
outside surfaces of windows, doors,
where these pests may enter in-
ners and localized resting areas, such as
partitions, and in garages where the
flies and mosquitoes coming to rest
be killed. Repeat treatment when effect

USE PRECAUTIONS

Do not allow children or pets to contact treated
spray has dried.

Do not spray air in rooms or use on plants. Apply and
spray only as specified on this label.

Do not allow spray to contact food, feedstuffs, or water sup-
plies. Thoroughly wash dishes and food handling utensils
contaminated with this product.

Remove pets and cover fish bowls before spraying.

This product is toxic to fish. Do not use near fish.
Cleaning equipment or disposal of wastes. Do not use near
containers. Destroy when empty. Do not treat fish.

CAUTION

HARMFUL IF SWALLOWED; COMBUSTIBLE
Irritant to eyes, skin, and clothing. Avoid
spray mist. Keep away from food, feedst-
water supplies. Do not smoke while us-
ing after handling. DO NOT USE, POI-
NEAR HEAT OR OPEN FLAME.
In case of poisoning, call a physician.
In case of contact, flush with water for
15 minutes.

U.S. PAT. NO. 2,814,000

U.S. PAT. NO. 2,814,000

U.S. PAT.