

# METHYL-ETHYL PARATHION 5.E.

## DANGER

### KEEP OUT OF REACH OF CHILDREN

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Parathion poisoning. If you suspect exposure, see a Doctor.

WEAR natural rubber gloves, protective clothing and goggles. IN CASE OF CONTACT wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Parathion protection. KEEP ALL UNPROTECTED PERSONS out of operating area or vicinity where there may be danger of drift. Treated areas should not be re-entered until drifting insecticide and relative residues have dissipated. Never allow spray mist to drift into property of others.

DO NOT CONTAMINATE feed and foodstuffs. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material.

WASH hands, arms and face thoroughly with soap and water after handling or mixing. Wash all contaminated clothing with soap and hot water before re-use.

USE PRECAUTIONS: Highly toxic to fish and wildlife. Do not contaminate any body of water not apply to any water body listed in the label. Birds feeding in treated areas may be killed.

Remove equipment and containers with an alkali solution to be water soluble and dispose of wastes by burning. Do not dump into any water supplies. Containers should be emptied by punching holes in them and burning. Do not reuse by burning. Keep out of smoke.

See label for recommendations for the use of this product. No liability is assumed for information believed to be reliable at time of printing. The use of this product being beyond the control of STOKER CO., no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained when used in accordance with directions or established methods and practices. THE BUYER assumes sole responsibility including liability for damage to persons or property, or loss of crops, or any other loss, when used in combination with other

### CONTAINS

METHYL-ETHYL PARATHION 5-E contains 4 lbs. per gallon Methyl Parathion and 1 lb. per gallon Ethyl Parathion.

### DIRECTIONS FOR USE

Application should be made only by trained personnel using approved protective equipment. Application can be made by ground power equipment and aircraft. Apply at the rate of 3 to 10 gallons per acre by air. Apply 15 to 100 gallons per acre by ground. Begin treatment at the first sign of infestation, repeating as necessary but observe use limits prescribed for specific crops.

### DIRECTIONS

ALFALFA-Aphids, armyworms, use 1 1/2 pints per acre. Do not apply within 15 days of harvest. Wildlife in treated areas may be killed. (Caution: 1/2 pint.)

CARROTS-Aphids, armyworms, use 1 pint to 1 quart per acre. Do not apply within 15 days of harvest.

COTTON-Aphids, thrips, mites, leaf perforators and leafworms. Use 1 quart per acre. Do not apply within 5 days of hand picking. (Workers entering field within 24 hours after application should wear protective clothing.)

LETTUCE-Aphids, leafhoppers, flea beetles, and armyworms, use 1 pint per acre. Do not apply within 21 days of harvest.

POTATOES Aphids, armyworms, flea beetles, leafhoppers and mites, use 1 1/2 pints per acre. Do not apply within 5 days of harvest.

TOMATOES Aphids, armyworms, flea beetles, leafhoppers, mites; use 1 1/2 pint per acre. Do not apply within 15 days of harvest.

### INGREDIENTS

Active & Inert Ingredients  
(Up-Dated - No Change in Formula)

### ACTIVE INGREDIENTS

O, O-Dimethyl O-p-nitrophenyl

Phosphorothionate

Parathion O, O-Dimethyl O-p-nitrophenyl

Phosphorothionate

Aromatic Petroleum Derivative

### INERT INGREDIENTS

\*Methyl Parathion

DESTROY EMPTY CONTAINER PROMPTLY

NEVER RE-USE OR KEEP ON PREMISES



# POISON



# STOKER CO.

## STOKER CO.

AC  
July-11-1968 NET GALS

(0)2-1