

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

6023-42

EPA Reg. Number:

Date of Issuance:

EC 2 3 1996

Term of Issuance: Until Reregistration

Name of Pesticide Product:

Dicofol Dust

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Stoker Company P.O. Box 907

Imperial, California 92251

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 6023-42."
 - b. In the Precautionary Statements, delete the reference to "spray mist."
 - c. Add the following restriction to the directions for use for each crop: "Do not apply more than 100, lbs./acre/season."

Signature of Approving Official:

DHE

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (7505C)

DEC 23 1996

EPA Form 8570-6

3. Submit five copies of the revised final printed label for our files.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

DHE

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

Dicofol Dust

Active Ingredient:

1,1-bis (chlorophenyl) 2,2,2 Trichloroethanol.

3.0%
Inert Ingredients.

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call a physician. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Treat the victim symptomatically. If irritation persists, call a physician.

IF ON SKIN: Wash exposed areas with plenty of soap and water. If irritation persists, call a physician.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. If irritation persists, call a physician.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with skin, eyes and clothing and avoid breathing dust or spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- · Long sleeved shirt and long pants
- · Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

. ENVIRONMENTAL HAZARDS

This product it toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in locked storage area. If a spill occurs, sweep up and dispose of in a permitted disposal facility. Avoid cross-contamination with other pesticides and fertilizers during handling and storage. Do not store near heat or open flame. Not for use or storage in or around the home.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS

LBS.

ACCEPTED
with COMMENTS
in EPA Letter Dated

EPA Reg. No. 6023-XX EST No. 67545-AZ-1

DEC 23 1996

nder the Federal Insecticide, ungicide, and Redeuticide Act a monoided, for the posticide relationed under EPA Res. No.

Stoker Company P.O. Box 907 Imperial, CA 92251

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

This product is designed for application through ground dusters or by airplane.

Crop	Insect	Lbs./acre	Comments
Beans	Pacific mites, Two spotted mites,	30-50	Apply when mites first appear and before
	Atlantic mites		heavy webbing. Repeat at 7-10 day intervals,
	.]		or as needed to maintain control.
	Do not apply within 7 days of harvest. Do Not Apply More than Do not feed treated forage to meat or dairy animals. 100 lbs/acre/season.		
Cotton	Pacific mites, Two spotted mites,	30-50	Apply when mites first appear and before
	Atlantic mites		heavy webbing. Repeat at 7-10 day intervals,
			or as needed to maintain control.
	Do not apply within 14 days of harvest. Do not feed treated forage to meat or dairy animals. Do not feed treated forage to meat or dairy animals.		
Cucumbers	Pacific mites, Two spotted mites,	30-50	Apply when mites first appear and before
	Atlantic mites		heavy webbing. Repeat at 7-10 day intervals,
			or as needed to maintain control.
	Do not apply within 2 days of harvest.		
Grapes	Pacific mites, Two spotted mites,	30-50	Apply when mites first appear and before
	Atlantic mites		heavy webbing. Repeat at 7-10 day intervals,
			or as needed to maintain control.
	Do not apply within 7 days of harvest. Do Not Apply More than Do not feed treated forage to meat or dairy animals. 100 lbs /acce /seasen		
Melons (Cantaloupe,	Pacific mites, Two spotted mites,	30-50	Apply when mites first appear and before
Muskmelon, pumpkin,	Atlantic mites		heavy webbing. Repeat at 7-10 day intervals,
watermelon)			or as needed to maintain control.
	Do not apply within 2 days of I	parvest. Do N	Jot Apply More than 100 165/acre/sea
Squash (Winter &	Pacific mites, Two spotted mites,	30-50	Apply when mites first appear and before
Summer)	Atlantic mites		heavy webbing. Repeat at 7-10 day intervals,
		<u> </u>	or as needed to maintain control.
	· Do not apply within 2 days of harvest. Do Not Apply More than 100 lbs/acre/seaton		

NOTICE

Our recommendations for the use of this product are based upon information believed to be reliable at time of printing. The use of this product being beyond the control of Stoker Co., no guarantee, expressed, or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe and sound practices. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such or in combination with other products.