



DIRECTIONS FOR USE

AS A DISINFECTANT FOR: Poultry Houses, Horse Barns, Hog Pens, Dog Kennels, Kennel Runs, Sheds and Other Quarters Where Animals Are Kept.

AS AN AID IN CONTROLLING: Red Mites In Poultry Houses.

Prepare Disinfectant Solution as Given in Chart Below.

Amount of Cresl-400 to use.	Dilute with water, kerosene, or fuel oil to make:
3½ fl. oz. (7 tablespoons)	10 gallons
8 fl. oz. (½ pint)	25 gallons
16 fl. oz. (1 pint)	50 gallons
32 fl. oz. (1 quart)	100 gallons
1 gallon	400 gallons

Remove all litter, nesting material and dirt, then thoroughly wet down with disinfecting solution of CRESL-400. Thoroughly wet walls, roosts, cracks, crevices, etc. where lice, Red mites and fleas may live and breed.

1. Remove all livestock or poultry from buildings to be treated with the disinfectant.

2. Thoroughly clean and protect or remove from the building all equipment, including feeders or waterers. Remove all litter or bedding and clean the building thoroughly.

3. Apply disinfectant only at the recommended rate. When feeding and watering equipment is disinfected, rinse equipment thoroughly with potable water.

4. Ventilate the building and do not house poultry or livestock until treatment has been absorbed, set or dried.

FOR DRESSING PLANTS.

Use a solution containing 2 tablespoonfuls of CRESL-400 in 1 gallon of water to spray offal rooms, exterior walls and loading platforms of poultry and meat dressing plants.


CRESL-400

PHENOL COEFFICIENT - 20 A.O.A.C. METHOD

A Concentrated Cresylic Acid Disinfectant For Poultry Houses, Horse Barns, Hog Pens, Dog Kennels.

1 Gallon Makes 400 Gallons of Solution

Can Be Diluted With Water, Fuel Oil, or Kerosene.



Active ingredients	88%
Cresylic Acid	46.7%
Coal Tar Neutral Oil	22.8%
Soap	18.5%
Inert ingredients	12%
Water	10.0%
Glycerine	2.0%
Total	100.0%

WARNING: Keep Out of Reach of Children

See Side Panel for Additional Warnings

NET CONTENTS **1 GALLON LIQUID**

Distributed by

VINELAND LABORATORIES INC.
VINELAND, N. J. 08360, U.S.A.

Always mix this disinfectant with water, fuel oil or kerosene before using. It makes a milky solution with a pleasant odor. When added to water for scrubbing or mopping it disinfects as it cleans.

OTHER GENERAL USES

BOOTS, RUBBERS, OVERSHOES: For disinfection of caretakers boots, etc. before entering animal or poultry pens. Dilute 1 pint CRESL-400 with 5 quarts water, fuel oil or kerosene. Place disinfecting solution in a flat pan. Step into solution. Wet soles and bottom third of footwear thoroughly, before entering animal pens.

FOR SANITIZING: Garbage Cans, Outhouses, Drains, Sewer Traps - Use solution containing 2 tablespoonfuls CRESL-400 in 1 gallon of water.



WARNING: MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN! MAY PRODUCE SEVERE BURNS! Do not get in eyes, on skin or on clothing. Avoid breathing spray. Must wash thoroughly after handling. Avoid contact with the eyes and mucous membranes. Do not use the product directly on poultry.

ANTIDOTE: If swallowed, call a physician at once. Try to induce vomiting by gurgling with finger. Large quantities of vegetable oil or slush of egg may be helpful.

For external contamination, wash thoroughly with soap and water.

DO NOT RE-USE CONTAINER. Bury empty unused portion at least 18 inches deep in an isolated location, away from water supplies.

U.S.D.A. REGISTRATION NO. 6035-35

Made in U.S.A.

R3-075020