

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. Remove all animal life from area to be fumigated.
2. Formaldehyde gas is most effective when humidity is 60% or higher and temperature is 60° F or higher. Provide extra moisture and heat when necessary.
3. Calculate number of cu. ft. to be fumigated.
4. Use 20 grams of Formaldegen F for each 100 cu. ft. of incubator, hatcher, or egg fumigating cabinet space. When filled level, the enclosed special measuring spoon will hold 7 grams of Formaldegen F. Liberate gas by application at 425° F from electric hot plate having no exposed coils.
5. Fumigate hatching eggs for 20 minutes then exhaust cabinet or use Formaldegen Neutralizer.
6. Use one (1) level measuring spoonful (7 grams) of Formaldegen F for each run of eggs in the Chick Supplies automatic egg fumigation cabinet as described in the cabinet manufacturer's instructions.
7. After completion of fumigation, examination of the eggs fumigated with Formaldegen F under ultra violet light will show white fluorescence whereas untreated eggs will have a purple color. Fluorescence may not be uniform over the shell of the egg but this is not important because deposition of the fluorescent dye depends upon settlement on the exposed portion of the shells during the fumigation process.

#### Storage & Disposal

Do not reuse container. Wash thoroughly with water and detergent. Discard in safe place. Do not use, pour, spill or store near heat or open flame.

EPA Est. No. 06035-NJ-2  
EPA Reg. No. 60251-2



# FORMALDEGEN-F

U.S. Patent No. 2,993,832

## Precautionary Statements

### Hazards to Humans and Domestic Animals

Cause of fatal cancer in laboratory animals.  
Dust of formaldehyde may irritate the eyes, nose, and throat.

**If formaldehyde gas is inhaled:** Respiratory tract irritation, coughing, sneezing, and watery eyes. At high concentrations, formaldehyde gas may cause severe irritation of the respiratory tract and may be fatal. Avoid contact with eyes and nose. If contact occurs, flush with water. If irritation occurs, discontinue use.

**If Formaldegen is taken internally:** Practical treatment:

1. Give plenty of water. 2. Do not induce vomiting.

3. Drink 1 or 2 glasses of water a day for 3 days.

4. If necessary, give 1 or 2 glasses of water every 4 hours.

5. Do not give any other medicine without a doctor's advice.

**In case of contact:** Wash with plenty of water.

**Physical and Chemical Hazards**

Formaldehyde is a colorless, pungent gas.

It is highly flammable and may form explosive mixtures with air.

It is also highly soluble in water and alcohol.

It is a strong irritant to the eyes, nose, and throat.

It is a known carcinogen.

It is highly toxic to aquatic life.

It is highly toxic to birds and mammals.

With the application of heat, FORMALDEGEN-F will liberate formaldehyde gas plus a compound which will fluoresce under ultra violet light. FORMALDEGEN-F is for use on hatching eggs either on the farm or at the hatchery. The inclusion of the compound which will fluoresce under ultra violet light is for the purpose of identifying at a later time the fact that such eggs have been fumigated with formaldehyde gas.

**DANGER: Keep Out of Reach of Children**

ACCEPTED  
1981

See First Aid and Additional Precautions on Left Panel

NET WEIGHT 22 POUNDS (1 KILOGRAM)

VINELAND LABORATORIES, INC.  
2000 E. 10th St.  
Muskegon, Michigan 49762

