



VINELAND™
2192

FORMALDEHYDE SOLUTION

LOT NO.

4 x 1 GALLON (3.785 LITER) SIZE

EPA EST. NO. 06035-NJ-2

ACCEPTED
with COMMENTS
in EPA Letter Dated:




VINELAND LABORATORIES, INC.
A DAMON COMPANY
2285 E. LANDIS AVENUE, VINELAND, NEW JERSEY 08209

2

06 DEC 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

6035-47



FORMALDEHYDE can be used successfully when eggs are in the incubator without injury to the eggs. However, eggs should not be fumigated for the first 5 days of their incubating period. If separate hatching unit is maintained, the ideal procedure is to fumigate the eggs as soon as they are transferred from the incubating to the hatching unit.

To be effective, Formaldehyde fumigation should not be used in temperature below 60°F and the relative humidity should be high.

Precautionary Statements

Hazards to Humans and Domestic Animals:
Danger - Causes irritation of skin, eyes, nose and throat. Do not breathe vapor. Avoid contact with skin, eyes or clothing.

Statement of Practical Treatment:
If formaldehyde gas is inhaled: Remove patient to fresh air immediately. At first sign of difficulty in breathing, start artificial respiration; oxygen should be administered only by trained personnel. Continue artificial respiration until advised by physician to stop.

If formaldehyde is taken internally: Practical Treatment - Call a physician or Poison Control Center. Give large quantities of milk and raw eggs, and induce vomiting by touching back of throat with finger. **Alternate Antidote:** Give dilute ammonia solution consisting of 1 part aromatic spirits of ammonia with 10 parts of water. Follow in a few minutes with milk. Do not induce vomiting or give anything by mouth to an unconscious person.

In case of contact: Flush with plenty of water; for eyes, get medical treatment.

Physical and Chemical Hazards:
 Areas covered by spillage should be flushed with water.

Lot No.



FORMALDEHYDE SOLUTION

For use with Potassium Permanganate for disinfection of incubators, hatcheries and hatchery rooms

Active Ingredients:	
Formaldehyde	37%
Methyl Alcohol	12%
Inert Ingredients:	
Water	51%
Total	100%

ACCEPTED
 with COMMENTS
 In EPA Letter Dated:

06 DEC 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

6035-47

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

See Left Panel For Other Precautions and Statement of Practical Treatment

Net Contents: 1 GALLON (3.785 liters)

VINELAND LABORATORIES, INC.
 A DAMON COMPANY
 VINELAND, N. J. (U.S.A.) 08360



SEE REVERSE

06 DEC 1982

Vineland Laboratories, Inc.
2285 East Landis Avenue
Vineland, New Jersey 08360


Attn: Ms. Cunningham

Subject: Vinco (TM) Formaldehyde Solution
EPA Reg. No. 6035-47
Your submission dated August 24, 1982

The labeling referred to above, submitted in connection with registration under the Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

We have amended our records to reflect the product name change to read "Vinco (TM) Formaldehyde Solution". Please note that since "Vinco" is the trademark/brand under which this product is sold, it is considered part of the name.

Sincerely yours,



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)