

Left Panel

PRECAUTIONARY STATEMENTS
Warnings to Users and Domestic Animals

DANGER
Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not breathe spray mist. Avoid contamination of food.

Directions for Use

GENERAL CLASSIFICATION
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTANT: Use at 1 ounce per gallon (8 ml/l) when water hardness is less than 225 ppm. Use at 2 ounces per gallon (16 ml/l) for water hardness of 225 ppm up to 400 ppm. At these prescribed use-levels, Sanimaster III is bactericidal, fungicidal, and virucidal.

For best results, apply Sanimaster with a spray maker, or a clean cloth or mop to floors, walls, and other similar hard-surfaced surfaces. Thoroughly wet all surfaces and allow to remain wet for 10 minutes.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

STORAGE AND DISPOSAL

- KEEP IN COOL AREA.
- FLOCCULANT PRECIPITATE MAY FORM. THIS DOES NOT AFFECT THE BACTERIAL EFFICACY OF THE PRODUCT.
- DO NOT CONTAMINATE WATER, FOOD OR FEED BY SPRAYING OR DISPOSAL.
- OPEN LAMPING IS PROHIBITED.
- DO NOT REUSE EMPTY CONTAINERS.

PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS MUST BE DISPOSED OF ACCORDING TO FEDERAL OR APPLICABLE STATE PROCEDURES UNDER SUBTITLE C OF THE RESOURCE CONSERVATION AND RECOVERY ACT.

CONTAINER DISPOSAL

FOR PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.

Center Panel

SIGN OF THE PROFESSIONAL



SANIMASTER III

Disinfectant-Cleaner-Fungicide
"Virucide-Broadener"
For Hospitals, Institutions and Industrial Use

Effective in hard water up to 225 ppm and 400 ppm hardness (calculated as CaCO₃) in the presence of 5% surfactant contamination

FOR INDUSTRIAL USE ONLY

CONCENTRATE

DILUTE TO USE

Active Ingredients

Octyl decyl dimethyl ammonium chloride	1.75%
Dioctyl dimethyl ammonium chloride	0.67%
Didodecyl dimethyl ammonium chloride	0.67%
Alkyl (C ₁₂ -55% C ₁₈ -40% C ₁₆ -10%) dimethyl benzyl ammonium chloride	2.33%

Inert Ingredients

24.10%
100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 6109-

E.P.A. Reg. No. 6109-11-1, 6109-11-2, 6109-PA-1

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONNEL

NET ONE U.S. GALLON (3.8 LITERS)

Right Panel

SANIMASTER III

Sanimaster III is a proven one-step disinfectant cleaner which is effective in water up to 225 ppm and 400 ppm hardness in the presence of 5% surfactant contamination. Sanimaster III is effective against a broad spectrum of bacteria, is virucidal and fungicidal, and is a true disinfectant. Sanimaster III is designed for use in hospitals, schools, and other institutions where hard surface disinfection can aid in controlling cross contamination. Sanimaster III can provide the assurance needed in this area, when used as directed.

BACTERICIDAL PERFORMANCE

Sanimaster III activity has been evaluated and confirmed by the AOAC Use-Dilution Test against a broad spectrum of gram-negative and gram-positive bacteria as represented by:

<u>Gram-Negative</u>		<u>Gram-Positive</u>
<i>Pseudomonas aeruginosa</i>	<i>Salmonella pullorum</i>	<i>Staphylococcus aureus</i>
<i>Salmonella choleraesuis</i>	<i>Salmonella typhi</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Serratia marcescens</i>	<i>Streptococcus pyogenes</i>
<i>Klebsiella pneumoniae</i>	<i>Shigella sonnei</i>	
<i>Proteus vulgaris</i>	<i>Enterobacter aerogenes</i>	

FUNGICIDAL

PERFORMANCE: Sanimaster III has been proven effective against *Trichophyton mentagrophytes* and *Candida albicans* using the AOAC Fungicidal Test at both prescribed use-levels for disinfection.

VIRUCIDAL

PERFORMANCE: The use of Sanimaster III on inanimate environmental surfaces was evaluated and found to be effective, when used at the prescribed use-levels, against Influenza A/Brazil Virus and Herpes simplex Type I. Sanimaster III is effective against Adenovirus Type V at 2 oz. per gallon use-dilution.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

TO MEMBER:

NOV 26 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 6109-17

SANIMASTER INDUSTRIES INC.
Lombard Grove, Illinois 60515

NOTES: CENTER PANEL WHITE; SIDE PANELS GREEN; LOGO AND PRINTING TURQUOISE

Center Panel Area - 22 sq in; Signal Word, 14 point type size; "Keep Out of Reach of Children," "Storage and Disposal," and "Only For Sale To, Use, and Storage by Service Personnel," 10 Point Type Size.