

1/3

The Service Master Company
Limited Partnership
2300 Warrenville Road
Downers Grove, IL 60515

Attention: John R. Phillips

FEB - 6 1989

Gentlemen:

Subject: Sani Master III
EPA Registration No. 6109-17
Your Amended Application Dated December 21, 1987

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - a. Refer to the enclosed Efficacy Evaluation and Technical Efficacy Review - II, and revise your labeling in accordance with the labeling comments outlined there.
 - b. Refer to the enclosed document "Label Requirements for Antimicrobial Pesticides Used on Hard Surfaces Against HIV-1 (AIDS Virus)" for EPA's current labeling policy for efficacy claims. Your labeling must be revised in accordance with the requirements outlined in this policy notice.
 - c. Delete the service personnel statement from the center panel.
 - d. Delete the word "milk."
 - e. Revise the sentence "a pre-cleaning step is required and recommended" to read "a pre-cleaning step is required."
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

50394: I: DeLaney: L-5: KEMCO: 12/21/88: 1/4/89: CL: EK: AS

CONCURRENCES								
SYMBOL								
SURNAME								
DATE								

-2-

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

John H. Lee 
Product Manager (31)
Antimicrobial Program Branch
Registration Division (TS-767C) ;

Enclosures

Precautionary Statements **Hazards to Humans and Domestic Animals**

DANGER:
Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes. Do not get on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Hazardous if swallowed. Do not breathe spray mist. Avoid contamination of food.

NOTE TO PHYSICIAN: Probable mucousal damage may complicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREPARATION: Use of 1 ounce per gallon (160 ml/l) when water hardness is less than 275 ppm. Use of 2 ounces per gallon (320 ml/l) for water hardness of 275 ppm up to 400 ppm. At these concentrations use SaniMaster III as bactericidal, fungicidal, and virucidal.

For best results: Apply SaniMaster III with a spray nozzle to a clean cloth or mop to floors, walls, and other semiporous nonmetallic surfaces. Thoroughly wet all surfaces and allow to remain wet for 10 minutes.

For heavily soiled areas: A pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

Storage and Disposal

- Keep tightly sealed in cool area.
- Store in a safe area.
- Keep container closed when not in use.
- In case of spill, take up if it is minor with absorbent and place in suitable container for proper disposal. Small spills may be washed up and down the drain.

Pesticide Disposal

Do not contaminate water. Do not feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency for the hazardous waste representative of the nearest EPA Regional Office for guidance.

Container Disposal

Under Drum: Completely empty recusable liquid mix application equipment. Then dispose of line in a sanitary manner or by incineration if allowed by state and local authorities. Do not reuse empty drum. Dispose of in same manner as line.

SIGN OF THE PROFESSIONAL

SANITMASTER

SaniMaster III

Disinfectant - Cleaner - Fungicide - Virucide - Bactericide
for Hospitals, Institutional and Industrial Use

Effective in hard water up to 275 ppm and 400 ppm hardness (calculated as CaCO₃) in the presence of 5% sodium contamination.

CONCENTRATE **FOR INDUSTRIAL USE ONLY** **DILUTE TO USE**

Active Ingredients:		
Octyl decyl dimethyl ammonium chloride	1.75%	
Dodecyl dimethyl ammonium chloride	0.87%	
Dodecyl dimethyl ammonium chloride	0.87%	
Allyl (C ₁₂ 50%, C ₁₂ 40%, C ₁₂ 10%) dimethyl benzyl ammonium chloride	2.33%	
Inert Ingredients	94.18%	
	TOTAL 100.00%	

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 6109-17

EPA Est. No. 6109 N 2nd 6109 PA 1st

Superscript issued in 10th day of March 1989

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONNEL
NET 30 U.S. GALLONS (114 LITERS)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

FEB - 6 1989

under the Federal Insecticide,
Fungicide, and Rodenticide Act as
registered for the pesticide
labeled under EPA Reg. No.

6129-17

SaniMaster III is a proven one step disinfectant. Presence of a 5% sodium contamination. SaniMaster III is a true disinfectant. SaniMaster III is strong. SaniMaster III is a true disinfectant.

BACTERICIDAL PERFORMANCE
SaniMaster III is a true disinfectant. SaniMaster III is a true disinfectant. SaniMaster III is a true disinfectant.

Gram Negative
Pseudomonas aeruginosa
Serratia marcescens
Escherichia coli
Klebsiella pneumoniae
Proteus mirabilis

FUNGICIDAL PERFORMANCE
SaniMaster III has been shown to be effective against the following fungi:

VIRUCIDAL PERFORMANCE
The use of SaniMaster III has been shown to be effective against the following viruses:

