

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER: Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not breathe spray mist. Avoid contamination of food. Wash thoroughly with soap and water after handling.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION: Use at 1 ounce per gallon (8m/l) when water hardness is less than 225 ppm. Use at 2 ounces per gallon (16m/l) for water hardness of 225 ppm up to 400 ppm. At these prescribed use-levels, SaniMaster III is bactericidal, fungicidal, and virucidal.

For best results, apply SaniMaster III® with a spray maker, or a clean cloth or mop to floors, walls and other similar hard nonporous surfaces. Thoroughly wet all surfaces and allow to remain wet for 10 minutes.

For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

*** KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

Special Instructions for cleaning and decontamination against HIV of surface/objects soiled with blood/body fluids

PERSONAL PROTECTION: For normal cleaning, wear nitrile butyl rubber or latex gloves. If splashing of blood or body fluids is likely, additional precautions are required; use protective eyewear (face shield or goggles), surgical mask, and apron.

CLEANING PROCEDURES: Thoroughly pre-clean surfaces of blood and body fluids before application of SaniMaster III®. Apply SaniMaster III® to floors, walls and other nonporous surfaces using a spray maker, clean cloth or mop; thoroughly wet all surfaces and allow to remain wet for 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Materials contaminated by blood and other body fluids should be disposed of according to local policies and regulations for infectious waste disposal.

43029/9705N

ACCEPTED SERVICE MASTER®

AUG 27 1997

SaniMaster III®

Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 6109-17

Disinfectant - Cleaner - Fungicide - Virucide - Deodorizer
for Hospitals, Institutional, Industrial and Residential Use.

Effective in hard water up to 225 ppm and 400 ppm
hardness (calculated as CaCO₃) in the presence of 5%
serum contamination.

Concentrate, Dilute to Use

Active Ingredients

Octyl decyl dimethyl ammonium chloride	1.75%
Dioctyl dimethyl ammonium chloride	0.87%
Didecyl dimethyl ammonium chloride	0.87%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride	2.33%
Inert Ingredients	94.18%
TOTAL 100.00%	

See left panel
for additional
precautionary
statements.

KEEP OUT OF REACH OF CHILDREN.

DANGER:

Statement of Practical Treatment.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, promptly drink a large quantity of egg whites or gelatin solution; if these are not available, drink large quantities of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately.

E.P.A. Reg. No. 6109-17 E.P.A. Est No. 6109-IL-2⁽⁴⁾, 6109-PA-1⁽⁵⁾

Superscript used is fifth digit of Batch-No.

NET ONE U.S. GALLON (3.8 LITERS)

PM 31 6109-17

8-27-97

1 of 2

SaniMaster III®

SaniMaster III® is a proven one-step disinfectant cleaner which is effective in water up to 225 ppm and 400 ppm hardness in the presence of 5% serum contamination. SaniMaster III® is effective against a broad spectrum of bacteria, is virucidal and fungicidal and is a true deodorant. SaniMaster III® is designed for use in hospitals, schools, and other institutions where hard surface disinfection can aid in controlling cross contamination. SaniMaster III® can provide the assurance needed in this area, when used as directed.

BACTERICIDAL

SaniMaster III® activity has been evaluated and confirmed by the AOAC Use-Dilution Test against a broad spectrum of gram-negative and gram-positive bacteria as represented by:

Gram Negative

Pseudomonas aeruginosa
Salmonella choleraesuis
Escherichia coli
Klebsiella pneumoniae
Proteus vulgaris

Salmonella pullorum
Salmonella typhi
Serratia marcescens
Enterobacter aerogenes
Shigella sonnei

Gram Positive

Staphylococcus aureus
Streptococcus faecalis
Streptococcus pyogenes

FUNGICIDAL

PERFORMANCE

SaniMaster III® has been proven effective against *Trichophyton mentagrophytes* and *Candida albicans* using the AOAC Fungicidal Test at both prescribed use-levels for disinfection.

* VIRUCIDAL

PERFORMANCE

The use of SaniMaster III® on inanimate environmental surfaces was evaluated and found to be effective when used at the prescribed use-levels, against Influenza A/Brazil Virus, Herpes simplex Type 1 and *HIV-1, the human immunodeficiency virus Type 1 (associated with AIDS). SaniMaster III® is effective against Adenovirus Type V at a 2oz. per gallon use-dilution.

Storage and Disposal

- Keep tightly sealed in cool area.
- Store in a safe place.
- Keep container closed when not in use.
- In case of spill, dike area, take up the material with absorbent and place in sealable container for proper disposal. Small spills may be mopped up and the mop laundered.

Pesticide Disposal

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the EPA Regional Office for guidance.


Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

TO REORDER: 1 Case (4-1 Gallons) 3 2 0 5 4

The ServiceMaster Company
Limited Partnership
One ServiceMaster Way
Downers Grove, IL 60515 U.S.A.
(800) 333-6678

REG. U.S. PATENT OFF.
4,601,954



202