UNDER THE PEDERAL BRECKCHIE PURGECIDE AND RODURTSCEPE ACT POR BOOMONDO POROCE I 10 to 10 6/25

# USE DIRECTIONS FOR CLEANING

Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 3 ounces of Quat Disinfectant per gallon of water. Rinse cleaned area with fresh

Heavily soiled areas - mop or brush soiled surface with a solution containing 5.6 ounces of Quat Disinfectant per gallon of water.

All treated food contact surfaces must be rinsed with potable water prior to reuse.

### GENERAL PURPOSE DISINFECTION

Rinse cleaned surface with fresh water.

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 3½ ounces of

Quat Disinfectant per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of Quat Disinfectant

per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and other areas where fungicidal action is required, mop area with a solution containing 2 ounces per gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

#### HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 5% ounces of Quat Disinfectant per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

#### SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 3 ounces of Quat Disinful atant

# QUAT DISINFECTANT AND CLEANER - II

Phenoi Coeff

S aureus 13

5 typhose 14

DISINFECTANT — CLEANER — SANITIZER FUNGICIUE - DEODORANT

## **ACTIVE INGREDIENTS**

Sodium metasilicate . 3.0% n-Alkyl (50% C<sub>1.4</sub>, 40% C<sub>1.2</sub>, 10% C<sub>1.6</sub>) dimethyl benzyl ammonium chloride. **INERT INGREDIENTS** 95.5%

EPA Reg. No. 6125-7

crushing or burying in a safe place.

# DANGER **KEEP OUT OF REACH OF CHILDREN.**

SEE FIRST AID AND OTHER PRECAUTIONARY STATEMENTS ON RIGHT PANEL. Container Disposal: When empty, rinse container thoroughly with water and destroy it by

MANUFACTURED BY BIXON CHEMICAL COMPANY 50-19 97th Place Corona, New York 11368

**NET CONTENTS** 

UECOUR ZATION

in the second of and the time of the terror apon to deci-The Catholic means is garbage palls, 1900 stor age areas wenner as as and other areas where obnerous odors may revelop. This product may be used as a general purpose antibacterialantifungal detergent in homes, schools, restaurants, helpitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired.

See left panel for use directions.

## DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

