(6125-9) COMPACTORCIDE

SPRAY

EPA RTE. No. 6125 _ 9

Special Low-Oil Formulation

For Use in Industrial and Residential Carbage Compactors, Carbage Chutes, Kitchen Garbage Cans, and other Kitchen Locations

A PYRENONE Insecticide

The insecticidal components of this apray are classified as find add attives and when used as directed, allowable tolerances will not be exceeded.

ACTIVE INGREDIENTS:

Pyrethrine		 	 					0.1 🚧
*Piperonyl Butoxide,	Technical	 	 	 		٠.		1.20%
Petroleum Distillate INERT INCREDIENTS: .		 	 			•		4
INERT INCKEDIENTS: .		 	 	 		. .	9	8000

quivalent to 0.96% (butylcarbityl) (6-propylpiperonyl) etherwise of related compounds

CAUTION Koop Out Cf Reach Of All Indren

Net Contents

Gallons

PYRENONE - Registered Trademark of FMC Corporation

DIRECTIONS FOR USE

her rapid control of roaches, and, suiders, crickets, allverlish centipedes, chiese inites, meal worms, with heetes (confored flour beetles, red-flour levelles) and weevils (grenery weevils rice weevils).

Apply in a good sprayer adjusted to deliver a course wet spray, at a
rate of I gallon to 10 square feet of surface. Direct spray into I a a
tomic where these mass to are fraud, gartage compacture, partage
choices and came, into cracks and crevices, dark camer, a and ind
beneath winks, stocco, refrigerators, and calmets, along has absords
and around door and window frames. Spray and trails, nexts and points
of entry. Spray insects directly wherever possible.

In case of infested foods in cabinets, dispose of the infested material. Remove all contents and clean thoroughly. Spray interior surfaces of empty cabinets thoroughly. After spray has dired, cover shelves with paper or otherwise protect foods from direct contact with sprayed surfaces.

Repeat treatment if reinfestation occurs.

WASPS

moths, which and hornets: Close windows and doors and shirt off whillating systems. Remove pets, hirds and cover fish equaria before spraying. Apply as a fine mist using a non-thermol sprayer. Thoroughly fill the area with mist with special attention to light sources which attract these insects. Keep area closed for 15 minutes. Vacate treated area and ventilate before reoccupying.

CAUTION: Harmful if swallowed. Foods should be removed or covered during treatment. Any food processing surfaces should be covered during treatment or thoroughly cleaned before using. Do not apply while cood is being prepared.

This product may be toxic to fish. Do not contaminate water cocleaning of equipment or disposal of wastes. Apply only as specified on this label.

The not reuse this container. Destroy by perforating or crushing and burying in a safe place.

BIXON CHEMICAL CO., A Division of



enterprises, inc.



ACCEPTED

ACCEPTED

ACCEPTED

White the residence of the correction of the correctio