USE DIRECTIONS

FOR CLEANING

Lightly soiled areas – surfaces to be cleaned should be mopped or brushed with a solution containing 1½ ounces of Pine Odor Disinfectant per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas — mop or brush soiled surface with a solution containing 3 ounces of Pine Odor Disinfectant per gallon of water.

Rinse cleaned surface with fresh water.

USE DIRECTIONS

FOR DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants and rest rooms mop or brush surface to be treated with a solution containing 1½ ounces of Pine Odor Disinfectant per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of Pine Odor Disinfectant per gallon of water and then disinfected. All treated food contact surfaces and or equipment must be thoroughly scrubbed with detergents, and rinsed with potable water prior to reuse.

To disinfect locker rooms, shower stalls, wall-ways and other areas, mop area with a solution containing 2 ounces per gallon of water.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of Pine Odor Disinfectant per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

PINE ODOR DISINFECTANTE

Phenol Coeff: S. typhosa -5

DISINFECTANT - CLEANER - SANITIZER - DEODORANT

ACTIVE INGREDIENTS Isopropyl Alcohol 20.00% Pine Oil 10.00% Soap 10.00% ortho-benzyl-para-chlorophenol 3.00% 4-chloro-2-cyclopentylphenol 3.00% Tetrasodium ethylene diamine tetraacetate 0.20% INERT INGREDIENTS 53.80% E.P.A. Reg. No. 6125-11

DANGER
KEEP OUT OF REACH OF CHILDREN
DO NOT USE, POUR, SPILL, OR STORE NEAR OPEN FLAME.
DO NOT USE, POUR, SPILL, OR STORE NEAR OPEN FLAME.
MAY CAUSE EYE DAMAGE - PROTECT EYES WHEN HANDLING.
See right panel for first aid and additional precautionary instructions.
Container Disposal: When empty, rinse container thoroughly with water and discard in a safe place.

MANUFACTURED BY
BIXON CHEMICAL COMPANY
50-19 97th Place
Corona, New York 11368

NET CONTENTS

SANITIZATION

To sanitize walls, floctean thoroughly with 1½ ounces of PINE per gallon of water, soiled, use PINE OD(rate of 2-3 ounces peough cleaning. Sanitiza rinse solution con P!NE ODOR DISINFI water. All treated foorment must be thoroutergents and rinsed water reuse.

DEODORIZATION

To deodorize surfaces or brush surfaces with 1½ ounces of PINE per gallon of water. A PINE ODOR DISINFI hard surfaces such as tops and furniture. It deodorize bathroom an other areas where obside velop. This product mainfectant in homes, hospitals, nursing homes

See left panel for use

DANGER

KEEP OUT OF REA

Causes severe eye irri eyes, on skin or on swallowed. Avoid conta

FIRST AID

In case of eye contaeyes with plenty of various then get medical in case of skin contagnity of water for at move and wash contagreuse. If swallowed, do drink large quantities ical attention immedia

S

surfaces to be cleaned trushed with a solution of Pine Odor Disinwater. Rinse cleaned

mop or brush soiled a containing 3 ounces nt per gallon of water.

with fresh water.

S

rs and other hard surpols, restaurants and
sh surface to be treattaining 1½ ounces of
per gallon of water.
vily soiled should be
of Pine Odor Disinwater and then disincontact surfaces and
thoroughly scrubbed
rinsed with potable

ns, shower stalls, walls, mop area with a ounces per gallon

CTION

rs, furniture and other spitals and nursing surface to be treated ing 2 ounces of Pine gallon of water. Those ily soiled with blood, lates should be thora solution containing water and then rinsed containing 2 ounces efore disinfection.

PINE ODOR DISINFECTANTS

Phenoi Coeff: S. typhosa - 5

DISINFECTANT - CLEANER - SANITIZER - DEODORANT

ACTIVE INGREDIENTS Isopropyl Alcohol	20.00%
Isopropyl Alcohol Pine Oil Soap	10.00%
ortho-benzyl-para-chlorophenol4-chloro-benzyl-para-chlorophenol	3.00%
Tetrasodium ethylene diamine tetraacetate	0.20%
INERT INGREDIENTS	53.80%
E.P.A. Reg. No. 6125-11	

DANGER
KEEP OUT OF REACH OF CHILDREN
DO NOT USE, POUR, SPILL, OR STORE NEAR OPEN FLAME.
MAY CAUSE EYE DAMAGE — PROTECT EYES WHEN HANDLING.
See right panel for first aid and additional precautionary instructions.
Container Disposal: When empty, rinse container thoroughly with water and discard in a safe place.

MANUFACTURED BY
BIXON CHEMICAL COMPANY
50-19 97th Place
Corona, New York 11368

NET CONTENTS

SANITIZATION

To sanitize walls, floors and equipment first clean thoroughly with a solution containing 1½ ounces of PINE ODOR DISINFECTANT per gallon of water. If surface is heavily soiled, use PINE ODOR DISINFECTANT at a rate of 2-3 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1½ ounces of P!NE ODOR DISINFECTANT per gallon of water. All treated food contact and or equipment must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

DEODORIZATION

To deodorize surfaces during cleaning mop or brush surfaces with a solution containing 1½ ounces of PINE ODOR DISINFECTANT per gallon of water. When used as directed PINE ODOR DISINFECTANT will disinfect hard surfaces such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails and other areas where obnoxious areas may develop. This product may be used as a disinfectant in homes, schools, restaurants, hospitals, nursing homes and rest rooms.

See left panel for use directions.

DANGER

KEEP OUT OF REACH OF CHILDREN

Causes severe eye irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes then get medical attention promptly. In case of skin contact, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting, drink large quantities of fluids and get medical attention immediately.