

[6125-22]

## DIRECTIONS

**For Use On—Beef Cattle, Dairy Cattle, Horses, Sheep, Goats, and Hogs.** To control **horn flies, house flies, mosquitoes,** and **gnats** apply a light mist sufficient to wet the tips of the hair.

To control **stable flies,** and **house flies** apply 2 ounces per adult animal, sufficient to wet the hair but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control motile stages of (biting) lice and (sucking) lice on the specific animals listed above apply the spray lightly to the infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat treatment every 10 days to kill newly hatched lice.

### **BARNs, MILK ROOMs, DAIRY PLANTs:**

To control **stable flies, house flies, mosquitoes,** and **gnats,** apply as a fog or fine mist, directing spray toward the ceiling and upper corners, until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

# DAIRY & LIVESTOCK SPRAY

**EPA Reg. No. 6125-22**  
**EPA EST. NO. 6125 N.Y. 01**

**A PYRENONE® INSECTICIDE**

**THIS PRODUCT MUST ONLY BE USED BY TRAINED PERSONNEL**

## **READY TO USE SPRAY** **KILLS AND REPELS**

Kills Houseflies, Stable Flies, Horse Flies, Horn Flies, Mosquitoes, Gnats, and Lice.  
Acceptable For Use on Dairy and Meat Animals and in Dairy Barns, Milk Rooms and Dairies.

<b>ACTIVE INGREDIENTS:</b>	<b>100%</b>
Pyrethrins _____	0.10%
* Piperonyl Butoxide, Technical	1.00%
Petroleum Distillate _____	98.90%

\*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% of related compounds.

## **CAUTION**

**KEEP OUT OF REACH OF CHILDREN**  
**See rear panel for additional precautions**

<b>Net Contents</b>	<b>Gallon</b>
---------------------	---------------

PYRENONE is a registered trademark of EMC Corporation.

**MANUFACTURED BY**  
**BIXON CHEMICAL COMPANY**  
50-1997th PLACE CORONA, NEW YORK 11368

### **CAUTION:**

Do not breathe spray mist. Wear mask or respirator of type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms, and face with soap and water after handling and before eating and smoking. Wash all contaminated clothing with soap and hot water before reuse.

Harmful if swallowed. Avoid contamination of feed or foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. Cover water, drinking fountains, milk utensils, and feed before use.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of spray equipment or disposal of wastes.

Do not reuse this empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

**DO NOT USE, POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

All other products are as indicated on the label.

