

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions and industry. Quat No. 7 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the potential for cross-infection.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

**STORAGE AND DISPOSAL**

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

**PESTICIDE DISPOSAL**

PESTICIDE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL. APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

**CONTAINER DISPOSAL**

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

**GENERAL**

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

**QUAT NO. 7**

**Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide\*  
for Hospital and Institutional Use**

**Active Ingredients:**

Didecyl dimethyl ammonium chloride . . . . .	4.25%
Tetrasodium ethylenediamine tetracetate . . . . .	1.52%
Sodium carbonate . . . . .	2.00%
Sodium metasilicate . . . . .	0.50%

Inert Ingredients . . . . .	91.73%
	100.00%

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No. 6125-30

EPA EST. No. 6125 N.Y. 01

Net Contents

Manufactured by:  
**BIXON CHEMICAL COMPANY**  
(Division A.S.L. Enterprise)  
50-19 97th Place  
Corona, N.Y. 11368

**ACCEPTED**  
**APR 18 1981**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 6125-30

It is a  
product  
labeling  
Add to  
Apply  
hard s  
frames  
areas  
require  
At two  
7 is e  
ginos  
cholera  
Germic  
three d  
AOAC  
gallon  
Quat N  
against  
Esc  
Kiel  
Saln  
Stre  
Shig  
Brev  
Ente  
Prot  
Stre  
At two  
7 is vi  
member  
infectio  
present  
adenovi  
respirat  
represent  
the Ho  
Virus, o  
Fungicid  
was de  
Test.  
This pro  
fungi, s  
non-por  
gallon o  
minutes  
dilution  
for clean  
floors, i  
other su  
bare fee

of major housekeeping concern not only in hospitals, but in schools, industry. Quat No. 7 is formulated for use in both cleaning and disinfecting. Its virucidal when used as directed. Its disinfecting action will reduce the risk of infection.

BY STATEMENTS  
HUMANS AND DOMESTIC ANIMALS

**WARNING**

of children. May cause severe eye damage. Causes skin irritation. Do not use on skin, or on clothing. Harmful if contamination of food.

**STORAGE AND DISPOSAL**

CONTAMINATE WATER, FOOD, OR OTHER SURFACES OR DISPOSAL IS PROHIBITED. SEE EMPTY CONTAINER

**DISPOSAL**

RINSE THAT CANNOT BE USED AGAIN. REPROCESSED SHOULD BE DESTROYED IN A LANDFILL. DO NOT MIX WITH PESTICIDES OR BURIED IN A LANDFILL. AWAY FROM WATER SUPPLIES.

**DISPOSAL**

(OR EQUIVALENT) AND DISPOSE IN A LANDFILL APPROVED FOR PESTICIDES, OR BURY IN A SAFE

FEDERAL, STATE OR LOCAL DISPOSAL REQUIREMENTS FOR APPROVED ALTERNATIVE SUCH AS LIMITED OPEN BURNING.

**QUAT NO. 7**

**Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide\***  
for Hospital and Institutional Use

**Active Ingredients:**

Didecyl dimethyl ammonium chloride . . . . .	4.25%
Tetrasodium ethylenediamine tetraacetate . . . . .	1.52%
Sodium carbonate . . . . .	2.00%
Sodium metasilicate . . . . .	0.50%

Inert Ingredients . . . . .	91.73%
	100.00%

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.


SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No. 6125-30

EPA EST. No. 6125 N.Y. 01

Net Contents

Manufactured by:  
**BIXON CHEMICAL COMPANY**  
(Division A.S.L. Enterprise)  
50-19 97th Place  
Corona, N.Y. 11368



**Directions For Use**  
**GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two ounces per gallon water.

Apply Quat No. 7 to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At two ounces per gallon use-level, Quat No. 7 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. At 2 ounces per gallon the broad spectrum effectiveness of Quat No. 7 is shown by its germicidal action against the following additional organisms:

- Escherichia coli*
- Klebsiella pneumoniae*
- Salmonella schottmuelleri*
- Streptococcus Faecalis*
- Shigella dysenteriae*
- Brevibacterium ammoniagenes*
- Enterobacter aerogenes*
- Proteus mirabilis*
- Streptococcus pyogenes*

At two ounces per gallon use-level, Quat No. 7 is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), vaccinia (representative of the pox viruses), and adenovirus Type 5 (a causative virus in respiratory disease), and Influenza A2 as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

Fungicidal performance against *interdigitale* was determined by the AOAC Fungicidal Test.

This product is effective against pathogenic fungi, such as athlete's foot fungi, on clean non-porous surfaces at a dilution of 2 oz. per gallon of water for a contact time of 10 minutes in a single application of the use dilution. Appropriate use areas and surfaces for claims of this type include shower room floors, locker room benches, bath mats, and other surfaces commonly contacted by the bare feet.