


352-244
e



SUPPLEMENTAL LABELING

**"KLOBEN"[®]
NEBUCON WEED KILLER
FOR SELECTIVE CONTROL OF WEED SEEDLINGS IN TOMATOES**

Du Pont "Kloben" Neburon Weed Killer is recommended for selective weed control in established tomatoes grown in areas east of the Rocky Mountains. "Kloben" controls germinating annual weeds and grasses such as lamb-quarters, purslane, pigweed, smartweed, limon weed, galinsoga, crabgrass, barnyard grass and foxtail. Established weeds should be removed by cultivation before application of "Kloben".

WHEN TO APPLY: For control of weeds in the tomato row, apply "Kloben" after tomato plants are well established in the field (at least two weeks after transplanting) but before vining begins. For control of weeds between the rows, application may be made as late as lay-by time; but, do not apply after fruit begins to form. Do not apply more than once in a season.

Best results are obtained if the herbicide is moved into the soil by moisture (rainfall or sprinkler irrigation) shortly after application.

HOW TO APPLY: Apply 6 to 8 lbs. of "Kloben" per acre (of area actually sprayed) with a properly calibrated, fixed-boom power sprayer, using sufficient water (minimum 40 gallons per acre) to provide thorough and uniform coverage of the ground. Use the higher rate on heavier soil types (those high in clay or organic matter). Direct spray to cover soil beneath tomato plants, avoiding contact with crop plants (shields on nozzles may be helpful). If desired, area between rows may be sprayed also. Applications after vining begins should be made only between rows. Do not cultivate or otherwise disturb soil after application, as efficiency may be reduced and/or crop injury may result. Continuous agitation as directed on container label is required to keep material in suspension.

NOTE: Do not replant treated areas to any crop within 1 year after last application as injury to subsequent crops may result.

IMPORTANT

BEFORE USING "KLOBEN", READ AND CAREFULLY OBSERVE THE CAUTIONARY STATEMENTS AND ALL OTHER INFORMATION APPEARING ON THE PRODUCT LABEL.

This bulletin contains new or supplemental instructions for use of this product which may not appear on package label. Follow the instructions carefully.

2/24/61



BETTER THINGS FOR BETTER LIVING THROUGH CHEMISTRY

25

Milocep

Herbicide

For weed control in sorghum (milo and grain sorghum)

Active Ingredients:

2-(4-chlorophenyl)-2-methylpropane-1-thioether 18.7%
 2-methyl-2-butanol 18.7%
 2,4-dichlorophenoxyacetic acid 18.7%

Other Ingredients 43.6%

Net Weight 2 1/2 Gallons

U.S. Standard Measure

Milocep contains 5 lbs. active ingredients per gallon

Keep Out of Reach of Children.

Danger:

See additional precautionary statements inside bottle.

EPA Reg. No. 100-094

EPA Est. 100-LA-1

Milocep is a trademark of CIBA-GEIGY

U.S. Patent No. 3,527,730

Patented 1971

See also Ciba-Geigy Product Literature

©1970 CIBA-GEIGY Corporation

Agricultural Division
 CIBA-GEIGY Corporation
 Greensboro, North Carolina 27409
 CBA 6811

2 1/2 Gallons

CIBA-GEIGY

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffective weed control or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application in storage or use beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is substantially free of the impurities referred to in the Directions for Use subject to the inherent risks referred to above. CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. CIBA-GEIGY and the Seller offer this product as a "Buyer Beware" item, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by a written instrument executed by a duly authorized representative of CIBA-GEIGY.

100-604
 0005 7
FAILURE TO FOLLOW ALL PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY OR ILLEGAL RESIDUES

Milocep is a selective herbicide for pre-emergence or pre-emergence control of most annual grasses and broadleaf weeds in sorghum provided the sorghum seed has been properly treated by the seed company with Concep® at 8 oz per 100 lbs. of seed.

Precautions: 1) If sorghum seed is not properly protected with Concep, Milocep will severely injure the crop. 2) Under high soil moisture conditions prior to sorghum emergence, temporary injury may occur following the use of Milocep. The crop will normally outgrow this effect. 3) Do not use under dry, much tillage or heavy mulch.

Dry soil or following pre-emergence application of Milocep may reduce effectiveness. Cultivate if needed. Apply Milocep in water or in fluid fertilizer in a minimum of 15 gals. of spray mixture per acre.

Sprayer Equipment: Use conventional spray equipment that provides accurate and uniform application. Screens and strainers should be no larger than 1/8-inch. Check strainer openings frequently.

Timing Instructions: Apply Milocep before weeds emerge. Apply Milocep to sorghum 2-3 weeks before sorghum emergence. Add the proper amount of Milocep, then add the rest of the water or fluid fertilizer. Provide sufficient agitation during mixing and application to maintain a uniform suspension.

To determine the compatibility of Milocep with fluid fertilizer, pour 2 1/2 teaspoons of Milocep into a pint of fluid fertilizer (contains 5 gals. of Milocep and 25 gals. of fluid fertilizer per acre for changes in soil, volume or herbicide rate make appropriate changes in the proportion of ingredients in the test. After thorough mixing, let stand for 5 minutes. If the combination remains clear or can be removed readily, the mixture is compatible and can be sprayed.

When the rate range for a specific soil category in the rate table, use the lower rate on soil relatively coarse textured or low in organic matter; use the higher rate on soil relatively fine textured or high in organic matter.

Calculate the amount needed for band treatment by the formula:

Band width in inches	Broadcast rate per acre	Amount needed per acre of field
Band width in inches	Broadcast rate per acre	Amount needed per acre of field

Weeds Controlled	Weeds Partially Controlled
Barnyardgrass (wheat grass) browntop panicum crabgrass fall panicum giant foxtail green foxtail prairie doggrass red top signal grass (B3) panic south western cupgrass wildgrass velvet leaf yellow foxtail	Lambsquarters morning glory pigweed purslane sandal seedling johnsongrass volunteer sorghum

ACCEPTED

Application: Apply Milocep either pre-emergence or pre-emergence at the appropriate rate from the following rate table. Pre-emergence: Apply to the soil within 14 days before planting and incorporate into the top 2 inches using a tilling implement or similar implement capable of uniform incorporation. Use a drip and incorporated application if the irrigation is used or when a period of dry weather after application is expected. If sorghum is to be planted in beds, apply and incorporate after bed formation. Pre-emergence: Apply to the soil surface at planting or after planting, before weeds or sorghum emerge.

BEST DOCUMENT AVAILABLE

6/25-32

ACCEPTED

29 FEB 1980

QUAT NO. 9

QUAT No. 9

Cleaner - Disinfectant - Deodorizer - Fungicide - Virucide*
for Institutional Use

AOAC Phasal Coefficients

Staph. aureus (ATCC No. 6538)	50.0
Salmonella typhosa (ATCC No. 6338)	20.0

Active Ingredients

Dibutyl dimethyl ammonium chloride	2.5%
Tetrasodium ethylenediamine tetracetate	2.0%
Sodium carbonate	1.5%

Inert Ingredients

94.3%
100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

Causes eye and skin irritation.
Avoid contamination of food. Harmful if swallowed.
Avoid getting product in the eye. In case of contact, flush copiously with water and seek medical attention.
Avoid getting product on the skin. In case of contact, flush copiously with water immediately to avoid possible skin irritation.

Statement of Precedent Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.
If swallowed, drink promptly a large quantity of milk, raw egg whites, gastric solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Est. #0125-N.Y. 01
E.P.A. Registration #0125-30
Net Contents

Manufactured By
SILCOB CHEMICAL CO.
50-19 97th Place
Corona, N.Y. 11368

Quat No. 9 is an industrial cleaner which disinfects as it cleans. It is especially designed for schools, institutions, and industry. A single application removes dirt and grime, disinfects, and is virucidal. When used as directed, the hard surface disinfecting action of Quat No. 9 will reduce the hazard of cross-infection.

Quat No. 9 is an extremely effective one-step cleaner. It cleans and sanitizes in waters up to 1000 ppm hardness with no possible water rinse required. This hard water tolerance is in excess of most private waters and will insure complete sanitizing action when used as directed.

When used as directed, Quat No. 9 will disinfect toilet seats, urinals, and water closets and commodes, garbage cans, and other areas where germ and virus particles are likely to be present.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Keep out of reach of children. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN BURNING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

RESTRICTED DISPOSAL

- PESTICIDE OR RINSE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DEPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

- TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

GENERAL

It is a violation of product in a manner labeling.

Add two ounces per

Apply Quat. No. 9 hard surfaces such as

At two ounces per

Salmonella cholerae

and Trichophyton

feet fungus. Germ

the first three of

by the AOAC. Use

performance ap

determined by the

At two ounces per

9 is virucidal ag

member of the

infectious man

representative of

influenza A₂, as re

commonly called the

London Flu Virus

metal surfaces.

Note, this product

scrubbing of this

For sanitizing add

water.

Use Quat. No. 9 fo

utensils, equipmen

face. When san

equipment and ut

surfaces, a possib

prior to reuse.

Caution

Keep out of reach of children

Causes eye and skin irritation

Harmful if swallowed

Avoid contamination of food

Do not get in eyes, on skin, or on clothing

Do not reuse empty container

Do not contaminate water, food, or feed

Open burning is prohibited

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

Do not reuse empty container

6125-32

ACCEPTED
29 FEB 1980

REST DOCUMENT NUMBER

QUAT No. 9

Cleaner - Disinfectant - Deodorizer - Fungicide - Virucide*
for Institutional Use

AOAC Bactericidal Coefficients

Staph. aureus (ATCC No. 6530)	50.0
Salmonella typhimurium (ATCC No. 3892)	50.0

Active Ingredients

Didecyl dimethyl ammonium chloride	2.0%
Tetradimium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.0%

inert ingredients 94.0%

Total 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING

Caution eye and skin irritation.
Avoid contamination of food. Harmful if swallowed.
Avoid getting product in the eyes. In case of contact, flush copiously with water and seek medical attention.
Avoid getting product on the skin. In case of contact, flush copiously with water immediately to avoid possible skin irritation.
Statement of First Aid Treatment:
In case of contact, immediately flush eye or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.
If swallowed, drink promptly a large quantity of milk, raw egg whites, gastric solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Est. 60128-N.Y. 01
E.P.A. Registration 60128-01
Net Contents

Manufactured by
BUSH CHEMICAL CO.
89-19 97th Place
Corona, N.Y. 11368

Directions For Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two ounces per gallon water.
Apply Quat No. 9 to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop.

At two ounces per gallon use-level, Quat No. 9 is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal Test.

*At two ounces per gallon use-level, Quat No. 9 is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and influenza A₂, as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, an inanimate environmental surface.

Note, this product is not effective against *Ps. aeruginosa* at this use-level.

For sanitizing add one ounce per gallon of water.

Use Quat No. 9 for sanitizing and cleaning utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, a potable water rinse is required prior to reuse.

DO NOT USE IN CONTACT WITH
EYES OR SKIN. IF CONTACTED,
WASH THOROUGHLY WITH WATER.
DO NOT USE IN CONTACT WITH
FOOD OR DRINKING WATER.
DO NOT USE IN CONTACT WITH
CLOTHING OR LINENS.
DO NOT USE IN CONTACT WITH
MATERIALS THAT ARE TO BE
USED IN CONTACT WITH
MATERIALS THAT ARE TO BE
USED IN CONTACT WITH
MATERIALS THAT ARE TO BE
USED IN CONTACT WITH

OR LOCAL DISPOSAL
METHODS APPROVED FOR
USE IN A SAFE

ACCEPTED

29 FEB 1980

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
NUMBER 6125-32

BEST DOCUMENT AVAILABLE

63

QUAT No. 9

Cleaner - Disinfectant - Deodorizer - Fungicide - Virucide*
for Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	50.0
Salmonella typhosa (ATCC No. 6539)	20.0

Active Ingredients

Didecyl dimethyl ammonium chloride	2.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.5%

Inert Ingredients

94.0%
100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

Causes eye and skin irritation.
Avoid contamination of food. Harmful if swallowed.
Avoid getting product in the eyes. In case of contact, flush copiously with water and seek medical attention.
Avoid getting product on the skin. In case of contact, flush copiously with water immediately to avoid possible skin irritation.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.
If swallowed, drink promptly a large quantity of milk, raw egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

E.P.A. Est. #6125-N.Y. 01
E.P.A. Registration #6125-32
Net Contents

Manufactured By:
SIXON CHEMICAL CO.
50-19 97th Place
Corona, N.Y. 11368

Directions For Use

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Add two ounces per gallon water

Apply Quat. No. 9 to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop.

At two ounces per gallon use-level, Quat. No. 9 is effective against Staphylococcus aureus, Salmonella choleraesuis, Escherichia coli, and Trichophyton interdigitale, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal Test.

*At two ounces per gallon use-level, Quat. No. 9 is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses); and influenza A₂, as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

Note, this product is not effective against Ps. aeruginosa at this use-level.

For sanitizing add one ounce per gallon of water.

Use Quat. No. 9 for sanitizing and cleaning utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, a potable water rinse is required prior to reuse.

which disinfects as it is designed for schools, hospitals, etc. The application removes stains and is virucidal. When used in conjunction with the disinfecting action of Quat No. 9, it prevents cross-infection.

Quat No. 9 is a five one-step sanitizer. It is effective at concentrations up to 1000 ppm. No rinsing is required. This is the only product of its kind that is safe for most potable waters. It has a long shelf life and long action when used as directed.

Quat No. 9 will deodorize toilet bowls, urinals, and counters, garbage cans, and other places where malodorous odors are present.

DO NOT USE ON DOMESTIC ANIMALS

WARNING

Causes eye and skin irritation. Avoid getting product on skin, or on clothing. Avoid contamination of food.

DISPOSAL: DO NOT POUR INTO WATER, FOOD, OR DRINKING WATER. DISPOSE OF AS DIRECTED. DO NOT REUSE CONTAINER.

DO NOT USE IN AREAS THAT CANNOT BE USED FOR FOOD. WASHED SURFACES SHOULD BE RINSED WITH WATER. DO NOT DRINK FROM A SAFE PLACE AWAY FROM CONTAMINATION.

DO NOT USE IN AREAS WHERE (E) AND DISPOSE IN A SAFE PLACE. DO NOT DRINK FROM A SAFE PLACE.

DO NOT USE IN AREAS WHERE (E) OR LOCAL DISPOSAL IS REQUIRED. DO NOT BURN. DO NOT OPEN BURNING.

63

63-A