

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if Swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters.

FIRST AID

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of Ipecac; get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse empty containers (except for refilling with 2% Transparent Emulsion Concentrate diluted according to label instructions.) Otherwise, wrap container and put in trash collection.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.

ACCEPTED

DEC 16 1980

SYNTHETIC INSECTICIDE

W.B. 0.35%

A SYNTHETIC PYRETHROID

**DUAL ACTION INSECT KILLER
KILLS AS CONTACT AND RESIDUAL SPRAY
KILLS ROACHES UP TO 4 WEEKS**

ACTIVE INGREDIENTS:

▲† Resmethrin (5-(Phenylmethyl)-3-furanyl) methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate.	0.350% w/w
Related Compounds	0.048%
INERT INGREDIENTS	99.602%
	100.000% w/w

- Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
- † U.S. Patent No. 3,465,007, and 3,542,928.
- U.S. Patent No. 3,683,078
- SBP-1382 of Penick Corporation, 1050 Wall Street West
Lyndhurst, N.J. 07071

CAUTION

KEEP OUT OF REACH OF CHILDREN

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

CAN BE USED IN NON-FOOD AREAS

Manufactured By
BIXON CHEMICAL CO.
50-19 97th PLACE
CORONA, N. Y. 11368

EPA REG. NO. 6125-43

EPA EST6125NY01

NET CONTENTS

DIRECT

**APPLICATION:
INSTRUCTIONS FOR
RESIDUAL SPRAYS**

non-food areas of
ments, commerci
dential, public,
buildings, homes,
hospitals. In hos
removed prior to
buses, automobile
trucks, boxcars an
use on electrical ec
can be harmed or
use indoors in dog
In horse stables, r
will be used for
CONTACT SPRAY
INFESTATION:
CRICKETS, SILVER
contact spray. Fi
Transparent Em
Keep spray nozzle
surface to be tre
nozzle to deliver
possible, spray d
infestations. Spr
places such as cr
openings around
refrigerators and
boards, and stora
area is moist, but
Spray directly o
Repeat as necess
ANTS: To kill ar
points of entry with
on ants where pos
FLEAS: Aids in
bedding and in ho
about 18 inches
Direct spray on re
these areas. App
Treat pet bedding
entire inside surf
necessary. Do not
areas until spray
animal feed befor
cats and horses v
product before th
RESIDUAL SPRAY
COCKROACHES
ANTS. Kills fo
baseboards, crack
and window fram
such as closets
appliances, sinks
and bathrooms.
places in cracks a
dark places. Appl
to 6 inch band un
not to point of r
WARREN

Our recommendation
upon tests believed to
being beyond the con
tee, expressed or imp
or the results to be of
directions or establish
sume all responsibility
ing from its misuse a
materials.

ENTS
ND
with skin
not get
reathing
Do not
or being
RDS
Do not
equipment
ships do
aces into
sticking
ration of
on. If in
and see
y of soap
medical

ACCEPTED
DEC 16 1980
EPA Reg. No. 6125-43

SYNTHETIC INSECTICIDE

W.B. 0.35%

A SYNTHETIC PYRETHROID

**DUAL ACTION INSECT KILLER
KILLS AS CONTACT AND RESIDUAL SPRAY
KILLS ROACHES UP TO 4 WEEKS**

ACTIVE INGREDIENTS:

▲† Resmethrin (5-(Phenylmethyl)-3-furanyl) methyl
2,2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate. 0.350% w/w
Related Compounds 0.048%

INERT INGREDIENTS

99.602%
100.000% w/w

- * Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
- † U.S. Patent No. 3,465,007, and 3,542,928.
- ** U.S. Patent No. 3,683,078
- SBP-1382 of Penick Corporation, 1050 Wall Street West
Lyndhurst, N.J. 07071

CAUTION
KEEP OUT OF REACH OF CHILDREN
**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

CAN BE USED IN NON-FOOD AREAS

Manufactured By
BIXON CHEMICAL CO.
50-19 97th PLACE
CORONA, N. Y. 11348

EPA REG. NO. 6125-43

EPA EST6125NY01

NET CONTENTS

18

DIRECTIONS FOR USE

APPLICATION:
INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS FOR INDOOR USE: In non-food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, and non-food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

CONTACT SPRAY - KILLS AND REDUCES INFESTATION: **COCKROACHES, CRICKETS, SILVERFISH, ANTS:** Apply as a contact spray. Fill spray tank with 0.35% Transparent Emulsion Spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

ANTS: To kill ants: Spray trails, nests and points of entry within buildings and homes. Spray on ants where possible. Repeat as necessary.
FLEAS: Aids in the control of fleas on pet bedding and in horse stalls. Hold spray nozzle about 18 inches from areas to be treated. Direct spray on resting areas and floor around these areas. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

RESIDUAL SPRAY: Aids in the control of: **COCKROACHES, CRICKETS, SILVERFISH, ANTS.** Kills for up to 4 weeks: Spray baseboards, cracks, and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to point of run-off. Repeat as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

12-A

BEST DOCUMENT AVAILABLE