

1 of 3
PM 25
6133-8

SURGE 23-6-9 WITH BENEFIN

40 Pounds net weight

Keep out of reach of children
CAUTION
See back panel for complete
instructions.
Caution, read entire label
before using this product.

ACTIVE INGREDIENTS:	
N-Butyl-N-ethyl-a, a, a-	
trifluoro-2,6-dinitro-p-	
toluidine	1.20%
Inert Ingredients,	98.80%
relative to herbicide content	-----
	100.00%

GUARANTEED ANALYSIS:	
Total Nitrogen (N).....	23 %
coated slow release	
urea nitrogen.....	5 %
Available Phosphoric Acid (P2O5).	6 %
Soluble Potash (K2O).....	9 %


EPA Est. No. 6133
EPA Reg. No. _____

Potential acidity equal to 100#
calcium carbonate per ton

ACCEPTED


FEB 25 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 6133-8



SURGE 23-6-9 WITH BENEFIN

Fertilizer and pre-emergent crabgrass control in one application



PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

Keep out of Reach of Children

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin, eyes or clothing. The granular benefin formulation may cause skin sensitization reactions in certain individuals. Use protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

First Aid

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or, if available, by administering 1 to 2 teaspoons of syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

If inhaled: If breathing difficulty occurs, move individual to fresh air and get medical attention.

Environmental Hazards

Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply only to established turf. Apply 3 to 4 lbs/1000 sq. ft. for pre-emergent control of crabgrass. Does not control established weeds. Apply before weeds germinate. Water after application to wash chemical into turf. Apply 2 to 4 lbs / sq. ft. 6 to 8 weeks later for longer control period.

lbs./acre	lbs./1000 sq.ft.	lbs. AI/acre	lbs. nitrogen / 1000 sq.ft.
88	2	1.0	.46
130	3	1.5	.69
175	4	2.0	.92

PRECAUTION: Do not apply to turf planted the previous Fall. Do not apply to bentgrass putting greens or dichondra turf. Do not apply to newly sprigged areas of Bermudagrass, St. Augustine grass, or Centipede grass until these turfs are well established since root inhibition may result. Do not reseed within 42 days of treatment.

STORAGE AND DISPOSAL

Storage: Store in original container only. In case of leak or spill, contain material and dispose of waste.

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured by
CADWELL and JONES, INC.
Manchester, CT 06040

