



FUNGICIDE — VIRUCIDE *
CLEANER — DISINFECTANT — DEODORANT

SANI-Q is designed for use in Hospitals, Nursing Homes, Food and Beverage Plants, Drug and Cosmetic Plants and Schools, where good housekeeping must include control of microorganisms. When used as directed SANI-Q will insure effective sanitation of hard surfaces.

E. P. A. REG. NO. 6142-12

WARNING: "KEEP OUT OF REACH OF CHILDREN"
"SEE RIGHT PANEL FOR ANTIDOTE STATEMENT & OTHER REQUIRED STATEMENTS"

ACTIVE INGREDIENTS: Alkyl (60% C14, 30% C16, 5% C12, 5% C18) Dimethyl Benzyl Ammonium Chlorides 2.25%, Alkyl (68% C12, 32% C14) Dimethyl Ethylbenzyl Ammonium Chlorides 2.25%, Sodium Carbonate 3.0% TOTAL 7.5%

INERT INGREDIENTS: TOTAL: 92.5%



H. Kohnstamm & Co., Inc.

Hospital Products Division

161 Avenue of the Americas, New York, N.Y. 10013

11-13 East Illinois Street, Chicago, Illinois 60611

DIRECTIONS FOR USE

SANI-Q in the dilutions below has been proved effective by the AOAC. Use Dilution Confirmation Test against the following bacteria:

Staphylococcus aureus	1 64
Salmonella choleraesuis	1 64
Pseudomonas aeruginosa	1 64

SANI-Q will pass the AOAC Fungicidal Test against pathogenic Fungi at a use dilution of 1 64. SANI-Q when used on environmental, inanimate hard surfaces at 2 ounces per gallon of water, is effective against influenza A₂, Herpes Simplex, Adenovirus type 2 and Vaccinia Viruses *

Remove heavy soil and organic matter before applying SANI-Q.

Add two ounces of SANI-Q to each gallon of tap water at the desired temperature for use as a wash solution. This produces a uniform mixture ready for immediate use as a combined detergent, disinfectant, and bactericidal agent. If used on food equipment or other items in contact with food, limit the dosage to 200 ppm, or 3/4 oz. per gallon.

For best results apply SANI-Q to walls, floors and other hard surfaces with a cloth or mop.

Rinse empty SANI-Q container thoroughly with water after use and then discard it.

EFFECTIVE IN HARD WATER

The active ingredient, in a dilution of 1 part SANI-Q to 224 parts water of 500 ppm hardness (as calcium carbonate), has proved effective as a sanitizer against E. coli and Staph. aureus.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NET CONTENTS:

