

SANI-Q

FUNGICIDE — VIRUCIDE*
CLEANER — DISINFECTANT — DEODORANT

SANI-Q is designed for use in Hospitals, Nursing Homes, Food and Beverage Plants, Drug and Cosmetic Plants and Schools, where good housekeeping must include control of microorganisms. When used as directed SANI-Q will insure effective sanitation of hard surfaces.

EPA Est. 8142-IL-1

EPA Reg. No. 6142-12

DANGER: "KEEP OUT OF REACH OF CHILDREN"

"SEE RIGHT PANEL FOR FIRST AID & OTHER PRECAUTIONARY STATEMENTS"

ACTIVE INGREDIENTS: Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Beazyl Ammonium Chlorides 2.25%, Alkyl (68% C12, 32% C14) Dimethyl Ethylbenzyl Ammonium Chlorides 2.25%, Sodium Carbonate 3.0% **TOTAL: 7.5%**

INERT INGREDIENTS **TOTAL: 92.5%**



161 Avenue of the Americas, New York, N.Y. 10013
11 East Illinois Street, Chicago, Illinois 60611

DIRECTIONS FOR USE

SANI-Q in the quantity shown has been found effective by the AOAC Hard Surface Contamination Test against the following bacteria: *Staphylococcus aureus* 1:10, *Staphylococcus epidermidis* 1:10, *Pseudomonas aeruginosa* 1:10.

SANI-Q will pass the AOAC Fungicidal Test against pathogenic fungi at a use dilution of 1:64. SANI-Q when used on environmental, inanimate hard surfaces at 2 cups per gallon of water, is effective against influenza A, Herpes Simplex, Adenovirus type 2 and Varicella Viruses.

Remove heavy soil and organic matter before applying SANI-Q. Add 1/2 cup of SANI-Q to each gallon of tap water at the desired temperature for use as a wash solution. This produces a uniform mixture ready for immediate use as a combined detergent, disinfectant, and bactericidal agent. If used on food contact surfaces, rinse with water after treatment. The dosage is 2 cups per gallon of water. For best results apply SANI-Q to walls, floors, and other hard surfaces with a cloth or mop.

Rinse empty SANI-Q container thoroughly with water after use and discard it.

EFFECTIVE IN HARD WATER

The active ingredients, in a solution of 1 part SANI-Q to 100 parts water of 500 ppm hardness (as calcium carbonate), has proved effective as a sanitizer against *E. coli* and *Staph. aureus*.

DANGER: Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NET CONTENTS: ONE GALLON

ACCEPTED
AUG 2 0 1982
Under the Federal Insecticide, Fungicide and Rodenticide Act registered under the pesticide Reg No. 277-2-1-2