



ACCEPTED
 AUG 14 1968
 617379 SUBJECT

U.S. PAT. & TRADE MARK OFFICE
 WASHINGTON, D.C. 20530

I. ELIMINATES LAWN WEEDS

Such as: Landy/lins, Plantain, Buckhorn, Chickweed, Knotweed, Sorrel and many others.

II. PROVIDES COMPLETE FERTILIZATION

Ingredient Statement

<u>HERBICIDAL</u>	
<u>ACTIVE INGREDIENTS</u>	
Dimethylamine Salts of 2,4-Dichlorophenoxyacetic Acid *	1.03%
Isononyl Ester of Silvex (2-(2,4,5-Trichlorophenoxy) Propionic Acid) **	.30%
<u>INERT INGREDIENTS (Other than Herbicidal)</u>	<u>98.59%</u>
TOTAL	100.00%

* Equivalent to .66% 2,4-Dichlorophenoxyacetic Acid
 ** Equivalent to .27% Silvex

COVERS
 5,000
 SQUARE
 FEET
 (50' x 100')

U.S.P.A. REG. # _____

CAUTION: Keep Out Of Reach of Children.
 See Back Panel For Additional
 Cautions.

NET WEIGHT 20 POUNDS

PACKAGE LABEL

NET WEIGHT 20 POUNDS

LOFT'S

WEED AND FEED

Ingredient Statement

HERBICIDAL

ACTIVE INGREDIENTS

Dimethylamine Salts of 2,4-Dichlorophenoxyacetic Acid *	1.03%
Isooctyl Ester of Silvex (2-(2,4,5-Trichlorophenoxy) Propionic Acid)**	.38%
<u>INERT INGREDIENTS</u>	98.59%
TOTAL	100.00%

- * Equivalent to .86% 2,4-Dichlorophenoxyacetic Acid
- ** Equivalent to .27% Silvex

LAWN FOOD

Total Nitrogen (N)	20%
Available Phosphoric Acid (P ₂ O ₅)	10%
Soluble Potash (K ₂ O)	5%

Potential Acidity 120 pounds Calcium Carbonate Equivalent per ton

LOFT'S PEDIGREED SEED COMPANY
CHIMNEY ROCK ROAD
SOUND BROOK, NEW JERSEY

LOFT'S WEED & FEED is formulated to provide your lawn with an adequate fertilization while at the same time it eliminates unsightly broadleaf weeds such as dandelions, buckhorn, chickweed, sorrel, knotweed and many others. This product properly applied to the lawn will, therefore, produce a rich, green, weed free turf. The combination of ingredients is highly effective, economical and easy to use. There is nothing to add or mix and no spray to drift.

DIRECTIONS FOR USE

LOFT'S WEED & FEED can be used during the Spring, Summer or Fall, however, the best results are obtained when the weeds are growing vigorously due to adequate soil moisture and warm days.

1. Apply between mowings to provide sufficient leaf surface to be treated.
2. Sprinkle lawn prior to application or apply after light rainfall.
3. Avoid application during periods of high winds to avoid drift on

After the product is applied, the lawn should be watered thoroughly. The product will be effective against weeds and grasses. For best results, apply the product to a lawn spreader set at the number indicated below.

SPREADER SETTINGS

Lawn Beauty	4
Scott's	4
Jackson	4
Cyclone	4

These suggestions are for your guidance in spreading LOFT'S WEED & FEED, and are in no sense a guarantee of exact application. Age, condition of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

CAUTION: Avoid inhalation or contamination of food stuffs. Avoid contact with skin, eyes or clothing. Wash hands after handling. Do not store near fertilizer, seeds, insecticides or fungicides. Do not allow dust to drift onto susceptible plants such as ornamentals, vegetables, etc. Bent grassed and clover may exhibit slight injury, however, they will recover after a short period when product is used as directed. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not reuse container. Destroy when empty.