



DISINFECTANT

BLEACH

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE . 5.25% BY WT.
 INERT INGREDIENTS 94.75% BY WT.

REMOVES STAINS • CLEANS • DEODORIZES

CAUTION: KEEP OUT OF THE REACH OF CHILDREN
"SEE BACK PANEL FOR ADDITIONAL CAUTIONS"

NET 32 FL.OZ. (1 QT.)

Handwritten: A 5/15

PACKED FOR KINGSTON MARKETING COMPANY, SKOKIE, ILLINOIS 60076
 U.S.D.A. REG. NO. 6165-8

**USE ON WHITE AND FAST COLORS
 DO NOT USE ON SILK OR WOOL
 OR ANY SPONGE OR LEATHER**

DIRECTIONS

UTENSIL (OR DISH) DISINFECTING	1
LAUNDERING: To bleach white and color fast cottons, linens, white nylons, synthetics, in washing machine, automatic washer or tub. Do not use on silk, wool, leather or sponge	1
TO WHITEN nylon, synthetics, that have turned yellow or grey	M
TO REMOVE STAINS: fruit, berry, wine, coffee, tea, ink dye and medicine stains, also SCORCH & MILDEW.	M
IN KITCHEN & BATHROOM: on tile, porcelain, linoleum, enameled surfaces.	U
REFRIGERATORS.	U
SICK ROOM.	3
EMERGENCY TREATMENT OF DRINKING WATER.	1
DEODORIZING — Baby clothes and diapers, dish cloths, handkerchiefs	3
FOR DEODORIZATION OF DRAINPIPES IN SHOWERS, BASINS, AND BATHTUB.	C
GARBAGE CANS.	3
TOILET BOWLS.	3

DO NOT COMBINE WITH OTHER CHEMICALS SUCH

CAUTION: This product is harmful if swallowed. Eye contact may cause severe irritation. CONTACT WITH SKIN AND EYES. PERSONAL USE. USE AS DIRECTED.

PACKED FOR KINGSTON MARKETING COMPANY, SKOKIE, ILLINOIS 60076

U.S.D.A. REG. NO. 6165-8

**USE ON WHITE AND FAST COLORS ONLY
DO NOT USE ON SILK OR WOOL
OR ANY SPONGE OR LEATHER**



**KEEP BOTTLE TIGHTLY CAPPED AND
UPRIGHT • STORE IN A COOL
PLACE ALWAYS**

DIRECTIONS

FOR USE

UTENSIL (OR DISH) DISINFECTING	1 oz per 2 gallons of water	Recommended by U S Public Health Service for disinfecting thoroughly cleansed and rinsed utensils, dishes, or food contact equipment in Restaurants, Taverns, Soda Fountains, Dairy
LAUNDERING: To bleach white and color fast cottons, linens, white nylons, synthetics, in washing machine, automatic washer or tub. Do not use on silk, wool, leather or sponge	1 tablespoon to each gallon of water or 1 cup to the ordinary washing machine load of 16 gallons. For slightly soiled clothes use less	WASHING MACHINES: Add to first rinse or to suds. Rinse well. AUTOMATICS: Add to either suds or presoak. If unable to add before clothes are in machine dilute in 1 quart water before using.
TO WHITEN nylon, synthetics, that have turned yellow or grey	Make solution of 2 tablespoons bleach to 1 quart of warm water, add one teaspoon of vinegar	Put clean fabric into solution for 15 to 30 minutes. Rinse well. Repeat if necessary.
TO REMOVE STAINS: fruit, berry, wine, coffee, tea, ink dye and medicine stains, also SCORCH & MILDEW.	Make solution of 2 tablespoons to each quart cold water	Immerse fabric for 5 to 10 minutes - Rinse well in clear water. Repeat if necessary
IN KITCHEN & BATHROOM: on tile, porcelain, linoleum, enameled surfaces	Use 1 cupful to pail of warm water	Wash, rinse and dry
REFRIGERATORS.	Use 3 tablespoons to quart of warm water.	Thoroughly wash inside surface and shelves. Keep wet with solution for 5 minutes. Rinse well, dry and air
SICK ROOM.	3 tablespoons into each quart of warm water	Urinals, sputum cups, rubber sheets, bedpans -- wash thoroughly, immerse or keep wet in solution for 5 minutes, rinse dry
EMERGENCY TREATMENT OF DRINKING WATER.	10 drops to a gallon of water	Mix well - let stand for 5 minutes.
DEODORIZING - Baby clothes and diapers, dish cloths, handkerchiefs	3 tablespoons to 1 quart of cold or lukewarm water	First wash, then dip in solution for 5 minutes. Rinse well.
FOR DEODORIZATION OF DRAINPIPES IN SHOWERS, BASINS, AND BATHTUB.	Cupful	Flush with boiling water and follow up with cupful of bleach.
GARBAGE CANS.	3 tablespoons to each quart warm water	Wash in hot suds, rinse, then wash with solution. Keep wet for 5 to 10 minutes, rinse and dry.
TOILET BOWLS.	1/2 cup	Cleanse and flush then add 1/2 cup solution over inside surface and let stand overnight

DO NOT COMBINE WITH OTHER CHEMICALS SUCH AS TOILET BOWL CLEANERS OR AMMONIA.

CAUTION: This product is harmful if swallowed. Skin and eye contact may cause severe irritation. **AVOID CONTACT WITH SKIN AND EYES. NOT FOR PERSONAL USE. USE AS DIRECTED.**

ANTIDOTE: **INTERNAL:** Feed milk or cooked cereal followed by olive oil or cooking oil. Call a physician immediately. **EXTERNAL:** Rinse immediately with cold water. Call a physician.

S
REN
ONS

201

CLEANING OPERATIONS FOR DAIRY:

1. Immediately after each milking, thoroughly flush all utensils and milking machines with cold or lukewarm water until ALL the milk is washed out. Do NOT use hot water.
2. Fill wash-tank with lukewarm water (90° F) to which is added one ounce of IO-SHEEN DISINFECTANT for each five gallons of water. (Provides 25 ppm titratable iodine.)
3. Take milking machines apart. Immerse parts, air hoses, inflations, and metal parts, EXCEPT PULSATOR, in IO-SHEEN DISINFECTANT solution before brushing. Wash pails and strainer in same solution.

SANITIZING RINSE OPERATIONS FOR DAIRY:

4. In the rinse-tank, add ½ ounce of IO-SHEEN DISINFECTANT for each five gallons of lukewarm water to sanitize pre-cleaned equipment. (Provides 12½ ppm titratable iodine.)
5. Immerse washed utensils and milking machine parts in the rinse-tank solution for at least 2 minutes.
6. Before each milking, assemble and flush machines with IO-SHEEN DISINFECTANT solution (¼ ounce of IO-SHEEN DISINFECTANT to a 10-quart pail of cold water). (Provides 12½ ppm titratable iodine.)
7. FOR UDDERS: Prepare fresh solution containing ½ ounce of IO-SHEEN DISINFECTANT to 10 quarts (2½ gallons of lukewarm water (90° F) in a clean pail. (Provides 25 ppm titratable iodine.)
After all mud and dirt have been removed from udder with fresh running water, take a clean paper towel for each cow; wet in IO-SHEEN DISINFECTANT solution; wipe lower bag and teats carefully so as to avoid dripping into inflation cups. Discard towel.

NEVER DIP USED TOWEL BACK INTO SANITIZING SOLUTION.

WHEN COLOR FADES, OR IF SOLUTION BECOMES VISIBLY DIRTY, DISCARD SOLUTION AND PROVIDE FRESH SOLUTION.

NOTE: Use freshly-made solution for each morning and night milking. Where Health Department requires dismantling twice daily, the same method should be followed at night as in the morning.

Follow State and local Health Department requirements covering cleaning and sanitizing

This product is regulated by the U. S. Food and Drug Administration under the Food Additives Regulation for use on food-processing equipment and utensils, up to 25 ppm titratable iodine. ALL FOOD-CONTACT SURFACES AND EQUIPMENT TREATED WITH SOLUTIONS PROVIDING MORE THAN 25 ppm TITRATABLE IODINE MUST BE RINSED WITH POTABLE WATER BEFORE REUSE.

Follow Directions Carefully to Avoid Contamination of Milk.

CAUTION: Harmful if swallowed. Causes skin and eye irritation. Avoid contact with skin and eyes. In case of contact, flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Avoid contamination of foods. Avoid breathing spray mist. Rinse empty container thoroughly with water and discard it.

LOT NO.

REV. 5/73

IO SHEEN DISINFECTANT

Detergent - Sanitizer for Veterinary, Dairy and Industrial Use

Active Ingredients:

Alpha-(p-Nonylphenyl)-omega-hydroxypoly (oxyethylene)-iodine complex	18.05%
(Provides 1.75% titratable iodine.)	
Phosphoric Acid	6.50%
Inert Ingredients	75.45%
Total	100.00%

CAUTION
KEEP OUT OF REACH OF CHILDREN
(See side panel for additional cautions.)

NET CONTENTS: 1—GALLON

CLEANING

STAINLESS S

Remove all o
IO-SHEEN D
brushing, or
to 2½ gallon
iodine.) Allow

MASONRY,

Remove all o
IO-SHEEN DI
ing, or mopp
gallons (10-qu
Allow to air-c

**CONCRETE
BUILDING**

Remove all o
IO-SHEEN DI
ing, or mopp
gallons (10 qu
Allow to air-c
Use daily to

SURGICAL

Remove all a
lution contain
gallons of wa
soak in a sim

IMPORTANT:
micidal activ
active ingred
SOLUTION P
AND PROVID
ADVERSELY

The following
specified part

IO-SHEE
PER 2½ G

MAI