BENZYL-DEX L

Ready to use Sponge-on Dip for Treatment of Sarcoptic Mange on Dog	Ready to	o use	Sponge-on	Dip	for	Treatment (of	Sarcoptic	Mange	on	Dog:
--	-----------------	-------	-----------	-----	-----	-------------	----	-----------	-------	----	------

ACTIVE INGREDIENTS:													
Benzyl benzoate .													20.00%
Rotenone	•		•	•	•	•	•	•	•	•	•	•	0.50%
Other cube resins	•	•	•	•	•	•	•	٠	•	•	•	•	1.00%
Lindane (Gamma isomer 1,2,3,4,5,6,													
hexachlorocycl	ohe	exa	ne)	•	•	•	•	•	•	٠	•	•	0.25%
Xylene	•	•	•	•	•	•	•	٠	•	•	•		10.00%
INERT INGREDIENTS	• •	•	•	•	•	•	•	•	•	•	•	68.25%	
									TO	TAL			100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panels for additional precautionary statements.

NET CONTENTS:

8 fl. oz. (237 ml.)

MANUFACTURED FOR: DALTEK AMI Baton Rouge, LA. 70814

ACCEPTED with COMMENTS to EPA Letter Dated:

APR 2 4 1984

Under the Feder ! Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.



BENZYL-DEX L

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DO NOT USE ON CATS

SHAKE WELL BEFORE USING

For treatment of Sarcoptic Mange: Sponge onto locally affected areas. Do not apply to more than one-third of the body surface in one application. Do not repeat more frequently than at three day intervals. For extensive infestations, treat areas at alternate treatments. If no improvement is noted with ten (10) days, consult a veterinarian. When treating areas near dog's eyes, great care should be taken to avoid getting product into pet's eyes. Avoid treating genitalia of animal. Use of this product is permitted only for treatment of mites. The use of this product for treatment of other pests is prohibited.

Applicators must wear the following protective clothing during the treatment process: elbow-length, waterproof gloves; a waterproof apron; and unlined, waterproof boots. Children should not be allowed to handle or apply this product.

STORAGE AND DISPOSAL

STORAGE: Store in a cool place. Do not contaminate water, food or feed by storage or disposal.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

EPA EST. No.: 6175-LA-1 EPA REG. No.: 6175-15

 $-o^{\alpha}$

LEFT PANEL 6175-15

BENZYL-DEX L

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contamination of feed and foodstuffs.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink large amounts of water or milk. Induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash immediately with soap and water.

IF IN EYES: Flush with plenty of water. SEE A PHYSICIAN IMMEDIATELY.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

LOT NO .:

 (\circ)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

435 112046 37 1 300/118600 24 APR 1984

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

Mr. Paul W. Carr AMI 2667 West Dual Baton Rouge, LA 70814

Dear Mr. Carr:

Subject: Lindane RPAR

Benzyl-Dex L

EPA Reg. No.: 6175-15

Appl. Date: November 28, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Add the following to the "HAZARDS TO HUMANS..." section:

"Wash thoroughly after handling and before eating or smoking."

- 2. Delete "or milk" from the "If swallowed" STATEMENT OF PRACTICAL TREATMENT; our information indicates that milk tends to increase G.I. tract absorbtion.
- 3. Revise the first sentence in the "ENVIRONMENTAL HAZARDS" section to read as follows:

"This product is toxic to fish, birds and other wildlife."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until May31, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosure