ADDITIONAL PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

 \sim

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Avoid contaminition of feed and foodstuffs. Do not use on edible crops. Remove: rccrct all food and food utensils before spraying with this product and wash all food preparation surfaces after spraying.

CIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of F-deral law to use this product in a manner inconsistent with its labeling

SHAKE WELL BEFORE USING

To Control Jnsetts in Bird Cages, Aviaries, Kennels, Veterinary Hospitals, Homes and Institutions

FOR GENERAL INDOOR USE

To control inSects indoors, direct the spray toward the lower wall portions, baseboards, togs, carpets and floors of infested areas. Apply the spray lightly, treating both sides of rugs, carpets and pads, if possible

FOR BIRD CAGES AND AVIARIES

Remove bird(s) and food and water containers before spraying. With nozzle adjusted to deliver a fine mist, apply spray until inside area is moist but not to the point of runoff. Replace birds only when spray is dry.

EPA Reg. No. 6175-16 EPA Est. No. 6175-LA-1

NOT RETURNABLE FOR CREDIT

VETERINARY HOSPITAL & KENNEL SPRAY

An unsynergized synthetic pyrethroid for killing fleas, houseflies, mosquitos, gnats, roaches, earwigs, sowbugs, spiders and centipedes.

ACTIVE INGREDIENTS:

furanythmethyl 2,2-dimethyl-3-	
(2-methyl-1-propenyl)cyclopropanecarboxylate)	0 250%
Related compounds	0.034% 99.716%
TOTAL	100 000%

*Cis/trans isomers ratio max. 30%(±)cis and min. 70% (±) trans *U.S. Patent No. 3,465,007

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statement

NET CONTENTS: 16 Fl. Oz. (473 ml.)

DIRECTIONS FOR USE

AS A SPACE SPRAY: To kill files, mosquitoes and other mentioned flying insects in waiting rooms, offices, examination rooms and housing quarters, apply with sprayer adjusted to deliver a fine mist. Use at the rate of one ounce per each 1000 cubic teet of space. Point spray upwards and direct mist to all parts of the room, especially windows and other light sources. Fill the enclosed area with mist. Wherever practical keep doors and windows closed for at least 15 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed. Avoid wetting of fabrics as product may stain.

AS A SURFACE SPRAY: For rapid cleanout of fleas and other mentioned crawling insects in waiting rooms, offices, examination rooms, dog runs and animal quarters, apply as a surface spray with sprayer adjusted to deliver course droplets. Keep nozzle about 8-12 inches from surface to be treated Spray directly on insects where possible and spray thoroughly into hiding places such as cracks, crevices, moist areas, openings and around plees, sinks, under equipment, baseboards and storage areas. Apply spray until area is moist, but not to the point of runoff. Bedding should be removed and sprayed thoroughly.

Where possible spray insects directly and repeat as necessary.

NOT FOR OUTDOOR USE


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store below 32°F

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash

CONTAINER DISPOSAL: Do not re se bottle. Rinse thoroughly before discarding in trash.



International No. 11657