

APR 10 1991

Mr. Ray Rodriguez
Agribusiness Marketers, Inc.
2607 West Dual
Baton Rouge, LA 70814

Dear Mr. Rodriguez:

Subject: Revised Labels - Updated Formulas
Veterinary Hospital and Kennel Spray
EPA Registration No. 6175-16
Pet Spray for Dogs and Cats
EPA Registration No. 6175-17
Your Submission Dated February 13, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As labels are printed, for Reg. No. 6175-16, reinstata "Avoid contact with skin and eyes" under HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

For both Registrations, delete the related compounds to Bencetarin as active ingredients and include their percentages with the total for insects.

Sincerely yours,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (M7508C)

Enclosure

61485 I:A-4;Mountfort;L10-6;AEVRIC;04/09/91;05/08/91;CL;NO;EK;DU

BEST AVAILABLE COPY

VETERINARY
HOSPITAL AND KENNEL
SPRAY

An unsynergized synthetic pyrethroid for killing fleas, houseflies, mosquitos, roaches, earwigs, sowbugs, spiders, and centipedes.

ACTIVE INGREDIENTS:

**Resmethrin ([5-Phenylmethyl)-3-furanyl methyl] 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	0.250%
Related Compounds	0.034%
INERT INGREDIENTS:	99.716%
TOTAL	100.000%

**Cis/trans isomers ratio max. 30% (±)
cis and min. 70% (±) trans

U.S. Patent No. 3,465,007

ACCEPTED
with COMMENTS
in EPA Letter Dated

APR 10 1991

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

6175-16

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statement.

NET CONTENTS:
16 Fl. Oz. (473 ml.)

BEST AVAILABLE COPY

2/4

LEFT PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION

*Renovate - avoid contact
with skin & eyes.*

HUMANS: May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist. Avoid contamination of feed and foodstuffs. Do not use on edible crops.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

IF IN EYES: Flush with plenty of water. See a physician immediately.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

To Control Insects in Bird Cages, Aviaries, Kennels, Veterinary Hospitals, Homes and Institutions

FOR GENERAL INDOOR USE:


To control insects indoors, direct the spray toward the lower wall portions, baseboards, rugs, carpets, and floors of infested areas. Apply the spray lightly, treating both sides of rugs, carpets and pads, if possible.

FOR BIRD CAGES AND AVIARIES:

Remove bird(s) and food and water containers before spraying. With nozzle adjusted to deliver fine mist, apply spray until inside area is moist but not to the point of runoff. Replace birds when spray is dry.

EPA REG. NO: 6175-16
EPA EST. NO: 6175-LA-1

BEST AVAILABLE COPY



DIRECTIONS FOR USE
(continued)

AS A SPACE SPRAY: To kill flies, mosquitoes and other mentioned flying insects in waiting rooms, offices, examination rooms and housing quarters. Apply with sprayer adjusted to deliver a fine mist. Use at the rate of one ounce per each 1000 cubic feet of space. Point spray upwards and direct mist to all parts of the room, especially windows and other light sources. Fill the enclosed area with mist. Wherever practical keep doors and windows closed for at least 15 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed. Avoid wetting of fabrics as product may stain.

AS A SURFACE SPRAY: For rapid cleanout of fleas and other mentioned crawling insects in waiting rooms, offices, examination rooms, dog runs, and animal quarters. Apply as a surface spray with sprayer adjusted to deliver coarse droplets. Keep nozzle about 8-12 inches from surface to be treated. Spray directly on insects where possible and spray thoroughly into hiding places such as cracks, crevices, moist areas, openings and around pipes, sinks, under equipment, baseboards and storage areas. Apply spray until area is moist, but not to the point of runoff. Bedding should be removed and sprayed thoroughly.

Where possible, spray insects directly and repeat as necessary.

NOT FOR OUTDOOR USE

STORAGE AND DISPOSAL

Store in a cool, dry place above freezing (32°F). Do not reuse empty container. Wrap container and place in trash collection. Do not contaminate water, food or feed by storage or disposal.

BEST AVAILABLE COPY

353
: