

ACCEPTED
 NOV 23 1981
 Federal Insecticide,
 Fungicide and Rodenticide Act
 recommended for the pesticide
 registered under 6175-22
 EPA Reg. No.

**BENZYL-DEX
 PRECAUTIONARY STATEMENTS
 HAZARDOUS TO HUMANS
 AND DOMESTIC ANIMALS**

CAUTION
 Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes. Avoid contamination of food stuffs and feed. Wear gloves when applying. Wash thoroughly after using. If applying to dog's head area, avoid contact with eyes and conjunctivae. Avoid contact with pet's genitalia.

**STATEMENT OF
 PRACTICAL TREATMENT**
IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink large amount of water or milk. Induce vomiting by sticking finger in back of throat. Repeat until fluid is clear. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.** If patient experiences difficulty in breathing start mouth to mouth artificial respiration or administer oxygen.
IF ON SKIN: Remove contaminated clothing, and wash immediately with soap and water. Call a physician if irritation persists.
IF IN EYES: Flush with plenty of water. **SEE A PHYSICIAN IMMEDIATELY.**
 Lot no.:



BENZYL-DEX
 For the treatment of Sarcoptic Mange in dogs by local application.

ACTIVE INGREDIENTS	
Benzyl Benzoate	19.70%
Rotenone	0.50%
Other Cube Resins	1.00%
Xylene	10.00%
INERT INGREDIENTS	
	68.80%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS
NET CONTENTS
 4 FL. OZ. (1120 ml)
 Manufactured by
HART-DELTA, INC.
 5005 CHOCOMA DRIVE
 BOSTON, MASSACHUSETTS 02124

**BENZYL-DEX
 DIRECTIONS FOR USE
 FOR EXTERNAL USE ONLY**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**DO NOT USE ON CATS
 SHAKE WELL BEFORE USING**

For the treatment of Sarcoptic Mange: Apply locally to affected areas. Do not apply to more than one-third of the body surface in one application. Do not repeat more frequently than at three day intervals. For extensive infestations treat areas at alternate treatments. If no improvement is noted in ten (10) days, consult a veterinarian.

DO NOT USE ON DOGS UNDER 4 WEEKS OF AGE OR ON NURSING PUPPIES. IF THE CONDITION OF THE DOG IS POOR CONSULT YOUR VETERINARIAN.

STORAGE AND DISPOSAL

Do not contaminate food, feed or water by storage or disposal.
 Store in a cool place out of reach of children. Do not reuse empty container. Wash container and put in trash collection.
 EPA EST NO.: 6175-LA-1
 EPA REG No.: 6175-22