Damon Chemical Co. Box 480 Alliance, Ohio

2.4-0 JEED KILLER

Contains 4.0 Pounds 2,4-0 Acid Equivalent Per Gallon

ACTIVE INGREDIENTS:

: CHECTIBIAL C

*Equivalent to 2,4-dichlorophenoxyacetic seid 41

Links all GOLF FAIRWAYS: Apply 2 to 3 pints of 2,4-D aced

Killer per acre in sufficient water to obtain uniform coverage. DO NOT apply to bent grasses or to freshly seeded turf

2,4-D Weed Killer

(Diamond Alkali Co. U.S.D.A. Reg. No. 677-127)

.

usually injured or killed.
FOR TREATING SMALL AREAS: One tablespoonful of this product in 12 gallons of water is about equal to one quart in 100 gal-

until grasses have become well established. Most clovers are

Ions of water.

GENETAL MEED CONTROL: On vaccat lots, roadsides, and along fence rows, use 2 to 3 quarts of 2,4-D weed Killer in 100 gallons of water per acre. Thoroughly wet all foliage to run-off. NOTE: When stored at temperatures below freezing, it may be necessary to warm up to at least 45°F. and shake thoroughly

before using.

GENERAL INFORMATION

2,4-D Weed Killer is recommended for controlling Arrowhead, Dandelion, Docks, Henbit, Goldenrod, Lambsquarters, Mustards, Peppergrass, Pigweed, Plantains, Ragweed, Shepherdspurse, Thistles, Wild Carrot, Wild Morningglory, Wild Radish, and many other 2,4-D susceptible broadleaved weeds in crops. This product also can be used on lawns, golf courses, parks, along highways, vacant lots, and other areas without injury to rose grasses.

PREPARATION OF THE SPRAY: Fill the spray tank with half the required amount of water, then add the recommended amount of 2,4-0 Weed Killer with agitation and continue filling the spray tank with water. Use enough water per acre to give uniform coverage. The amount of water require d for low volume applications may vary from 5 to 25 gallons per acre. For high volume applications, 160 gallons or more of vater will be needed for good coverage. In any case, use the same amount of 2,4-0 recommended per acre.

C. altou

KEEP OUT OF KLACH OF CHILDREN

DO NOT take internally. World contact with skin, eyes, or clothing.

00 NOT store near fertilizers, seeds, insecticides, or fungicides.

90 NO use the same spray equipment for applying other materials to plants, as injury may result.

00 NOT contaminate irrigation ditches or water used for domestic purposes.

Although 2,4-0 Weed Killer is non-volatile, care must be used to prevent spray drift from coming into direct contact with vegetables, flowers, grapes, fruit trees, ornamentals, cotton, or other desirable plants sensitive to 2,4-0. Coarse sprays are less likely to drift.

UU NOT graze treated areas by dairy animals within seven days after treatment.

USDA 6186-

DAMON CHEMICAL CO. Alliance, Ohio

Feb. 14, 196/

· · · · · ·