- DEODORIZES

NITIZES

ECTIONS

ients:

chlero-s-triazin-

etrasodium:

mine tetra-

. 7.0%

ents:

3

Lyphosphate and

effective

. 93.0%

THLORINE 3.25%

NG SOLUTIONS

⅓ oz. per gallon l oz. per gallon





SDA Registration No. 6186 31

CAUTION - KEEP OUT OF REACH OF CHILDREN

GUARANTEED BY DAMON CHEMICAL CO., INC., Alliance, Ohio

DII

For General previously c milkshake ma use 100 ppm culate thoro surfaces may solution. F of Soiled Su same article solution. F treated surf with clean, fore reuse. should not b below 50 ppm at any time a chlorine t

(C)

CAUTION: KE
OF CHILDR
Harmful if s
get on skin
contaminatio
away from he
closed when
case of eye
plenty of wa

DIRECTIONS

For General Disinfection of previously cleaned milk tanks, milkshake machines and lines use 100 ppm solution and circulate thoroughly. Outside surfaces may be sponged with solution. For Disinfection of Soiled Surfaces of these same articles, use 200 ppm solution. Flush and rinse all treated surfaces thoroughly with clean, potable water before reuse. Solution strength should not be allowed to fall below 50 ppm available chlorine at any time as determined by a chlorine test kit.

OF CHILDREN

Harmful if swallowed. Do not get on skin or in eyes. Avoid contamination of food. Store away from heat. Keep container closed when not in use. In case of eye contact, flush with plenty of water.

36 00

Ohio

P. O. Box 480
Alliance, OH 44601

Feb. 20, 1969

STER-O-KEM No. 3

Active Ingredients:

Potassium dichloro-s

triazinetrione . .

Tetrasodium ethylene
diamine tetraacetat

Inert Ingredients:
Sodium Tripolypnospn

Sodiam sulfate . .

DORIZES

s-triazindium tra-

. 7.0%

hate and ctive

. . . 93.0%

3.25%

TIONS

per gallon per gallon



DISINFECTANT CLEANER

A A DITIONAL CALLIDAS SEE SIDE FAME

CAUTION - KEEP OUT OF REACH OF CHILDREN

MANUFACTURED AND DAMON CHEMICAL CO., INC., Alliance, Ohio

DIRECTIONS

For General Disinie tiu previously cleaned milk milkshake machines and use 100 ppm solution an culate thoroughly. Out surfaces may be sponged solution. For Disinfec of Soiled Surfaces of t same articles, use 200 solution. Flush and ri treated surfaces thorou with clean, potable wat fore reuse. Solution s should not be allowed t below 50 ppm available at any time as determin a chlorine test kit.

OF CHILDREN
Harmful if swallowed.
get on skin or in eyes.
contamination of food.
away from heat. Keep c
closed when not in use.
case of eye contact, fl
plenty of water.

CLEANING HILK SHAKE MACHINES

Empty freezer and mixer. Fill mix hopper with cold water and ringe through freezer. Add 3 tablespoons of Ster-O-Kem #3 to 3 gallons of hot water and stir until all powder is dissolved. Pour solution into hopper and operate machine for 5 minutes and drain and rinse before sanitizing.

SANITIZING MILK SHAKE MACHINES

Rinse after cleaning and then sanitize with a 200 p.p.m. solution of Ster-O-Kem #3 or l oz. per gallon.

FOLLOW YOUR LOCAL HEALTH DEPARTMENT REGULATIONS.

DISINFECTS - DEODORIZES

SANITIZES

DIRECTIONS

Active Ingredients: Potassium dichloro-s-triazinetrione and tetrasodium ethylene diamine tetraacetate 7.0%

Inert Ingredients: Sodium tripolyphospuste and sodium sulfate effective as cleaners 93.0%

AVAILABLE CHLORINE 3.25%

SANITIZING SOLUTIONS

100 p.p.m. = $\frac{1}{2}$ oz. per gallon 200 p.p.m. = 1 oz. per gallon

QUALITY

STER O KEM

No. 3

PRODUCTS

DISINFECTANT

1 SDA Registration No. 61

CAUTION - KEEP OUT OF REAC

AND RESUMENT ALL SE

12

CLEANER

FOR AUDITIONAL CAUTIONS SEE

.

MANGIACTURES AND DAMON CHEMICAL CO.

STER O KEM No. 3 PRODUCTS

DISINFECTANT CLEANER

7.0%

93.0%

5%

Llon

Llon

SDA Registration No. 6186-31

CAUTION - KEEP OUT OF REACH OF CHILDREN

ANDEACTURED AND DAMON CHEMICAL CO., INC., Alliance, Ohio

DIRECTIONS

Por General Disinfection of previously cleaned milk tanks. milkshake machines and lines use 100 ppm solution and circulate thoroughly. Outside surfaces may be sponged with solution. For Disinfection of Soiled Surfaces of these same articles, use 200 ppm solution. Plush and rinse all treated surfaces thoroughly with clean, potable water before reuse. Solution strength should not be allowed to fall below 50 ppm available chlorine at any time as determined by a chlorine test kit.

CAUTION: KEEP OUT OF REACH
OF CHILDREN
Harmful if swallowed. Do not
get on skin or in eyes. Avoid
contamination of food. Store
away from heat. Keep container
closed when not in use. In
case of eye contact, flush with
plenty of water.

12