## USE DIRECTIONS

#### FOR CLEANING

Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of DC Disinfectant per gallon of water. Rinse cleaned area with fresh water.

Heavily soiled areas - mop or brush soiled surface with a solution containing 2-3 ounces of D-C Disinfectant per gallon of water. Rinse cleaned surface with fresh water.

### GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of D-C Disinfectant per gallon of water. Surfaces that are heavily soiled should be cleaned wih 1-2 ounces of D-C Disinfectant per gallon of water and then disinfected. Those surfaces which may later come in contact with food must be rinsed with clear water of drinking quality.

To disinfect locker rooms, shower stalls, walkways around pools and oher areas where fungicidal action is required, mop area with a solution containing 34 ounce in 1 gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.



ی و میچ می در به ورد این مارد این می ایند. مراجع



### DISINFECTANT - CLEANER FUNGICIDE DEODORANT SANITIZER

ACTIVE INGREDIENTS n-Alkyl (50 - C14, 40 Sodium metasilicate Tetrasodium salt of a

INERT INGREDIENTS

# **D** - **C** DISINFECTANT



S			
C12, 10 C16	dimethyl benzyl	annontum	chloride
athylene diamine	tetraacetic acid		

EPA Reg. No. 6186-43

## DANGER: KEEP OUT OF REACH OF CHILDREN

See antidote statement and other precautions on side panel

## **CONTENTS: 1 GALLON - 3.784 LITERS**

MANUFACTURED AND GUARANTEED BY DAMON CHEMICAL CO., INC., Alliance, Ohio 44601

To disi surface brush taining of wat with b thorou 2 ounc a fres of wat

To sar proces solutio per ga use Dgallon cleane 2 OUN Those rinsed

5.0

3.0

1.8

90 2-

To de brush : wt D C

#### HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be reated with a solution containing 2 ounces of D-C Disinfectant per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

### SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing <sup>3</sup>: ounce of D-C Disinfectant per gallon of water. If surface is heavily soiled, use D-C Disinfectant at a rate of 2-3 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing <sup>1</sup><sub>2</sub> ounce of D-C Disinfectant per gallon of water. Those surfaces which will contact food must be rinsed with water of drinking quality before reuse.

#### DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of D C Disinfectant per gallon of water.



D-C Disinfectant is an effective anti-bacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, D-C Disinfectant will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial - antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired.

See left panel for use directions.

## DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of tood. Rinse empty container thoroughly and discard it.

FIRST AID: In case of contact, immediately flush eyes or s' n with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

## DIRECTIONS

## CLEANING

s — surfaces to be cleaned or brushed with a solution of DC Disinfectant per gallon ned area with fresh water.

- mop or brush soiled surface ntaining 2-3 ounces of D-C llon of water. Rinse cleaned water.

## RPOSE DISINFECTION

loors and other hard surfaces restaurants, rest rooms and mop or brush surface to be ution containing 1 ounce of er gallon of water. Surfaces biled should be cleaned wih Disinfectant per gallon of infected. Those surfaces which contact with food must be ater of drinking quality.

tooms, shower stalls, walkways oher areas where fungicidal mop area with a solution congallon of water. This solution hyton interdigitale, a causative bot.



## SANITIZER - FUNGICIDE - DEODORANT

#### ACTIVE INGREDIENTS

n-Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride Sodium metasilicate Tetrasodium salt of ethylene diamine tetraacetic acid

INERT INGREDIENTS

EPA Reg. No. 6186-43

## DANGER: KEEP OUT OF REACH OF CHILDREN See antidote statement and other precautions on side panel.

### GALLON CONTENTS:



## MANUFACTURED AND DAMON CHEMICAL CO., INC., Alliance, Ohio GUARANTEED BY DAMON CHEMICAL CO., INC., Alliance, Ohio

## 3.784

 $5.0^{\prime}$ 3.0 % 1.81 90.2-