

**DIRECTIONS FOR USE**  
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

D-C Disinfectant is an effective anti-bacterial disinfectant designed for use on floors, walls, countertops, and fixtures in household, industrial and institutional housekeeping. When used as directed, D-C Disinfectant will disinfect hard non-porous surfaces made of glass, metal, stainless steel, glazed porcelain, glazed ceramic, fiberglass, granite, marble, plastic, chrome and vinyl, enameled surfaces, painted woodwork, Formica, vinyl and plastic upholstery. It may be relied upon to disinfect bathroom areas, garbage pails, food storage areas, handling areas and other areas where dangerous odors may develop. This product may be used as a general purpose antibacterial-antifungal disinfectant in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antiseptical action is desired.

**GENERAL CLEANING**  
Lightly soiled areas - surfaces to be cleaned should be mopped or brushed with a solution containing 1 ounce of D-C Disinfectant per gallon of water. Finely cleaned area with fresh water. Heavily soiled areas - mop or brush soiled surface with a solution containing 2-3 ounces of D-C Disinfectant per gallon of water. Rinse cleaned surface with fresh water.

**DEODORIZATION**  
To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of D-C Disinfectant per gallon of water.

**GENERAL PURPOSE DISINFECTION**  
Surfaces that are heavily soiled should be cleaned with 1-2 ounces of D-C Disinfectant per gallon of water and then disinfected. To disinfect walls, floors, and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas mop or brush surface to be treated with a solution containing 1 ounce of D-C Disinfectant per gallon of water. Treated surfaces must remain wet for 10 minutes. Let air dry. At this use level this product is bactericidal against *Staphylococcus aureus* and *Salmonella choleraesuis*. Those surfaces, which may later come in contact with food, must be rinsed with potable water. Not for use on dishes, glassware, or eating utensils.

**FOR USE AS A FUNGICIDE**  
To disinfect locker rooms, shower stalls, ventilation exhaust ports and other areas where fungicidal action is required, mop area with a solution containing 1/2 ounce in 1 gallon of water. This solution will destroy *Trichophyton mentagrophytes*, a causative agent of athlete's foot. Treated surfaces must remain wet for 10 minutes. Let air dry.

**HOSPITAL DISINFECTION**  
To disinfect walls, floors, furniture and other hard, non-porous surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 2 ounces of D-C Disinfectant per gallon of water. Treated surfaces must remain wet for 10 minutes. At this level this product is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis*. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly cleaned with a solution containing 2 ounces of this product per gallon of water before disinfection.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or sterilize critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**FOOD-PROCESSING PREMISES DISINFECTION**  
To disinfect food-processing premises: floors, walls and storage areas, add 1 ounce of this product to 1 gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge or brush so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. Before using the product, food products and packaging materials must be removed from area or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

**KENNEL DISINFECTION**  
For cleaning and disinfecting the following hard non-porous surfaces: Equipment, utensils, instruments, cages, kennels, stables, stalls and cat-teries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Thoroughly clean all surfaces with 1-2 ounces of D-C Disinfectant per 1 gallon of water for a period of 10 minutes. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, wet or dried. Thoroughly scrub all treated feed racks, automatic feeders, waterers and other equipment that dispense food or water with soap or detergent, and rinse with potable water before reuse.

# D-C DISINFECTANT



## CLEANER- DISINFECTANT FUNGICIDE-DEODORANT

EPA Est. No. 6186-OH-1  
EPA Reg. No. 6186-43

<b>Active Ingredients:</b>		
n-Alkyl (50% C <sub>14</sub> , 40% C <sub>12</sub> , 10% C <sub>16</sub> ) dimethyl benzyl ammonium chlorides	.....	5.0%
<b>Inert Ingredients</b>	.....	95.0%
<b>TOTAL</b>	.....	100.0%

**KEEP OUT OF REACH OF CHILDREN  
DANGER PELIGRO**

(SEE RIGHT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID)

### NET CONTENTS: 1 - 5 - 30 - 55 GALLONS

MANUFACTURED AND GUARANTEED BY  
**330 DAMON INDUSTRIES, INC. 1-800**  
**821-5310 BOX 210 ALLIANCE, OH 44601-0120 362-9850**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER, Keep Out of Reach of Children.** Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Harmful if inhaled. Avoid breathing spray mist. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.  
**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.  
**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

(If container is 5 gallons or larger the following statement must appear on the label.)  
**ENVIRONMENTAL HAZARD**  
This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

(If the container is greater than one gallon use the following storage and disposal statements.)  
**STORAGE AND DISPOSAL**  
Do not contaminate water, food, or feed by storage and disposal.  
**PESTICIDE STORAGE:** open dumping is prohibited. Store only in original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.  
**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.  
**CONTAINER DISPOSAL (Larger than 1 gal.):** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.  
(If container is one gallon or less use the following storage and disposal statements.)  
**STORAGE AND DISPOSAL**  
Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

ACCEPTED  
OCT 21 2003  
6186-43

Shown @ 24th St  
Revised 8/5/03

6186-43

10-21-2003