



Count-Down

INSECTICIDE

- MOST EFFECTIVE AGAINST
- FLIES . MOSQUITOS . WASPS . GNATS . BED BUGS
- ANTS SILVER FISH MOTHS COCK ROACHS

U.S.D.A. Reg. No. 6170-9

CAUTION: Keep Out of Reach of Children. see back panel for other cautions.



DIRECTIONS

l'inting nozzle upward direct the spray to all parts of the reom, especially windows and other light sources which attract these insects. Five to ten seconds application per 1,000 cubic feet space is usually sufficient. To prevent staining, hold nozzle at least 3 feet trom fabrics. Keep room closed 15 minutes after each treatment. COCKROACHES, ANTS, SILVERFISH, FLEAS: Aim the spray toward cloorings, all cracks, crevices, runways and places of refuge. Treat ulso ant trails, around doors and window facings. For silver fibrit treat book cases. Hit as mary insects as possible with the spray. Heavy treatment is recommended, REPEATED until the infestation is under control. Continue at intervals of one to two weeks to prevent reinfestation. Treat sleeping quarters of animals in the same manner. BED BUGS: Completely disassemble the bed. Hold nozzle close mough to coat lightly with oily residue, thoroughly treat all bed parts, springs, etc., especially around cracks and crevices. Treat the entire mattress carefully around folds or wrinkles, holding nozzle far enough away to prevent staining. Treat furniture, wall and floor revices. Keep room closed for several hours. Repeat often as necessary.

MOTHS: Treat all suspected enclosures, arranging clothing and other stricles so that the foggy spray can circulate freely and contact the ontents. Direct the spray at wearing apparel, holding nozzle 3 feet away to prevent staining. Keep treated areas closed for an hour or nore. Fairly heavy dosage is recommended, repeated monthly unless stored in moth-tight container. When treating wearing apparel, "ARTICULAR ATTENTION should be paid to spraying the seams and olds of clothing

ACTIVE INGREDIENTS

Pyrethrins	0.15%
Piperonyl Butaxide Technical*	
Butoxypolypropylene Glycol	5 00%
Petroleum Hydrocarbons	13.25°o
INERT INGREDIENTS	30 00° o
Propellent (Dichlorodifluoromethane	30 00°°
*Equivalent to 1.3% (butylcarbity)	1 (6-propylpiper-
onyl) ether and to 0.3% of relat	ed compounds

CAUTION: Harmful, if swallowed call a physician immediately. Do not spray directly on food or utensils.

Keep out of reach of children

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130° Farenheit may cause bursting. Never throw container into fire or incinerator.

