

SANICO

IDEAL

A CONCENTRATED WOOD-PRESERVATIVE

GIVES LONG-LASTING PROTECTION
FROM FUNGI AND ROT, IN ANY
TYPE OF WOOD.

Dilute SANICO IDEAL with 10 parts solvent or stove oil before use. Wear goggles and synthetic rubber gloves and protective clothing to protect against vapors or mists, especially when working indoors and when handling freshly treated lumber.

Do not use around open flame or while smoking. TOXIC TO VEGETATION. Do not use this product indoors, in greenhouse, or in any other confined areas where the vapors may concentrate and cause injury to plant or animal life.

Keep spray mist off lighted bulbs, droplets can make pin-point holes on hot glass.

Fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry, and well seasoned and immersed in the (dilute product) for a period of 12 to 48 hours to be an effective wood preserver. Lumber intended to be in contact with the soil should be dipped for a minimum of 3 minutes, or if treated by brush or spray method, 2 or more flowing coats should be applied.

KEEP OUT OF REACH OF CHILDREN

⚠ DANGER - POISON ⚠
HAZARDOUS LIQUID
RAPIDLY ABSORBED THROUGH SKIN
CAUSES SEVERE BURNS

Do not get in eyes, on skin, or in clothing. Avoid breathing vapor. Do not take internally - if swallowed, induce vomiting immediately using mustard water, salt water, finger down throat or other methods. Keep patient warm to prevent shock. CALL A PHYSICIAN IMMEDIATELY. In case of contact, immediately remove all contaminated clothing including shoes and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get immediate medical attention. Wash clothing before re-use. Wear gloves and protective clothing when handling the freshly treated lumber. Vapors can cause injury if adequate ventilation is not insured. NOT FOR USE OR STORAGE IN OR AROUND THE HOME ENVIRONMENT. CRUSH EMPTY CONTAINER(S) AND BURY AT LEAST 18 INCHES DEEP.

ACTIVE INGREDIENTS

- Pentachlorophenol*	33.8%
- Other Chlorophenols	4.6%
- Petroleum Distillate	20.0%
- Isopropyl Alcohol	15.0%
- Methyl Alcohol	15.0%
- Orthodichlorobenzene	10.0%
INACTIVE INGREDIENTS	01.6%

* 3.4 technical Penta. per gallon


EPA Reg. No. 6190-18

Net Contents
1 U.S. Gallon



SANICO

12543 Railway St. North Hollywood, California



SANICO

IDEAL

A CONCENTRATED WOOD-PRESERVATIVE

GIVES LONG-LASTING PROTECTION FROM FUNGI AND ROT, IN ANY TYPE OF WOOD.

Dilute SANICO IDEAL with 10 parts solvent or stove oil before use. Wear goggles and synthetic rubber gloves and protective clothing to protect against vapors or mists, especially when working indoors and when handling freshly treated lumber.

Do not use around open flame or while smoking. **TOXIC TO VEGETATION.** Do not use this product indoors, in greenhouse or in any other confined area where the vapors may concentrate and cause injury to plant or animal life. Keep spray mist off lighted bulbs; droplets can make pin-point holes on hot glass.

Fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry, and well seasoned and immersed in the (dilute product) for a period of 12 to 15 hours to be an effective wood preserver. Lumber intended to be in contact with the soil should be dipped for a minimum of 3 minutes, or if treated by brush or spray method, 2 or more flowing coats should be applied.

ACTIVE INGREDIENTS

Pentachlorophenol*	33.8%
Other Chlorophenols	4.6%
Petroleum Distillate	20.0%
Isopropyl Alcohol	15.0%
Methyl Alcohol	15.0%
Orthodichlorobenzene	10.0%
INACTIVE INGREDIENTS	01.6%

* 3.4 technical Penta. per gallon

EPA Reg. No. 6190-18
Net Contents
1 U.S. Gallon

KEEP OUT OF REACH OF CHILDREN

⚠ DANGER - POISON ⚠
HAZARDOUS LIQUID
ABSORBED THROUGH SKIN
CAUSES SEVERE BURNS

Do not get in eyes. Rinse with water. Avoid breathing vapors. Do not take internally. If swallowed, induce vomiting immediately using mustard water solution, finger down throat or other methods. Keep patient warm to prevent shock. CALL A PHYSICIAN IMMEDIATELY. If on skin, contact immediately remove all contaminated clothing including shoes and flush with water. Wash eyes with plenty of water for at least 15 minutes. For inhalation, get to fresh air immediately. Wash clothing before reuse. Wear gloves and eye protection when handling freshly treated lumber. Vapors can cause irritation if adequate ventilation is not insured. **NOT FOR USE OR STORAGE IN OR AROUND THE HOME ENVIRONMENT. CRUSH EMPTY CONTAINERS AND BURY AT LEAST 18 INCHES DEEP.**



SANICO

13143 Saticoy St. North Hollywood, California